

Index of database - prod_umov_dbview

- u1329
 - [activity](#)
 - [activitydefault](#)
 - [activityfield](#)
 - [activityroute](#)
 - [activitysection](#)
 - [activitytype](#)
 - [agent](#)
 - [agentactivity](#)
 - [agentactivitystatistics](#)
 - [agentdailymetrics](#)
 - [agentdailystatistics](#)
 - [agentgroup](#)
 - [agentroute](#)
 - [aggregated_by_entity_activitysection](#)
 - [aggregated_by_entity_agent](#)
 - [aggregated_by_entity_item](#)
 - [aggregated_by_entity_local](#)
 - [aggregated_by_entity_localtype](#)
 - [aggregated_by_entity_task](#)
 - [aggregated_by_entity_taskitem](#)
 - [aggregated_by_entity_team](#)
 - [aggregated_customentity_117459](#)
 - [aggregated_customentity_13484](#)
 - [aggregated_customentity_13756](#)
 - [aggregated_customentity_33228](#)
 - [aggregated_customentity_35616](#)
 - [aggregated_customentity_35617](#)
 - [aggregated_customentity_35618](#)
 - [aggregated_customentity_420](#)
 - [aggregated_customentity_50553](#)
 - [aggregated_customentity_50554](#)
 - [aggregated_customentity_76038](#)
 - [aggregated_history_101751](#)
 - [aggregated_history_114088](#)
 - [aggregated_history_157603](#)
 - [aggregated_history_170303](#)
 - [aggregated_history_314038](#)
 - [aggregated_history_3146](#)
 - [aggregated_history_377678](#)
 - [aggregated_history_40602](#)
 - [aggregated_history_418905](#)
 - [aggregated_history_47206](#)
 - [aggregated_history_516713](#)
 - [aggregated_history_523537](#)
 - [aggregated_history_80034](#)
 - [customentity](#)
 - [customentityvalue](#)
 - [customfield](#)
 - [customfieldvalue](#)
 - [dbout_activitysection](#)
 - [dbout_agent](#)
 - [dbout_customentity_ciclo_atendimento](#)
 - [dbout_customentity_city](#)
 - [dbout_customentity_country](#)
 - [dbout_customentity_licencaspорparceiro](#)
 - [dbout_customentity_mix](#)
 - [dbout_customentity_mixitem](#)
 - [dbout_customentity_mixtype](#)
 - [dbout_customentity_parceiros](#)
 - [dbout_customentity_politica_gps](#)
 - [dbout_customentity_state](#)
 - [dbout_customentiity_volumeteste](#)
 - [dbout_history_1](#)
 - [dbout_history_a](#)
 - [dbout_history_atividade](#)
 - [dbout_history_atividade1](#)
 - [dbout_history_atividade_do_borges](#)
 - [dbout_history_atividade_para_exportar](#)
 - [dbout_history_book](#)
 - [dbout_history_captura_de_audio](#)
 - [dbout_history_event](#)
 - [dbout_history_nova_atividade](#)
 - [dbout_history_pagament](#)
 - [dbout_history_totvs](#)

- [dbout_history_validacao](#)
- [dbout_item](#)
- [dbout_local](#)
- [dbout_localtype](#)
- [dbout_task](#)
- [dbout_taskitem](#)
- [dbout_team](#)
- [dictionary](#)
- [dictionary_legacy](#)
- [dictionary_legacy_agg](#)
- [dictionary_new](#)
- [dictionary_new_customer](#)
- [geocoordinate](#)
- [history](#)
- [historymedia](#)
- [historyvalue](#)
- [item](#)
- [itemcategory](#)
- [itemgroup](#)
- [itemlocal](#)
- [itemsubgroup](#)
- [local](#)
- [localactivity](#)
- [localclass](#)
- [localgroup](#)
- [localroute](#)
- [localtype](#)
- [media](#)
- [mediatags](#)
- [route](#)
- [task](#)
- [taskactivity](#)
- [taskdailymetrics](#)
- [taskitem](#)
- [tasktype](#)
- [tasktypeactivity](#)
- [team](#)
- [teamagent](#)
- [teamtype](#)
- [total_sizes_transactionlog](#)
- [transactionlog](#)
- [valid_coordinate](#)
- [vw_responsible_team_recursive](#)
- [vw_team_recursive](#)
- [vw_teamagent_recursive](#)
- [dbout_setup_views\(\)](#)
- [dbout_setup_views_by_customentity\(\)](#)
- [dbout_setup_views_by_customentity\(customentityid bigint\)](#)
- [dbout_setup_views_by_entity\(\)](#)
- [dbout_setup_views_by_entity\(entityname text\)](#)
- [dbout_setup_views_by_history\(returninactive bigint, activityid boolean\)](#)
- [dbout_setup_views_by_history\(returninactive boolean\)](#)
- [dbout_setup_views_with_inactive\(\)](#)

Table: activity

Identifies exactly what is collected. It is mandatory and represents a form of data collection.

Activity Structure

F-Key	Name	Type	Description
	act_id	bigint	<i>PRIMARY KEY</i>
	act_integrationid	character varying(100)	Id used to integrate the client software
	act_description	character varying(100)	<i>NOT NULL</i>
	act_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive
activitytype.aty_id	aty_id	bigint	
media.med_id	med_id	bigint	

Tables referencing this one via Foreign Key Constraints:

- [activitydefault](#)
- [activityroute](#)
- [activitysection](#)
- [agentactivity](#)

- [history](#)
- [localactivity](#)
- [taskactivity](#)
- [tasktypeactivity](#)

activity_act_description_in act_description varchar_pattern_ops activity_aty_id_in aty_id activity_med_id_in med_id
[Index](#) - [Schema u1329](#)

Table: activitydefault

Identifies the default activity of an environment

Activitydefault Structure

F-Key	Name	Type	Description
	acd_id	bigint	PRIMARY KEY
activity.act_id	act_id	bigint	NOT NULL

[Index](#) - [Schema u1329](#)

Table: activityfield

Identifies exactly the fields that should be collected in the activity section. It is mandatory and represents the definition of the data that will be collected.

Activityfield Structure

F-Key	Name	Type	Description
	acf_id	bigint	PRIMARY KEY
	acf_integrationid	character varying(100)	Id used to integrate the client software
	acf_description	character varying(1000)	NOT NULL
	acf_fieldtype	character varying(3)	
	acf_active	character(1)	NOT NULL 1 = Active 0 = Inactive
activitysection.acs_id	acs_id	bigint	
	acf_displayorder	bigint	

Tables referencing this one via Foreign Key Constraints:

- [historyvalue](#)

activityfield_acf_description_in acf_description varchar_pattern_ops activityfield_acs_id_in acs_id
[Index](#) - [Schema u1329](#)

Table: activityroute

Activities of a route. It is not mandatory and it defines what will be executed.

Activityroute Structure

F-Key	Name	Type	Description
	acr_id	bigint	PRIMARY KEY
route.rot_id	rot_id	bigint	NOT NULL
activity.act_id	act_id	bigint	NOT NULL

[Index](#) - [Schema u1329](#)

Table: activitysection

Identifies an area of the form for data collection. It is mandatory and can contain items and fields or fields only.

Activitysection Structure

F-Key	Name	Type	Description
	acs_id	bigint	PRIMARY KEY
	acs_integrationid	character varying(100)	Id used to integrate the client software
	acs_description	character varying(100)	NOT NULL
	acs_active	character(1)	NOT NULL 1 = Active 0 = Inactive

activity.act_id	act_id	bigint
media.med_id	med_id	bigint

Tables referencing this one via Foreign Key Constraints:

- [activityfield](#)
- [historyvalue](#)

activitysection_acs_description_in acs_description varchar_pattern_ops activitysection_act_id_in act_id activitysection_med_id_in med_id
[Index - Schema u1329](#)

Table: activitytype

Is a way of grouping activities. It is mandatory and can be used to generate statistics about activities.

Activitytype Structure

F-Key	Name	Type	Description
	aty_id	bigint	<i>PRIMARY KEY</i>
	aty_integrationid	character varying(100)	
			Id used to integrate the client software
	aty_description	character varying(100)	<i>NOT NULL</i>
	aty_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive
media.med_id	med_id	bigint	

Tables referencing this one via Foreign Key Constraints:

- [activity](#)

activitytype_aty_description_in aty_description varchar_pattern_ops activitytype_med_id_in med_id
[Index - Schema u1329](#)

Table: agent

Identifies who performs the activities. It is mandatory.

Agent Structure

F-Key	Name	Type	Description
	age_id	bigint	<i>PRIMARY KEY</i>
	age_integrationid	character varying(100)	
			Id used to integrate the client software
	age_name	character varying(100)	<i>NOT NULL</i>
	age_login	character varying(50)	<i>NOT NULL</i>
			Used to access the system
	age_observation	character varying(255)	
	age_country	character varying(50)	
	age_state	character varying(50)	
	age_city	character varying(50)	
	age_neighborhood	character varying(50)	
	age_street	character varying(101)	
	age_streetnumber	bigint	
	age_streetnumbercompl	character varying(50)	
	age_zipcode	bigint	
	age_phone	character varying(50)	+Country Code (Area Code) Phone Number
	age_mobilephone	character varying(50)	+Country Code (Area Code) Mobile Number
	age_mail	character varying(50)	

	age_imeilastsync	character varying(100)	Mobile IMEI used at last synchronism
	age_datehourlastsync	timestamp without time zone	Date and hour at last synchronism
agentgroup.agg_id	agg_id	bigint	
	age_active	character(1) <i>NOT NULL</i>	1 = Active 0 = Inactive
	age_mobileversion	character varying(7)	uMov.me mobile current version
	age_lastgeoposition	text	Last geographic position
media.med_id	med_id	bigint	
	age_geoposition	text	Geographic position
	age_batterylevel	integer	Battery level at last synchronism
	age_mobileplatformtype	character varying(50)	Mobile platform type (Android, iOS, etc)
	age_mobileplatformversion	character varying(50)	Mobile platform version
	age_ignoreteamfilter	character(1)	If option is checked, system does not apply team filter for this user (0-No 1-Yes)
agent.age_id	age_id_insert	bigint	Agent who created the agent
	age_datetimeinsert	timestamp without time zone	Date and time of record has inserted
	age_moduleinsert	character varying(100)	Module that inserted the agent (Center API Importer Mobile Integration)
agent.age_id	age_id_lastupdate	bigint	Agent who last updated the agent
	age_datetimelastupdate	timestamp without time zone	Date and time of last agent update
	age_modulelastupdate	character varying(100)	Module that last update the local (Center API Importer Mobile Integration)
	age_datetimelastgps	timestamp without time zone	Date and hour of last collected geocoordinate
	age_customerportfoliofilter	character(1)	Filter applied to an customer portfolio of the agent (0=No filter applied 1=Filter by Agent responsible for the local 2=Filter by Agent routes 3=Filter by Team responsible for the local)

Tables referencing this one via Foreign Key Constraints:

- [agent](#)
- [agentactivity](#)
- [agentdailymetrics](#)
- [agentroute](#)
- [geocoordinate](#)
- [item](#)
- [local](#)

- [task](#)
- [teamagent](#)

agent_age_id_insert_in age_id_insert agent_age_id_lastupdate_in age_id_lastupdate agent_age_name_in age_name varchar_pattern_ops agent_agg_id_in agg_id agent_med_id_in med_id

[Index - Schema u1329](#)

Table: agentactivity

Identifies the activities of agents

Agentactivity Structure

F-Key	Name	Type	Description
	aac_id	bigint	PRIMARY KEY
agent.age_id	age_id	bigint	NOT NULL
activity.act_id	act_id	bigint	NOT NULL

[Index - Schema u1329](#)

Table: agentactivitystatistics

Daily statistics of Agent x Activity

Agentactivitystatistics Structure

F-Key	Name	Type	Description
	age_id	bigint	PRIMARY KEY Agent id
	act_id	bigint	PRIMARY KEY Activity id
	aas_date	date	PRIMARY KEY Date of metric
	aas_createdat	timestamp without time zone	NOT NULL Creation date of metric
	aas_lastupdate	timestamp without time zone	NOT NULL Last update date of metric
	aas_executedtasks	integer	Total number of executed tasks
	aas_executedactivities	integer	Total number of executed activities
	aas_collectedimages	integer	Total number of collected images
	aas_executiontime	bigint	Total time spend executing tasks in seconds
	aas_executedlate	integer	Total number of tasks executed late
	aas_executedontime	integer	Total number of executed tasks executed on time
	aas_executedearly	integer	Total number of executed tasks executed early

agentactivitystatistics_date_in aas_date

[Index - Schema u1329](#)

Table: agentdailymetrics

Identifies agent daily execution metrics

Agentdailymetrics Structure

F-Key	Name	Type	Description
	adm_id	bigint	PRIMARY KEY
agent.age_id	age_id	bigint	NOT NULL

		Agent identifier
adm_metricdate	date	NOT NULL
adm_initialexecutionhour	time without time zone	
adm_finalexecutionhour	time without time zone	
adm_totalexecutedtasktime	interval	
adm_totalunexecutedtasktime	interval	
adm_totalworkedtime	interval	
adm_totalunworkedtime	interval	
adm_totaltraveleddistance	numeric	
adm_totalexecutedtasks	bigint	
adm_totalnegativestasks	bigint	
adm_totalexecutedactivities	bigint	

agentdailymetrics_adm_metricdate_in adm_metricdate agentdailymetrics_age_id_in age_id

[Index - Schema u1329](#)

Table: agentdailystatistics

Daily statistics of agents

Agentdailystatistics Structure

F- Key	Name	Type	Description
	age_id	bigint	PRIMARY KEY Agent id
	ads_date	date	PRIMARY KEY Day
	ads_executedtasks	integer	Total number of executed tasks
	ads_executedactivities	integer	Total number of executed activities
	ads_collectedimages	integer	Total number of collected images
	ads_executiontime	bigint	Total time spend executing tasks in seconds
	ads_delaytime	bigint	Delay time of the day in seconds
	ads_executedlate	integer	Total number of tasks executed late
	ads_executedontime	integer	Total number of executed tasks executed on time
	ads_executedearly	integer	Total number of executed tasks executed early
	ads_firstsincronism	timestamp without time zone	Time of the first sincronism
	ads_waittime	bigint	Total time spend waiting on service local before or after execution in seconds
	ads_travelttime	bigint	Total time spend traveling in seconds
	ads_standingtime	bigint	Total time spend standing out of execution in seconds
	ads_traveldistance	integer	Total distance traveled in meters
	ads_datatransmitted	bigint	Total data transmitted between mobile in bytes

ads_createdat	timestamp without time zone	NOT NULL	Creation date of metric
ads_lastupdate	timestamp without time zone	NOT NULL	Last update date of metric

agentdailystatistics_date_in ads_date

[Index](#) - [Schema u1329](#)

Table: agentgroup

Is a way of grouping agents. It is mandatory and can be used to generate statistics about agents.

Agentgroup Structure

F-Key	Name	Type	Description
	agg_id	bigint	PRIMARY KEY
	agg_integratationid	character varying(100)	Id used to integrate the client software
	agg_description	character varying(100)	NOT NULL
	agg_active	character(1)	NOT NULL
			1 = Active 0 = Inactive

Tables referencing this one via Foreign Key Constraints:

- [agent](#)

agentgroup_agg_description_in agg_description varchar_pattern_ops

[Index](#) - [Schema u1329](#)

Table: agentroute

Agents of a route. It is not mandatory and it defines who can execute the route.

Agentroute Structure

F-Key	Name	Type	Description
	agr_id	bigint	PRIMARY KEY
route.rot_id	rot_id	bigint	NOT NULL
agent.age_id	age_id	bigint	NOT NULL

[Index](#) - [Schema u1329](#)

View: aggregated_by_entity_activitysection

Aggregated_by_entity_activitysection Structure

F-Key	Name	Type	Description
	acs_id	bigint	
	acs_integratationid	character varying(100)	
	acs_description	character varying(100)	
	acs_active	character(1)	
	act_id	bigint	
	med_id	bigint	
	fields	json	

SELECT agents.acs_id

, agents.acs_integratationid

, agents.acs_description

, agents.acs_active

, agents.act_id

, agents.med_id

,

(

(('{'::text || string_agg

(

(

(

(

(


```

        (
            (to_json
              (agents.cfd_integrationid) || ': {"internalvalue": '::text
            ) || to_json
              (agents.cfv_internalvalue)
            ) ||
            ', '::text
          ) || '"externalvalue": '::text
        ) || to_json
          (agents.cfv_externalvalue)
        ) || '}'::text
      ), '::text
    ) || '}'::text
  )
)::json AS fields
FROM (
SELECT e.acs_id
      ,
      e.acs_integrationid
      ,
      e.acs_description
      ,
      e.acs_active
      ,
      e.act_id
      ,
      e.med_id
      ,
      COALESCE
        (NULLIF
          (sanitize_identifier
            (
              (cf.cfd_integrationid)::text
            )
            , '::text
          )
          , ('f'::text ||
            (cf.cfd_id)::text
          )
        ) AS cfd_integrationid
      ,
      cfv.cfv_internalvalue
      ,
      cfv.cfv_externalvalue
FROM (
  (u1329.activitysection e
    LEFT JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.acs_id)
      )
    )
  LEFT JOIN u1329.customfield cf
    ON (
      (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
        AND (
          (cf.cfd_table)::text = 'activitysection'::text
        )
      )
      AND (
        (COALESCE
          (cf.cfd_subtype
            , '999'::character varying
          )
          )::text <> ALL
          (
            (ARRAY['3'::character varying
              , '4'::character varying]
            )::text[]
          )
        )
      )
    )
  )
)
UNION ALL
SELECT e.acs_id
      ,
      e.acs_integrationid
      ,
      e.acs_description
      ,
      e.acs_active
      ,
      e.act_id

```

```

        e.med_id
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (u1329.activitysection e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.acs_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.custumentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'activitysection'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.acs_id
,
    e.acs_integrationid
,
    e.acs_description
,
    e.acs_active
,
    e.act_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (cev.cev_id)::text
        )
        , ''::text
    )
)

```

```

        ) || '}'::text
    ) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (cev.cev_description)::text
            )
            ,','::text
        )
    ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (u1329.activitysection e
            JOIN u1329.customfieldvalue cfv
                ON (
                    (cfv.cfv_registerid = e.acs_id)
                )
        )
        JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
    JOIN u1329.customentityvalue cev
        ON (
            (
                (
                    (cev.cev_id)::text =
                    (cfv.cfv_internalvalue)::text
                )
                AND (cev.cet_id = cf.cfd_sourceid)
            )
        )
    )
WHERE (
    (
        (
            (cf.cfd_table)::text = 'activitysection'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.acs_id
, e.acs_integrationid
, e.acs_description
, e.acs_active
, e.act_id
, e.med_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        ,''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
UNION ALL
SELECT e.acs_id
,
    e.acs_integrationid
,
    e.acs_description
,
    e.acs_active
,
    e.act_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
    )

```

```

        , '::text
    )
    , ('f '::text ||
      (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (u1329.activitysection e
            JOIN u1329.customfieldvalue cfv
                ON (
                    (cfv.cfv_registerid = e.acs_id)
                )
        )
        JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
    JOIN u1329.agent age
        ON (
            (
                (age.age_id)::text =
                (cfv.cfv_internalvalue)::text
            )
        )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'activitysection'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.acs_id
,
    e.acs_integrationid
,
    e.acs_description
,
    e.acs_active
,
    e.act_id
,
    e.med_id
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, '::text
)
, ('f '::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('f '::text || string_agg
        (
            (age.age_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f '::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ','::text
        )
    )

```

```

        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (u1329.activitysection e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.acs_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'activitysection'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.acs_id
, e.acs_integrationid
, e.acs_description
, e.acs_active
, e.act_id
, e.med_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.acs_id
,
    e.acs_integrationid
,
    e.acs_description
,
    e.acs_active
,
    e.act_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
    (loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue
FROM (
    (

```

```

        (u1329.activitysection e
          JOIN u1329.customfieldvalue cfv
            ON (
              (cfv.cfv_registerid = e.acs_id)
            )
          )
        JOIN u1329.customfield cf
          ON (
            (
              (cf.cfd_id = cfv.cfd_id)
              AND (length
                (cf.cfd_id) < 32
              )
            )
          )
        )
        JOIN u1329.local loc
          ON (
            (
              (loc.loc_id)::text =
              (cfv.cfv_internalvalue)::text
            )
          )
        )
WHERE (
  (
    (
      (cf.cfd_table)::text = 'activitysection'::text
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.acs_id
,
  e.acs_integrationid
,
  e.acs_description
,
  e.acs_active
,
  e.act_id
,
  e.med_id
,
  COALESCE
(NULLIF
(sanitize_identifier
  (
    (cf.cfd_integrationid)::text
  )
  , ''::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
  ('{'::text || string_agg
    (
      (loc.loc_id)::text
      , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('{'::text || string_agg
    (quote_ident
      (
        (loc.loc_description)::text
      )
      , ','::text
    )
  ) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (u1329.activitysection e
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.acs_id)
        )
      )
    )
  )

```

```

        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (
        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'activitysection'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
)
GROUP BY e.acs_id
, e.acs_integrationid
, e.acs_description
, e.acs_active
, e.act_id
, e.med_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.acs_id
,
    e.acs_integrationid
,
    e.acs_description
,
    e.acs_active
,
    e.act_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (u1329.activitysection e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.acs_id)
            )
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (
                (cf.cfd_description)::text !~

```

```

    )
    )
    )
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (cf.cfd_table)::text = 'activitysection'::text
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.acs_id
,
    e.acs_integrationid
,
    e.acs_description
,
    e.acs_active
,
    e.act_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (ite.ite_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.activitysection e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.acs_id)
            )
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =

```



```

        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (cf.cfd_table)::text = 'activitysection'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.acs_id
, e.acs_integrationid
, e.acs_description
, e.acs_active
, e.act_id
, e.med_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.acs_id
,
    e.acs_integrationid
,
    e.acs_description
,
    e.acs_active
,
    e.act_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
    (act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (u1329.activitysection e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.acs_id)
            )
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (

```

```

(
  (
    (cf.cfd_table)::text = 'activitysection'::text
  )
  AND (
    (cf.cfd_subtype)::text = '3'::text
  )
)
AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.acs_id
,
  e.acs_integracionid
,
  e.acs_description
,
  e.acs_active
,
  e.act_id
,
  e.med_id
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integracionid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integracionid
,
(
  ('{'::text || string_agg
    (
      (act.act_id)::text
    , ''::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('{'::text || string_agg
    (quote_ident
      (
        (act.act_description)::text
      )
    , ''::text
    )
  ) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (u1329.activitysection e
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.acs_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (
          (cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
        )
      )
    )
  )
)
JOIN u1329.activity act
ON (
  (
    (act.act_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (cf.cfd_table)::text = 'activitysection'::text
  )
  AND (
    (cf.cfd_subtype)::text = '4'::text
  )
)

```

```

)
AND (cf.cfd_sourcetable = 10)
)

GROUP BY e.acs_id
, e.acs_integrationid
, e.acs_description
, e.acs_active
, e.act_id
, e.med_id
, COALESCE
( NULLIF
(sanitize_identifer
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
agents

GROUP BY agents.acs_id
, agents.acs_integrationid
, agents.acs_description
, agents.acs_active
, agents.act_id
, agents.med_id;

```

[Index - Schema u1329](#)

View: aggregated_by_entity_agent

Aggregated_by_entity_agent Structure

F-Key	Name	Type	Description
	age_id	bigint	
	age_integrationid	character varying(100)	
	age_name	character varying(100)	
	age_login	character varying(50)	
	age_observation	character varying(255)	
	age_country	character varying(50)	
	age_state	character varying(50)	
	age_city	character varying(50)	
	age_neighborhood	character varying(50)	
	age_street	character varying(101)	
	age_streetnumber	bigint	
	age_streetnumbercompl	character varying(50)	
	age_zipcode	bigint	
	age_phone	character varying(50)	
	age_mobilephone	character varying(50)	
	age_mail	character varying(50)	
	age_imeilastsync	character varying(100)	
	age_datehourlastsync	timestamp without time zone	
	agg_id	bigint	
	age_active	character(1)	
	age_mobileversion	character varying(7)	
	age_lastgeoposition	text	
	med_id	bigint	
	age_geoposition	text	
	age_batterylevel	integer	
	age_mobileplatformtype	character varying(50)	
	age_mobileplatformversion	character varying(50)	
	age_ignoreteamfilter	character(1)	
	age_id_insert	bigint	
	age_datetimeinsert	timestamp without time zone	
	age_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	age_datetimelastupdate	timestamp without time zone	
	age_modulelastupdate	character varying(100)	
	age_datetimelastgps	timestamp without time zone	
	age_customerportfoliofilter	character(1)	
	fields	json	

```

SELECT agents.age_id
,
agents.age_integrationid
,
agents.age_name
,
agents.age_login
,
agents.age_observation
,
agents.age_country
,
agents.age_state
,
agents.age_city
,
agents.age_neighborhood
,
agents.age_street
,
agents.age_streetnumber
,
agents.age_streetnumbercompl
,
agents.age_zipcode
,
agents.age_phone
,
agents.age_mobilephone
,
agents.age_mail
,
agents.age_imeilastsync
,
agents.age_datehourlastsync
,
agents.agg_id
,
agents.age_active
,
agents.age_mobileversion
,
agents.age_lastgeoposition
,
agents.med_id
,
agents.age_geoposition
,
agents.age_batterylevel
,
agents.age_mobileplatformtype
,
agents.age_mobileplatformversion
,
agents.age_ignoreteamfilter
,
agents.age_id_insert
,
agents.age_datetimeinsert
,
agents.age_moduleinsert
,
agents.age_id_lastupdate
,
agents.age_datetimelastupdate
,
agents.age_modulelastupdate
,
agents.age_datetimelastgps
,
agents.age_customerportfoliofilter
,
(
(
('{'::text || string_agg
(
(
(
(
(
(to_json
agents.cfd_integrationid) || ': {"internalvalue": ' '::text
) || to_json
agents.cfv_internalvalue)
) ||
', ' '::text
) || '"externalvalue": ' '::text
) || to_json
agents.cfv_externalvalue)
) || '}'::text
)
), ' '::text
) || '}'::text
)

```

:::json AS fields

```
FROM (
SELECT e.age_id
    ,
    e.age_integrationid
    ,
    e.age_name
    ,
    e.age_login
    ,
    e.age_observation
    ,
    e.age_country
    ,
    e.age_state
    ,
    e.age_city
    ,
    e.age_neighborhood
    ,
    e.age_street
    ,
    e.age_streetnumber
    ,
    e.age_streetnumbercompl
    ,
    e.age_zipcode
    ,
    e.age_phone
    ,
    e.age_mobilephone
    ,
    e.age_mail
    ,
    e.age_imeilastsync
    ,
    e.age_datehourlastsync
    ,
    e.agg_id
    ,
    e.age_active
    ,
    e.age_mobileversion
    ,
    e.age_lastgeoposition
    ,
    e.med_id
    ,
    e.age_geoposition
    ,
    e.age_batterylevel
    ,
    e.age_mobileplatformtype
    ,
    e.age_mobileplatformversion
    ,
    e.age_ignoreteamfilter
    ,
    e.age_id_insert
    ,
    e.age_datetimeinsert
    ,
    e.age_moduleinsert
    ,
    e.age_id_lastupdate
    ,
    e.age_datetimelastupdate
    ,
    e.age_modulelastupdate
    ,
    e.age_datetimelastgps
    ,
    e.age_customerportfoliofilter
    ,
    COALESCE
    (NULLIF
    (sanitize_identifier
    (
    (cf.cfd_integrationid)::text
    )
    , ''::text
    )
    , ('f'::text ||
    (cf.cfd_id)::text
    )
    ) AS cfd_integrationid
    ,
    cfv.cfv_internalvalue
    ,
    cfv.cfv_externalvalue
FROM (
    (u1329.agent e
    LEFT JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.age_id)
    )
    )
)
```

```
)
LEFT JOIN u1329.customfield cf
ON (
    (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
        AND (
            (cf.cfd_table)::text = 'agent'::text
        )
    )
    AND (
        (COALESCE
            (cf.cfd_subtype
                , '999'::character varying
            )
        )::text <> ALL
        (
            (ARRAY['3'::character varying
                , '4'::character varying]
            )::text[]
        )
    )
)
)
```

UNION ALL

```
SELECT e.age_id
,
    e.age_integrationid
,
    e.age_name
,
    e.age_login
,
    e.age_observation
,
    e.age_country
,
    e.age_state
,
    e.age_city
,
    e.age_neighborhood
,
    e.age_street
,
    e.age_streetnumber
,
    e.age_streetnumbercompl
,
    e.age_zipcode
,
    e.age_phone
,
    e.age_mobilephone
,
    e.age_mail
,
    e.age_imeilastsync
,
    e.age_datehourlastsync
,
    e.agg_id
,
    e.age_active
,
    e.age_mobileversion
,
    e.age_lastgeoposition
,
    e.med_id
,
    e.age_geoposition
,
    e.age_batterylevel
,
    e.age_mobileplatformtype
,
    e.age_mobileplatformversion
,
    e.age_ignoreteamfilter
,
    e.age_id_insert
,
    e.age_datetimeinsert
,
    e.age_moduleinsert
,
    e.age_id_lastupdate
,
    e.age_datetimelastupdate
```

```

,
    e.age_modulelastupdate
,
    e.age_datetimelastgps
,
    e.age_customerportfoliofilter
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        ),
        ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.age_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.custoentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'agent'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.age_id
,
    e.age_integrationid
,
    e.age_name
,
    e.age_login
,
    e.age_observation
,
    e.age_country
,
    e.age_state
,
    e.age_city
,
    e.age_neighborhood
,
    e.age_street
,
    e.age_streetnumber
,
    e.age_streetnumbercompl
,
    e.age_zipcode
,
    e.age_phone

```

```

    ,
    e.age_mobilephone
    ,
    e.age_mail
    ,
    e.age_imeilastsync
    ,
    e.age_datehourlastsync
    ,
    e.agg_id
    ,
    e.age_active
    ,
    e.age_mobileversion
    ,
    e.age_lastgeoposition
    ,
    e.med_id
    ,
    e.age_geoposition
    ,
    e.age_batterylevel
    ,
    e.age_mobileplatformtype
    ,
    e.age_mobileplatformversion
    ,
    e.age_ignoreteamfilter
    ,
    e.age_id_insert
    ,
    e.age_datetimeinsert
    ,
    e.age_moduleinsert
    ,
    e.age_id_lastupdate
    ,
    e.age_datetimelastupdate
    ,
    e.age_modulelastupdate
    ,
    e.age_datetimelastgps
    ,
    e.age_customerportfoliofilter
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (cevc.cev_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (cevc.cev_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.age_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)

```



```

)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'agent'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.age_id
, e.age_integrationid
, e.age_name
, e.age_login
, e.age_observation
, e.age_country
, e.age_state
, e.age_city
, e.age_neighborhood
, e.age_street
, e.age_streetnumber
, e.age_streetnumbercompl
, e.age_zipcode
, e.age_phone
, e.age_mobilephone
, e.age_mail
, e.age_imeilastsync
, e.age_datehourlastsync
, e.agg_id
, e.age_active
, e.age_mobileversion
, e.age_lastgeoposition
, e.med_id
, e.age_geoposition
, e.age_batterylevel
, e.age_mobileplatformtype
, e.age_mobileplatformversion
, e.age_ignoreteamfilter
, e.age_id_insert
, e.age_datetimeinsert
, e.age_moduleinsert
, e.age_id_lastupdate
, e.age_datetimelastupdate
, e.age_modulelastupdate
, e.age_datetimelastgps
, e.age_customerportfoliofilter
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)
)
UNION ALL
SELECT e.age_id
,
    e.age_integrationid
,
    e.age_name
,
    e.age_login
,
    e.age_observation
,
    e.age_country
,
    e.age_state
,
    e.age_city
,
    e.age_neighborhood
,
    e.age_street
,
    e.age_streetnumber
,

```

```

        e.age_streetnumbercompl
    ,
        e.age_zipcode
    ,
        e.age_phone
    ,
        e.age_mobilephone
    ,
        e.age_mail
    ,
        e.age_imeilastsync
    ,
        e.age_datehourlastsync
    ,
        e.agg_id
    ,
        e.age_active
    ,
        e.age_mobileversion
    ,
        e.age_lastgeoposition
    ,
        e.med_id
    ,
        e.age_geoposition
    ,
        e.age_batterylevel
    ,
        e.age_mobileplatformtype
    ,
        e.age_mobileplatformversion
    ,
        e.age_ignoreteamfilter
    ,
        e.age_id_insert
    ,
        e.age_datetimeinsert
    ,
        e.age_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.age_datetimelastupdate
    ,
        e.age_modulelastupdate
    ,
        e.age_datetimelastgps
    ,
        e.age_customerportfoliofilter
    ,
        COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,
    (age.age_id)::text AS cfv_internalvalue
    ,
        age.age_name AS cfv_externalvalue
FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv
                ON (
                    (cfv.cfv_registerid = e.age_id)
                )
        )
        JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
    )
    JOIN u1329.agent age
        ON (
            (
                (age.age_id)::text =
                (cfv.cfv_internalvalue)::text
            )
        )
    )
WHERE (

```

```

        (
            (
                (cf.cfd_table)::text = 'agent'::text
            )
            AND (
                (cf.cfd_subtype)::text = '3'::text
            )
        )
    ) AND (cf.cfd_sourcetable = 1)
)

```

UNION ALL

SELECT e.age_id

```

    , e.age_integrationid
    , e.age_name
    , e.age_login
    , e.age_observation
    , e.age_country
    , e.age_state
    , e.age_city
    , e.age_neighborhood
    , e.age_street
    , e.age_streetnumber
    , e.age_streetnumbercompl
    , e.age_zipcode
    , e.age_phone
    , e.age_mobilephone
    , e.age_mail
    , e.age_imeilastsync
    , e.age_datehourlastsync
    , e.agg_id
    , e.age_active
    , e.age_mobileversion
    , e.age_lastgeoposition
    , e.med_id
    , e.age_geoposition
    , e.age_batterylevel
    , e.age_mobileplatformtype
    , e.age_mobileplatformversion
    , e.age_ignoreteamfilter
    , e.age_id_insert
    , e.age_datetimeinsert
    , e.age_moduleinsert
    , e.age_id_lastupdate
    , e.age_datetimelastupdate
    , e.age_modulelastupdate
    , e.age_datetimelastgps
    , e.age_customerportfoliofilter
    , COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,

```

```

(
    ('{':text || string_agg
    (
        (age.age_id)::text
        ,',':text
    )
    || '}'::text
) AS cfv_internalvalue
,
(
    ('{':text || string_agg
    (quote_ident
    (
        (age.age_name)::text
    )
    ,',':text
    )
    || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.age_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'agent':text
        )
        AND (
            (cf.cfd_subtype)::text = '4':text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.age_id
, e.age_integrationid
, e.age_name
, e.age_login
, e.age_observation
, e.age_country
, e.age_state
, e.age_city
, e.age_neighborhood
, e.age_street
, e.age_streetnumber
, e.age_streetnumbercompl
, e.age_zipcode
, e.age_phone
, e.age_mobilephone
, e.age_mail
, e.age_imeilastsync
, e.age_datehourlastsync
, e.agg_id
, e.age_active
, e.age_mobileversion
, e.age_lastgeoposition
, e.med_id
, e.age_geoposition
, e.age_batterylevel
, e.age_mobileplatformtype
, e.age_mobileplatformversion
, e.age_ignoreteamfilter
, e.age_id_insert
, e.age_datetimeinsert
, e.age_moduleinsert
, e.age_id_lastupdate
, e.age_datetimelastupdate
, e.age_modulelastupdate
, e.age_datetimelastgps
, e.age_customerportfoliofilter

```

```

, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)

```

UNION ALL

SELECT e.age_id

```

,
  e.age_integrationid
,
  e.age_name
,
  e.age_login
,
  e.age_observation
,
  e.age_country
,
  e.age_state
,
  e.age_city
,
  e.age_neighborhood
,
  e.age_street
,
  e.age_streetnumber
,
  e.age_streetnumbercompl
,
  e.age_zipcode
,
  e.age_phone
,
  e.age_mobilephone
,
  e.age_mail
,
  e.age_imeilastsync
,
  e.age_datehourlastsync
,
  e.agg_id
,
  e.age_active
,
  e.age_mobileversion
,
  e.age_lastgeoposition
,
  e.med_id
,
  e.age_geoposition
,
  e.age_batterylevel
,
  e.age_mobileplatformtype
,
  e.age_mobileplatformversion
,
  e.age_ignoreteamfilter
,
  e.age_id_insert
,
  e.age_datetimeinsert
,
  e.age_moduleinsert
,
  e.age_id_lastupdate
,
  e.age_datetimelastupdate
,
  e.age_modulelastupdate
,
  e.age_datetimelastgps
,
  e.age_customerportfoliofilter
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
) AS cfv_integrationid

```

```

,
(loc.loc_id)::text AS cfv_internalvalue
,
loc.loc_description AS cfv_externalvalue
FROM (
(
(u1329.agent e
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.age_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.local loc
ON (
(
(loc.loc_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(cf.cfd_table)::text = 'agent'::text
)
AND (
(
(cf.cfd_subtype)::text = '3'::text
)
)
)
AND (cf.cfd_sourcetable = 2)
)
)
UNION ALL
SELECT e.age_id
,
e.age_integrationsid
,
e.age_name
,
e.age_login
,
e.age_observation
,
e.age_country
,
e.age_state
,
e.age_city
,
e.age_neighborhood
,
e.age_street
,
e.age_streetnumber
,
e.age_streetnumbercompl
,
e.age_zipcode
,
e.age_phone
,
e.age_mobilephone
,
e.age_mail
,
e.age_imeilastsync
,
e.age_datehourlastsync
,
e.agg_id
,
e.age_active
,
e.age_mobileversion
,
e.age_lastgeoposition
,
e.med_id
,
e.age_geoposition
,
e.age_batterylevel

```

```

    ,
    e.age_mobileplatformtype
    ,
    e.age_mobileplatformversion
    ,
    e.age_ignoreteamfilter
    ,
    e.age_id_insert
    ,
    e.age_datetimeinsert
    ,
    e.age_moduleinsert
    ,
    e.age_id_lastupdate
    ,
    e.age_datetimelastupdate
    ,
    e.age_modulelastupdate
    ,
    e.age_datetimelastgps
    ,
    e.age_customerportfoliofilter
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
    ,
    (
        ('f'::text || string_agg
            (
                (loc.loc_id)::text
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_internalvalue
    ,
    (
        ('f'::text || string_agg
            (quote_ident
                (
                    (loc.loc_description)::text
                )
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.age_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'agent'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
) AND (cf.cfd_sourcetable = 2)
)

```

```

GROUP BY e.age_id
, e.age_integrationid
, e.age_name
, e.age_login
, e.age_observation
, e.age_country
, e.age_state
, e.age_city
, e.age_neighborhood
, e.age_street
, e.age_streetnumber
, e.age_streetnumbercompl
, e.age_zipcode
, e.age_phone
, e.age_mobilephone
, e.age_mail
, e.age_imeilastsync
, e.age_datehourlastsync
, e.agg_id
, e.age_active
, e.age_mobileversion
, e.age_lastgeoposition
, e.med_id
, e.age_geoposition
, e.age_batterylevel
, e.age_mobileplatformtype
, e.age_mobileplatformversion
, e.age_ignoreteamfilter
, e.age_id_insert
, e.age_datetimeinsert
, e.age_moduleinsert
, e.age_id_lastupdate
, e.age_datetimelastupdate
, e.age_modulelastupdate
, e.age_datetimelastgps
, e.age_customerportfoliofilter
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)

```

UNION ALL

```

SELECT e.age_id
,
    e.age_integrationid
,
    e.age_name
,
    e.age_login
,
    e.age_observation
,
    e.age_country
,
    e.age_state
,
    e.age_city
,
    e.age_neighborhood
,
    e.age_street
,
    e.age_streetnumber
,
    e.age_streetnumbercompl
,
    e.age_zipcode
,
    e.age_phone
,
    e.age_mobilephone
,
    e.age_mail
,
    e.age_imeilastsync
,
    e.age_datehourlastsync
,
    e.agg_id
,
    e.age_active
,
    e.age_mobileversion
,
    e.age_lastgeoposition
,
    e.med_id
,
    e.age_geoposition

```



```

    ,
    e.age_batterylevel
    ,
    e.age_mobileplatformtype
    ,
    e.age_mobileplatformversion
    ,
    e.age_ignoreteamfilter
    ,
    e.age_id_insert
    ,
    e.age_datetimeinsert
    ,
    e.age_moduleinsert
    ,
    e.age_id_lastupdate
    ,
    e.age_datetimelastupdate
    ,
    e.age_modulelastupdate
    ,
    e.age_datetimelastgps
    ,
    e.age_customerportfoliofilter
    ,
    COALESCE
    (NULLIF
    (sanitize_identifier
    (
    (cf.cfd_integrationid)::text
    )
    , ''::text
    )
    , ('f'::text ||
    (cf.cfd_id)::text
    )
    ) AS cfv_integrationid
    ,
    (ite.ite_id)::text AS cfv_internalvalue
    ,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
    (u1329.agent e
    JOIN u1329.customfieldvalue cfv
    ON (
    (cfv.cfv_registerid = e.age_id)
    )
    )
    JOIN u1329.customfield cf
    ON (
    (
    (cf.cfd_id = cfv.cfd_id)
    AND (
    (cf.cfd_description)::text !~
    '^((complemento|numero|data|valor)registro')::text
    )
    )
    )
    )
    )
    JOIN u1329.item ite
    ON (
    (
    (ite.ite_id)::text =
    (cfv.cfv_internalvalue)::text
    )
    )
    )
WHERE (
    (
    (
    (cf.cfd_table)::text = 'agent'::text
    )
    AND (
    (cf.cfd_subtype)::text = '3'::text
    )
    )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.age_id
,
    e.age_integrationid
,
    e.age_name
,
    e.age_login
,
    e.age_observation
,
    e.age_country

```

```

,
    e.age_state
,
    e.age_city
,
    e.age_neighborhood
,
    e.age_street
,
    e.age_streetnumber
,
    e.age_streetnumbercompl
,
    e.age_zipcode
,
    e.age_phone
,
    e.age_mobilephone
,
    e.age_mail
,
    e.age_imeilastsync
,
    e.age_datehourlastsync
,
    e.agg_id
,
    e.age_active
,
    e.age_mobileversion
,
    e.age_lastgeoposition
,
    e.med_id
,
    e.age_geoposition
,
    e.age_batterylevel
,
    e.age_mobileplatformtype
,
    e.age_mobileplatformversion
,
    e.age_ignoreteamfilter
,
    e.age_id_insert
,
    e.age_datetimeinsert
,
    e.age_moduleinsert
,
    e.age_id_lastupdate
,
    e.age_datetimelastupdate
,
    e.age_modulelastupdate
,
    e.age_datetimelastgps
,
    e.age_customerportfoliofilter
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        ),
        ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (ite.ite_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv

```

```

        ON (
            (cfv.cfv_registerid = e.age_id)
        )
    )
JOIN u1329.customfield cf
ON (
    (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
            (cf.cfd_id) < 32
        )
    )
)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'agent'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
)
GROUP BY e.age_id
, e.age_integrationid
, e.age_name
, e.age_login
, e.age_observation
, e.age_country
, e.age_state
, e.age_city
, e.age_neighborhood
, e.age_street
, e.age_streetnumber
, e.age_streetnumbercompl
, e.age_zipcode
, e.age_phone
, e.age_mobilephone
, e.age_mail
, e.age_imeilastsync
, e.age_datehourlastsync
, e.agg_id
, e.age_active
, e.age_mobileversion
, e.age_lastgeoposition
, e.med_id
, e.age_geoposition
, e.age_batterylevel
, e.age_mobileplatformtype
, e.age_mobileplatformversion
, e.age_ignoreteamfilter
, e.age_id_insert
, e.age_datetimeinsert
, e.age_moduleinsert
, e.age_id_lastupdate
, e.age_datetimelastupdate
, e.age_modulelastupdate
, e.age_datetimelastgps
, e.age_customerportfoliofilter
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)
)
UNION ALL
SELECT e.age_id
,
    e.age_integrationid
,
    e.age_name
,
    e.age_login
,
    e.age_observation
,
    e.age_country

```

```

,
    e.age_state
,
    e.age_city
,
    e.age_neighborhood
,
    e.age_street
,
    e.age_streetnumber
,
    e.age_streetnumbercompl
,
    e.age_zipcode
,
    e.age_phone
,
    e.age_mobilephone
,
    e.age_mail
,
    e.age_imeilastsync
,
    e.age_datehourlastsync
,
    e.agg_id
,
    e.age_active
,
    e.age_mobileversion
,
    e.age_lastgeoposition
,
    e.med_id
,
    e.age_geoposition
,
    e.age_batterylevel
,
    e.age_mobileplatformtype
,
    e.age_mobileplatformversion
,
    e.age_ignoreteamfilter
,
    e.age_id_insert
,
    e.age_datetimeinsert
,
    e.age_moduleinsert
,
    e.age_id_lastupdate
,
    e.age_datetimelastupdate
,
    e.age_modulelastupdate
,
    e.age_datetimelastgps
,
    e.age_customerportfoliofilter
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue

FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv
                ON (
                    (cfv.cfv_registerid = e.age_id)
                )
        )
        JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
    )
)

```

```

JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (cf.cfd_table)::text = 'agent'::text
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.age_id
,
    e.age_integrationid
,
    e.age_name
,
    e.age_login
,
    e.age_observation
,
    e.age_country
,
    e.age_state
,
    e.age_city
,
    e.age_neighborhood
,
    e.age_street
,
    e.age_streetnumber
,
    e.age_streetnumbercompl
,
    e.age_zipcode
,
    e.age_phone
,
    e.age_mobilephone
,
    e.age_mail
,
    e.age_imeilastsync
,
    e.age_datehourlastsync
,
    e.agg_id
,
    e.age_active
,
    e.age_mobileversion
,
    e.age_lastgeoposition
,
    e.med_id
,
    e.age_geoposition
,
    e.age_batterylevel
,
    e.age_mobileplatformtype
,
    e.age_mobileplatformversion
,
    e.age_ignoreteamfilter
,
    e.age_id_insert
,
    e.age_datetimeinsert
,
    e.age_moduleinsert
,
    e.age_id_lastupdate
,
    e.age_datetimelastupdate
,
    e.age_modulelastupdate
,
    e.age_datetimelastgps
,
    e.age_customerportfoliofilter
,
    COALESCE
(NULLIF
(sanitize_identifier

```

```

        (
            (cf.cfd_integrationid)::text
        )
        , '::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (act.act_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.agent e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.age_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (cf.cfd_table)::text = 'agent'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.age_id
,
e.age_integrationid
,
e.age_name
,
e.age_login
,
e.age_observation
,
e.age_country
,
e.age_state
,
e.age_city
,
e.age_neighborhood
,
e.age_street
,
e.age_streetnumber
,
e.age_streetnumbercompl
,
e.age_zipcode
,
e.age_phone
,
e.age_mobilephone
,
e.age_mail
,
e.age_imeilastsync
,
e.age_datehourlastsync
,
e.agg_id
,
e.age_active
,
e.age_mobileversion
,
e.age_lastgeoposition
,
e.med_id
,
e.age_geoposition

```

```

, e.age_batterylevel
, e.age_mobileplatformtype
, e.age_mobileplatformversion
, e.age_ignoreteamfilter
, e.age_id_insert
, e.age_datetimeinsert
, e.age_moduleinsert
, e.age_id_lastupdate
, e.age_datetimelastupdate
, e.age_modulelastupdate
, e.age_datetimelastgps
, e.age_customerportfoliofilter
, COALESCE
( NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
agents
GROUP BY
agents.age_id
agents.age_integrationid
agents.age_name
agents.age_login
agents.age_observation
agents.age_country
agents.age_state
agents.age_city
agents.age_neighborhood
agents.age_street
agents.age_streetnumber
agents.age_streetnumbercompl
agents.age_zipcode
agents.age_phone
agents.age_mobilephone
agents.age_mail
agents.age_imeilastsync
agents.age_datehourlastsync
agents.agg_id
agents.age_active
agents.age_mobileversion
agents.age_lastgeoposition
agents.med_id
agents.age_geoposition
agents.age_batterylevel
agents.age_mobileplatformtype
agents.age_mobileplatformversion
agents.age_ignoreteamfilter
agents.age_id_insert
agents.age_datetimeinsert
agents.age_moduleinsert
agents.age_id_lastupdate
agents.age_datetimelastupdate
agents.age_modulelastupdate
agents.age_datetimelastgps
agents.age_customerportfoliofilter;

```

[Index - Schema u1329](#)

View: aggregated_by_entity_item

Aggregated_by_entity_item Structure

F-Key	Name	Type	Description
	ite_id	bigint	
	ite_integrationid	character varying(100)	
	ite_description	text	
	ite_active	character(1)	
	isg_id	bigint	
	icy_id	bigint	
	med_id	bigint	
	age_id_insert	bigint	
	ite_datetimeinsert	timestamp without time zone	
	ite_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	ite_datetimelastupdate	timestamp without time zone	
	ite_modulelastupdate	character varying(100)	
	fields	json	

```

SELECT agents.ite_id
,
agents.ite_integrationid

```

```

agents.ite_description
agents.ite_active
agents.isg_id
agents.icy_id
agents.med_id
agents.age_id_insert
agents.ite_datetimeinsert
agents.ite_moduleinsert
agents.age_id_lastupdate
agents.ite_datetimelastupdate
agents.ite_modulelastupdate
(
(
(' '::text || string_agg
(
(
(
(
(
(to_json
(agents.cfd_integrationid) || ': {"internalvalue": ' '::text
) || to_json
(agents.cfv_internalvalue)
) ||
', ' '::text
) || "externalvalue": ' '::text
) || to_json
(agents.cfv_externalvalue)
) || ' }' '::text
)
), ' '::text
) || ' }' '::text
)
)::json AS fields
FROM (
SELECT e.ite_id
,
e.ite_integrationid
,
e.ite_description
,
e.ite_active
,
e.isg_id
,
e.icy_id
,
e.med_id
,
e.age_id_insert
,
e.ite_datetimeinsert
,
e.ite_moduleinsert
,
e.age_id_lastupdate
,
e.ite_datetimelastupdate
,
e.ite_modulelastupdate
,
COALESCE
(NULLIF
(sanitize_identifier
(
(
(cfv.cfd_integrationid)::text
)
), ' '::text
)
, (' '::text ||
(cfv.cfd_id)::text
)
) AS cfd_integrationid
,
cfv.cfv_internalvalue
,
cfv.cfv_externalvalue
FROM (
(u1329.item e
LEFT JOIN u1329.customfieldvalue cfv
ON (

```



```

        (cfv.cfv_registerid = e.ite_id)
    )
)
LEFT JOIN u1329.customfield cf
ON (
    (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
        AND (
            (cf.cfd_table)::text = 'item'::text
        )
    )
    AND (
        (COALESCE
            (cf.cfd_subtype
                , '999'::character varying
            )
        )::text <> ALL
        (
            (ARRAY['3'::character varying
                , '4'::character varying]
            )::text[]
        )
    )
)
)
)
)
UNION ALL
SELECT e.ite_id
,
    e.ite_integrationid
,
    e.ite_description
,
    e.ite_active
,
    e.isg_id
,
    e.icy_id
,
    e.med_id
,
    e.age_id_insert
,
    e.ite_datetimeinsert
,
    e.ite_moduleinsert
,
    e.age_id_lastupdate
,
    e.ite_datetimelastupdate
,
    e.ite_modulelastupdate
,
    COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
,
    (cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (u1329.item e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.ite_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
)

```

```

)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'item'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
UNION ALL
SELECT e.ite_id
,
    e.ite_integrationid
,
    e.ite_description
,
    e.ite_active
,
    e.isg_id
,
    e.icy_id
,
    e.med_id
,
    e.age_id_insert
,
    e.ite_datetimeinsert
,
    e.ite_moduleinsert
,
    e.age_id_lastupdate
,
    e.ite_datetimelastupdate
,
    e.ite_modulelastupdate
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
    (
        (cev.cev_id)::text
        , ','::text
    )
    || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
    (quote_ident
    (
        (cev.cev_description)::text
    )
    , ','::text
    )
    || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.item e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.ite_id)
            )
        )
    )
)

```

```

        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'item'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.ite_id
, e.ite_integrationid
, e.ite_description
, e.ite_active
, e.isg_id
, e.icy_id
, e.med_id
, e.age_id_insert
, e.ite_datetimeinsert
, e.ite_moduleinsert
, e.age_id_lastupdate
, e.ite_datetimelastupdate
, e.ite_modulelastupdate
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.ite_id
,
    e.ite_integrationid
,
    e.ite_description
,
    e.ite_active
,
    e.isg_id
,
    e.icy_id
,
    e.med_id
,
    e.age_id_insert
,
    e.ite_datetimeinsert
,
    e.ite_moduleinsert
,
    e.age_id_lastupdate
,
    e.ite_datetimelastupdate
,
    e.ite_modulelastupdate
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)

```

```

) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
age.age_name AS cfv_externalvalue
FROM (
(
(u1329.item e
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.ite_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.agent age
ON (
(
(age.age_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(cf.cfd_table)::text = 'item'::text
)
AND (
(cf.cfd_subtype)::text = '3'::text
)
)
AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.ite_id
,
e.ite_integrationid
,
e.ite_description
,
e.ite_active
,
e.isg_id
,
e.icy_id
,
e.med_id
,
e.age_id_insert
,
e.ite_datetimeinsert
,
e.ite_moduleinsert
,
e.age_id_lastupdate
,
e.ite_datetimelastupdate
,
e.ite_modulelastupdate
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
({'f'::text || string_agg
(
(age.age_id)::text
, ''::text
)
) || '}'::text

```

```

) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
    (quote_ident
        (
            (age.age_name)::text
        )
        ,',' '::text
    )
    ) || '}' '::text
) AS cfv_externalvalue

FROM (
    (
        (u1329.item e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.ite_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'item'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.ite_id
, e.ite_integrationid
, e.ite_description
, e.ite_active
, e.isg_id
, e.icy_id
, e.med_id
, e.age_id_insert
, e.ite_datetimeinsert
, e.ite_moduleinsert
, e.age_id_lastupdate
, e.ite_datetimelastupdate
, e.ite_modulelastupdate
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        ,'' '::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)

UNION ALL

SELECT e.ite_id
,
    e.ite_integrationid
,
    e.ite_description
,
    e.ite_active
,
    e.isg_id
,
    e.icy_id
,
    e.med_id
,
    e.age_id_insert

```

```

        ,
        e.ite_datetimeinsert
        ,
        e.ite_moduleinsert
        ,
        e.age_id_lastupdate
        ,
        e.ite_datetimelastupdate
        ,
        e.ite_modulelastupdate
        ,
        COALESCE
(NULLIF
(sanitize_identifier
(
        (cf.cfd_integrationid)::text
    )
    , ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
        ,
        (loc.loc_id)::text AS cfv_internalvalue
        ,
        loc.loc_description AS cfv_externalvalue
FROM (
(
        (u1329.item e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.ite_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
(
        (
            (cf.cfd_table)::text = 'item'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.ite_id
        ,
        e.ite_integrationid
        ,
        e.ite_description
        ,
        e.ite_active
        ,
        e.isg_id
        ,
        e.icy_id
        ,
        e.med_id
        ,
        e.age_id_insert
        ,
        e.ite_datetimeinsert
        ,
        e.ite_moduleinsert
        ,
        e.age_id_lastupdate
        ,
        e.ite_datetimelastupdate
        ,
        e.ite_modulelastupdate
        ,

```

```

COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(
  ('f'::text || string_agg
    (
      (loc.loc_id)::text
      , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('f'::text || string_agg
    (quote_ident
      (
        (loc.loc_description)::text
      )
      , ','::text
    )
  ) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (u1329.item e
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.ite_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
          (cf.cfd_id) < 32
        )
      )
    )
  )
  JOIN u1329.local loc
  ON (
    (
      (loc.loc_id)::text =
      (cfv.cfv_internalvalue)::text
    )
  )
)
WHERE (
  (
    (
      (cf.cfd_table)::text = 'item'::text
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.ite_id
, e.ite_integrationid
, e.ite_description
, e.ite_active
, e.isg_id
, e.icy_id
, e.med_id
, e.age_id_insert
, e.ite_datetimeinsert
, e.ite_moduleinsert
, e.age_id_lastupdate
, e.ite_datetimelastupdate
, e.ite_modulelastupdate
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||

```

```

        (cf.cfd_id)::text
    )
)
UNION ALL
SELECT e.ite_id
,
    e.ite_integracionid
,
    e.ite_description
,
    e.ite_active
,
    e.isg_id
,
    e.icy_id
,
    e.med_id
,
    e.age_id_insert
,
    e.ite_datetimeinsert
,
    e.ite_moduleinsert
,
    e.age_id_lastupdate
,
    e.ite_datetimelastupdate
,
    e.ite_modulelastupdate
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integracionid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integracionid
,
(ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
(
    (u1329.item e
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.ite_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (
                (cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
            )
        )
    )
)
)
)
JOIN u1329.item ite
ON (
(
    (ite.ite_id)::text =
(cf.ite_integracionid)::text
)
)
)
WHERE (
(
(
    (cf.cfd_table)::text = 'item'::text
)
AND (
    (cf.cfd_subtype)::text = '3'::text
)
)
)
AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.ite_id
,
    e.ite_integracionid
,

```



```

        e.ite_description
    ,
        e.ite_active
    ,
        e.isg_id
    ,
        e.icy_id
    ,
        e.med_id
    ,
        e.age_id_insert
    ,
        e.ite_datetimeinsert
    ,
        e.ite_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.ite_datetimelastupdate
    ,
        e.ite_modulelastupdate
    ,
        COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,
    (
        ('{ '::text || string_agg
            (
                (ite.ite_id)::text
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_internalvalue
    ,
    (
        ('{ '::text || string_agg
            (quote_ident
                (ite.ite_description)
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (u1329.item e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.ite_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.item ite
    ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'item'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.ite_id
, e.ite_integrationid

```

```

, e.ite_description
, e.ite_active
, e.isg_id
, e.icy_id
, e.med_id
, e.age_id_insert
, e.ite_datetimeinsert
, e.ite_moduleinsert
, e.age_id_lastupdate
, e.ite_datetimelastupdate
, e.ite_modulelastupdate
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.ite_id
,
  e.ite_integrationid
,
  e.ite_description
,
  e.ite_active
,
  e.isg_id
,
  e.icy_id
,
  e.med_id
,
  e.age_id_insert
,
  e.ite_datetimeinsert
,
  e.ite_moduleinsert
,
  e.age_id_lastupdate
,
  e.ite_datetimelastupdate
,
  e.ite_modulelastupdate
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
  act.act_description AS cfv_externalvalue
FROM (
  (
    (u1329.item e
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.ite_id)
        )
    )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  )
  JOIN u1329.activity act
    ON (
      (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
)
)

```

```

WHERE (
  (
    (cf.cfd_table)::text = 'item'::text
  )
  AND (
    (cf.cfd_subtype)::text = '3'::text
  )
)
AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.ite_id
,
  e.ite_integrationid
,
  e.ite_description
,
  e.ite_active
,
  e.isg_id
,
  e.icy_id
,
  e.med_id
,
  e.age_id_insert
,
  e.ite_datetimeinsert
,
  e.ite_moduleinsert
,
  e.age_id_lastupdate
,
  e.ite_datetimelastupdate
,
  e.ite_modulelastupdate
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(
  ('{'::text || string_agg
    (
      (act.act_id)::text
    , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('{'::text || string_agg
    (quote_ident
      (
        (act.act_description)::text
      )
    , ','::text
    )
  ) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (u1329.item e
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.ite_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (
          (cf.cfd_description)::text !~
          '^((complemento|numero|data|valor)registro')::text
        )
      )
    )
  )
)
JOIN u1329.activity act

```

```

ON (
  (
    (act.act_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
)
WHERE (
  (
    (cf.cfd_table)::text = 'item'::text
  )
  AND (
    (cf.cfd_subtype)::text = '4'::text
  )
)
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.ite_id
, e.ite_integrationid
, e.ite_description
, e.ite_active
, e.isg_id
, e.icy_id
, e.med_id
, e.age_id_insert
, e.ite_datetimeinsert
, e.ite_moduleinsert
, e.age_id_lastupdate
, e.ite_datetimelastupdate
, e.ite_modulelastupdate
, COALESCE
( NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
agents
)
GROUP BY agents.ite_id
, agents.ite_integrationid
, agents.ite_description
, agents.ite_active
, agents.isg_id
, agents.icy_id
, agents.med_id
, agents.age_id_insert
, agents.ite_datetimeinsert
, agents.ite_moduleinsert
, agents.age_id_lastupdate
, agents.ite_datetimelastupdate
, agents.ite_modulelastupdate;

```

[Index - Schema u1329](#)

View: aggregated_by_entity_local

Aggregated_by_entity_local Structure

F-Key	Name	Type	Description
	loc_id	bigint	
	loc_integrationid	character varying(100)	
	loc_description	character varying(1000)	
	loc_corporatename	character varying(500)	
	loc_observation	character varying(1000)	
	loc_country	character varying(50)	
	loc_state	character varying(50)	
	loc_city	character varying(50)	
	loc_neighborhood	character varying(50)	
	loc_street	character varying(150)	
	loc_streetnumber	bigint	
	loc_streetnumbercompl	character varying(50)	
	loc_zipcode	character varying(10)	
	loc_phone	character varying(50)	
	loc_mobilephone	character varying(50)	
	loc_mail	character varying(50)	
	loc_geoposition	character varying(60)	
	loc_active	character(1)	

lty_id	bigint
lgp_id	bigint
lcl_id	bigint
med_id	bigint
age_id	bigint
age_id_insert	bigint
loc_datetimeinsert	timestamp without time zone
loc_moduleinsert	character varying(100)
age_id_lastupdate	bigint
loc_datetimelastupdate	timestamp without time zone
loc_modulelastupdate	character varying(100)
tea_id	bigint
fields	json

```

SELECT agents.loc_id
, agents.loc_integrationid
, agents.loc_description
, agents.loc_corporatename
, agents.loc_observation
, agents.loc_country
, agents.loc_state
, agents.loc_city
, agents.loc_neighborhood
, agents.loc_street
, agents.loc_streetnumber
, agents.loc_streetnumbercompl
, agents.loc_zipcode
, agents.loc_phone
, agents.loc_mobilephone
, agents.loc_mail
, agents.loc_geoposition
, agents.loc_active
, agents.lty_id
, agents.lgp_id
, agents.lcl_id
, agents.med_id
, agents.age_id
, agents.age_id_insert
, agents.loc_datetimeinsert
, agents.loc_moduleinsert
, agents.age_id_lastupdate
, agents.loc_datetimelastupdate
, agents.loc_modulelastupdate
, agents.tea_id
,
(
  (
    ('{':text || string_agg
      (
        (
          (
            (
              (
                (
                  (to_json
                    (agents.cfd_integrationid) || ': {"internalvalue": '::text
                  ) || to_json
                    (agents.cfv_internalvalue)
                ) ||
                ', '::text
              ) || '"externalvalue": '::text
            ) || to_json
          )
        )
      )
    )
  )
)

```

```

                (agents.cfv_externalvalue)
            ) || '}'::text
        ), '}'::text
    ) || '}'::text
) AS fields
)::json AS fields

FROM (
SELECT e.loc_id
,
    e.loc_integrationid
,
    e.loc_description
,
    e.loc_corporatename
,
    e.loc_observation
,
    e.loc_country
,
    e.loc_state
,
    e.loc_city
,
    e.loc_neighborhood
,
    e.loc_street
,
    e.loc_streetnumber
,
    e.loc_streetnumbercompl
,
    e.loc_zipcode
,
    e.loc_phone
,
    e.loc_mobilephone
,
    e.loc_mail
,
    e.loc_geoposition
,
    e.loc_active
,
    e.lty_id
,
    e.lgp_id
,
    e.lcl_id
,
    e.med_id
,
    e.age_id
,
    e.age_id_insert
,
    e.loc_datetimeinsert
,
    e.loc_moduleinsert
,
    e.age_id_lastupdate
,
    e.loc_datetimelastupdate
,
    e.loc_modulelastupdate
,
    e.tea_id
,
    COALESCE
(NULLIF
(sanitize_identifer
(
    (cf.cfd_integrationid)::text
), '}'::text
), ('f'::text ||
(cf.cfd_id)::text
)) AS cfd_integrationid
,
    cfv.cfv_internalvalue
,
    cfv.cfv_externalvalue

FROM (
    (u1329.local e
LEFT JOIN u1329.customfieldvalue cfv
ON (
    (cfv.cfv_registerid = e.loc_id)
))
)

LEFT JOIN u1329.customfield cf
ON (
    (

```

```

        (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
            AND (
                (cf.cfd_table)::text = 'local'::text
            )
        )
    AND (
        (COALESCE
            (cf.cfd_subtype
                , '999'::character varying
            )
        )::text <> ALL
        (
            (ARRAY['3'::character varying
                , '4'::character varying]
            )::text[]
        )
    )
)
)
)
)

```

UNION ALL

SELECT e.loc_id

```

    , e.loc_integrationid
    , e.loc_description
    , e.loc_corporatename
    , e.loc_observation
    , e.loc_country
    , e.loc_state
    , e.loc_city
    , e.loc_neighborhood
    , e.loc_street
    , e.loc_streetnumber
    , e.loc_streetnumbercompl
    , e.loc_zipcode
    , e.loc_phone
    , e.loc_mobilephone
    , e.loc_mail
    , e.loc_geoposition
    , e.loc_active
    , e.lty_id
    , e.lgp_id
    , e.lcl_id
    , e.med_id
    , e.age_id
    , e.age_id_insert
    , e.loc_datetimeinsert
    , e.loc_moduleinsert
    , e.age_id_lastupdate
    , e.loc_datetimelastupdate
    , e.loc_modulelastupdate
    , e.tea_id
    , COALESCE
    (NULLIF
        (sanitize_identifer
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    )

```

```

    ) AS cfv_integrationid
    ,
    (cev.cev_id)::text AS cfv_internalvalue
    ,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'local'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.loc_id
    ,
    e.loc_integrationid
    ,
    e.loc_description
    ,
    e.loc_corporatename
    ,
    e.loc_observation
    ,
    e.loc_country
    ,
    e.loc_state
    ,
    e.loc_city
    ,
    e.loc_neighborhood
    ,
    e.loc_street
    ,
    e.loc_streetnumber
    ,
    e.loc_streetnumbercompl
    ,
    e.loc_zipcode
    ,
    e.loc_phone
    ,
    e.loc_mobilephone
    ,
    e.loc_mail
    ,
    e.loc_geoposition
    ,
    e.loc_active
    ,
    e.lty_id
    ,
    e.lgp_id
    ,
    e.lcl_id
    ,
    e.med_id
    ,

```



```

        e.age_id
    ,
        e.age_id_insert
    ,
        e.loc_datetimeinsert
    ,
        e.loc_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.loc_datetimelastupdate
    ,
        e.loc_modulelastupdate
    ,
        e.tea_id
    ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (ce.v.cev_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (
                (ce.v.cev_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (ce.v.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (ce.v.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'local'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.loc_id
, e.loc_integrationid
, e.loc_description

```

```

, e.loc_corporatename
, e.loc_observation
, e.loc_country
, e.loc_state
, e.loc_city
, e.loc_neighborhood
, e.loc_street
, e.loc_streetnumber
, e.loc_streetnumbercompl
, e.loc_zipcode
, e.loc_phone
, e.loc_mobilephone
, e.loc_mail
, e.loc_geoposition
, e.loc_active
, e.lty_id
, e.lgp_id
, e.lcl_id
, e.med_id
, e.age_id
, e.age_id_insert
, e.loc_datetimeinsert
, e.loc_moduleinsert
, e.age_id_lastupdate
, e.loc_datetimelastupdate
, e.loc_modulelastupdate
, e.tea_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)

```

UNION ALL

```

SELECT e.loc_id
,
    e.loc_integrationid
,
    e.loc_description
,
    e.loc_corporatename
,
    e.loc_observation
,
    e.loc_country
,
    e.loc_state
,
    e.loc_city
,
    e.loc_neighborhood
,
    e.loc_street
,
    e.loc_streetnumber
,
    e.loc_streetnumbercompl
,
    e.loc_zipcode
,
    e.loc_phone
,
    e.loc_mobilephone
,
    e.loc_mail
,
    e.loc_geoposition
,
    e.loc_active
,
    e.lty_id
,
    e.lgp_id
,
    e.lcl_id
,
    e.med_id
,
    e.age_id
,
    e.age_id_insert
,
    e.loc_datetimeinsert
,
    e.loc_moduleinsert
,
    e.age_id_lastupdate
,
    e.loc_datetimelastupdate
,
    e.loc_modulelastupdate

```

```

        e.tea_id
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'local'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.loc_id
,
    e.loc_integrationid
,
    e.loc_description
,
    e.loc_corporatename
,
    e.loc_observation
,
    e.loc_country
,
    e.loc_state
,
    e.loc_city
,
    e.loc_neighborhood
,
    e.loc_street
,
    e.loc_streetnumber
,
    e.loc_streetnumbercompl
,
    e.loc_zipcode
,
    e.loc_phone
,
    e.loc_mobilephone
,
    e.loc_mail
,
    e.loc_geoposition
,

```

```

        e.loc_active
    ,
        e.lty_id
    ,
        e.lgp_id
    ,
        e.lcl_id
    ,
        e.med_id
    ,
        e.age_id
    ,
        e.age_id_insert
    ,
        e.loc_datetimeinsert
    ,
        e.loc_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.loc_datetimelastupdate
    ,
        e.loc_modulelastupdate
    ,
        e.tea_id
    ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (age.age_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (cf.cfd_table)::text = 'local'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)

```

```

    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.loc_id
, e.loc_integrationid
, e.loc_description
, e.loc_corporatename
, e.loc_observation
, e.loc_country
, e.loc_state
, e.loc_city
, e.loc_neighborhood
, e.loc_street
, e.loc_streetnumber
, e.loc_streetnumbercompl
, e.loc_zipcode
, e.loc_phone
, e.loc_mobilephone
, e.loc_mail
, e.loc_geoposition
, e.loc_active
, e.lty_id
, e.lgp_id
, e.lcl_id
, e.med_id
, e.age_id
, e.age_id_insert
, e.loc_datetimeinsert
, e.loc_moduleinsert
, e.age_id_lastupdate
, e.loc_datetimelastupdate
, e.loc_modulelastupdate
, e.tea_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)

```

UNION ALL

```

SELECT e.loc_id
, e.loc_integrationid
, e.loc_description
, e.loc_corporatename
, e.loc_observation
, e.loc_country
, e.loc_state
, e.loc_city
, e.loc_neighborhood
, e.loc_street
, e.loc_streetnumber
, e.loc_streetnumbercompl
, e.loc_zipcode
, e.loc_phone
, e.loc_mobilephone
, e.loc_mail
, e.loc_geoposition
, e.loc_active
, e.lty_id
, e.lgp_id
, e.lcl_id
, e.med_id
, e.age_id
, e.age_id_insert
, e.loc_datetimeinsert
,

```

```

        e.loc_moduleinsert
    ,
    e.age_id_lastupdate
    ,
    e.loc_datetimelastupdate
    ,
    e.loc_modulelastupdate
    ,
    e.tea_id
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
    ,
    (loc.loc_id)::text AS cfv_internalvalue
    ,
    loc.loc_description AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'local'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.loc_id
    ,
    e.loc_integrationid
    ,
    e.loc_description
    ,
    e.loc_corporatename
    ,
    e.loc_observation
    ,
    e.loc_country
    ,
    e.loc_state
    ,
    e.loc_city
    ,
    e.loc_neighborhood
    ,
    e.loc_street
    ,
    e.loc_streetnumber
    ,
    e.loc_streetnumbercompl
    ,
    e.loc_zipcode
    ,
    e.loc_phone

```

```

    ,
    e.loc_mobilephone
    ,
    e.loc_mail
    ,
    e.loc_geoposition
    ,
    e.loc_active
    ,
    e.lty_id
    ,
    e.lgp_id
    ,
    e.lcl_id
    ,
    e.med_id
    ,
    e.age_id
    ,
    e.age_id_insert
    ,
    e.loc_datetimeinsert
    ,
    e.loc_moduleinsert
    ,
    e.age_id_lastupdate
    ,
    e.loc_datetimelastupdate
    ,
    e.loc_modulelastupdate
    ,
    e.tea_id
    ,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
    )
    , ''::text
    )
    , ('f'::text ||
    (cf.cfd_id)::text
    )
) AS cfv_integrationid
    ,
(
    ('{'::text || string_agg
    (
        (loc.loc_id)::text
        , ','::text
    )
    || '}'::text
) AS cfv_internalvalue
    ,
(
    ('{'::text || string_agg
    (quote_ident
    (
        (loc.loc_description)::text
        )
        , ','::text
    )
    || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.local e
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.loc_id)
        )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                (cf.cfd_id) < 32
                )
            )
        )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (

```

```

        (
            (
                (cf.cfd_table)::text = 'local'::text
            )
            AND (
                (cf.cfd_subtype)::text = '4'::text
            )
        )
    )
    AND (cf.cfd_sourcetable = 2)
)

```

```

GROUP BY e.loc_id
, e.loc_integrationid
, e.loc_description
, e.loc_corporatename
, e.loc_observation
, e.loc_country
, e.loc_state
, e.loc_city
, e.loc_neighborhood
, e.loc_street
, e.loc_streetnumber
, e.loc_streetnumbercompl
, e.loc_zipcode
, e.loc_phone
, e.loc_mobilephone
, e.loc_mail
, e.loc_geoposition
, e.loc_active
, e.lty_id
, e.lgp_id
, e.lcl_id
, e.med_id
, e.age_id
, e.age_id_insert
, e.loc_datetimeinsert
, e.loc_moduleinsert
, e.age_id_lastupdate
, e.loc_datetimelastupdate
, e.loc_modulelastupdate
, e.tea_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , (''::text ||
        (cf.cfd_id)::text
    )
)
)

```

UNION ALL

```

SELECT e.loc_id
, e.loc_integrationid
, e.loc_description
, e.loc_corporatename
, e.loc_observation
, e.loc_country
, e.loc_state
, e.loc_city
, e.loc_neighborhood
, e.loc_street
, e.loc_streetnumber
, e.loc_streetnumbercompl
, e.loc_zipcode
, e.loc_phone
, e.loc_mobilephone
, e.loc_mail
, e.loc_geoposition
, e.loc_active
, e.lty_id
, e.lgp_id
, e.lcl_id
, e.med_id

```



```

    ,
    e.age_id
    ,
    e.age_id_insert
    ,
    e.loc_datetimeinsert
    ,
    e.loc_moduleinsert
    ,
    e.age_id_lastupdate
    ,
    e.loc_datetimelastupdate
    ,
    e.loc_modulelastupdate
    ,
    e.tea_id
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
    ,
    (ite.ite_id)::text AS cfv_internalvalue
    ,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
    )
    JOIN u1329.item ite
    ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'local'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.loc_id
    ,
    e.loc_integrationid
    ,
    e.loc_description
    ,
    e.loc_corporatename
    ,
    e.loc_observation
    ,
    e.loc_country
    ,
    e.loc_state
    ,
    e.loc_city
    ,
    e.loc_neighborhood
    ,
    e.loc_street

```

```

,
    e.loc_streetnumber
,
    e.loc_streetnumbercompl
,
    e.loc_zipcode
,
    e.loc_phone
,
    e.loc_mobilephone
,
    e.loc_mail
,
    e.loc_geoposition
,
    e.loc_active
,
    e.lty_id
,
    e.lgp_id
,
    e.lcl_id
,
    e.med_id
,
    e.age_id
,
    e.age_id_insert
,
    e.loc_datetimeinsert
,
    e.loc_moduleinsert
,
    e.age_id_lastupdate
,
    e.loc_datetimelastupdate
,
    e.loc_modulelastupdate
,
    e.tea_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (ite.ite_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =

```

```

        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (cf.cfd_table)::text = 'local'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)

GROUP BY e.loc_id
, e.loc_integrationid
, e.loc_description
, e.loc_corporatename
, e.loc_observation
, e.loc_country
, e.loc_state
, e.loc_city
, e.loc_neighborhood
, e.loc_street
, e.loc_streetnumber
, e.loc_streetnumbercompl
, e.loc_zipcode
, e.loc_phone
, e.loc_mobilephone
, e.loc_mail
, e.loc_geoposition
, e.loc_active
, e.lty_id
, e.lgp_id
, e.lcl_id
, e.med_id
, e.age_id
, e.age_id_insert
, e.loc_datetimeinsert
, e.loc_moduleinsert
, e.age_id_lastupdate
, e.loc_datetimelastupdate
, e.loc_modulelastupdate
, e.tea_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)

UNION ALL

SELECT e.loc_id
,
    e.loc_integrationid
,
    e.loc_description
,
    e.loc_corporatename
,
    e.loc_observation
,
    e.loc_country
,
    e.loc_state
,
    e.loc_city
,
    e.loc_neighborhood
,
    e.loc_street
,
    e.loc_streetnumber
,
    e.loc_streetnumbercompl
,
    e.loc_zipcode
,
    e.loc_phone
,
    e.loc_mobilephone
,
    e.loc_mail
,
    e.loc_geoposition
,
    e.loc_active
,
    e.lty_id

```

```

,
    e.lgp_id
,
    e.lcl_id
,
    e.med_id
,
    e.age_id
,
    e.age_id_insert
,
    e.loc_datetimeinsert
,
    e.loc_moduleinsert
,
    e.age_id_lastupdate
,
    e.loc_datetimelastupdate
,
    e.loc_modulelastupdate
,
    e.tea_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'local'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
)
AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.loc_id
,
    e.loc_integrationid
,
    e.loc_description
,
    e.loc_corporatename
,
    e.loc_observation
,
    e.loc_country
,
    e.loc_state
,

```

```

        e.loc_city
    ,
        e.loc_neighborhood
    ,
        e.loc_street
    ,
        e.loc_streetnumber
    ,
        e.loc_streetnumbercompl
    ,
        e.loc_zipcode
    ,
        e.loc_phone
    ,
        e.loc_mobilephone
    ,
        e.loc_mail
    ,
        e.loc_geoposition
    ,
        e.loc_active
    ,
        e.lty_id
    ,
        e.lgp_id
    ,
        e.lcl_id
    ,
        e.med_id
    ,
        e.age_id
    ,
        e.age_id_insert
    ,
        e.loc_datetimeinsert
    ,
        e.loc_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.loc_datetimelastupdate
    ,
        e.loc_modulelastupdate
    ,
        e.tea_id
    ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (act.act_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.local e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.loc_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !=
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )

```

```

)
)
JOIN u1329.activity act
ON (
(
(act.act_id)::text =
(cf.v.cfv_internalvalue)::text
)
)
WHERE (
(
(cf.cfd_table)::text = 'local'::text
)
AND (
(cf.cfd_subtype)::text = '4'::text
)
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.loc_id
, e.loc_integrationid
, e.loc_description
, e.loc_corporatename
, e.loc_observation
, e.loc_country
, e.loc_state
, e.loc_city
, e.loc_neighborhood
, e.loc_street
, e.loc_streetnumber
, e.loc_streetnumbercompl
, e.loc_zipcode
, e.loc_phone
, e.loc_mobilephone
, e.loc_mail
, e.loc_geoposition
, e.loc_active
, e.lty_id
, e.lgp_id
, e.lcl_id
, e.med_id
, e.age_id
, e.age_id_insert
, e.loc_datetimeinsert
, e.loc_moduleinsert
, e.age_id_lastupdate
, e.loc_datetimelastupdate
, e.loc_modulelastupdate
, e.tea_id
, COALESCE
(
NULLIF
(sanitize_identifer
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
agents
GROUP BY agents.loc_id
, agents.loc_integrationid
, agents.loc_description
, agents.loc_corporatename
, agents.loc_observation
, agents.loc_country
, agents.loc_state
, agents.loc_city
, agents.loc_neighborhood
, agents.loc_street
, agents.loc_streetnumber
, agents.loc_streetnumbercompl
, agents.loc_zipcode
, agents.loc_phone
, agents.loc_mobilephone
, agents.loc_mail
, agents.loc_geoposition
, agents.loc_active
, agents.lty_id
, agents.lgp_id
, agents.lcl_id
, agents.med_id
, agents.age_id
, agents.age_id_insert
, agents.loc_datetimeinsert
, agents.loc_moduleinsert
, agents.age_id_lastupdate
, agents.loc_datetimelastupdate
, agents.loc_modulelastupdate
, agents.tea_id;

```

View: aggregated_by_entity_localtype

Aggregated_by_entity_localtype Structure

F-Key	Name	Type	Description
	lty_id	bigint	
	lty_integrationid	character varying(100)	
	lty_description	character varying(100)	
	lty_active	character(1)	
	fields	json	

```

SELECT agents.lty_id
,
  agents.lty_integrationid
,
  agents.lty_description
,
  agents.lty_active
,
(
  (
    ('{':text || string_agg
      (
        (
          (
            (
              (
                (
                  (to_json
                    (agents.cfd_integrationid) || ': {"internalvalue": ':text
                  ) || to_json
                    (agents.cfv_internalvalue)
                ) ||
                ',':text
              ) || '"externalvalue": ':text
            ) || to_json
              (agents.cfv_externalvalue)
          ) || '}'::text
        )
      ),',':text
    ) || '}'::text
  )
)::json AS fields
FROM (
SELECT e.lty_id
,
  e.lty_integrationid
,
  e.lty_description
,
  e.lty_active
,
  COALESCE
(NULLIF
(sanitize_identifier
  (
    (cf.cfd_integrationid)::text
  )
),':text
), ('f':text ||
  (cf.cfd_id)::text
)
) AS cfd_integrationid
,
  cfv.cfv_internalvalue
,
  cfv.cfv_externalvalue
FROM (
  (u1329.localtype e
    LEFT JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.lty_id)
      )
    )
  LEFT JOIN u1329.customfield cf
    ON (
      (
        (
          (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
              (cf.cfd_id) < 32
            )
          )
        )
      )
    )
    AND (

```

```

        (cf.cfd_table)::text = 'localtype'::text
    )
    AND (
        (COALESCE
            (cf.cfd_subtype
                , '999'::character varying
            )
        )::text <> ALL
        (
            (ARRAY['3'::character varying
                , '4'::character varying]
            )::text[]
        )
    )
)
)
)
)
UNION ALL
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (u1329.localtype e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.lty_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'localtype'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description

```



```

    ,
    e.lty_active
    ,
    COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(
  ('{'::text || string_agg
    (
      (cev.cev_id)::text
      , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('{'::text || string_agg
    (quote_ident
      (
        (cev.cev_description)::text
      )
      , ','::text
    )
  ) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (u1329.localtype e
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.lty_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
          (cf.cfd_id) < 32
        )
      )
    )
  )
  JOIN u1329.custoentityvalue cev
  ON (
    (
      (
        (cev.cev_id)::text =
        (cfv.cfv_internalvalue)::text
      )
      AND (cev.cet_id = cf.cfd_sourceid)
    )
  )
)
WHERE (
  (
    (
      (cf.cfd_table)::text = 'localtype'::text
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.lty_id
, e.lty_integrationid
, e.lty_description
, e.lty_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
)
)

```

UNION ALL

```
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue

FROM (
(
    (u1329.localtype e
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.lty_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
)
JOIN u1329.agent age
ON (
(
    (age.age_id)::text =
    (cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
    (cf.cfd_table)::text = 'localtype'::text
)
AND (
    (cf.cfd_subtype)::text = '3'::text
)
)
AND (cf.cfd_sourcetable = 1)
)
)
```

UNION ALL

```
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
    (
        (age.age_id)::text
    )
)
```

```

        ), '::text
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
        ), '::text
    ) || '}'::text
) AS cfv_externalvalue

FROM (
    (
        (u1329.localtype e
            JOIN u1329.customfieldvalue cfv
                ON (
                    (cfv.cfv_registerid = e.lty_id)
                )
        )
        JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
    JOIN u1329.agent age
        ON (
            (
                (age.age_id)::text =
                (cfv.cfv_internalvalue)::text
            )
        )
    )
WHERE (
    (
        (
            (cf.cfd_table)::text = 'localtype'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.lty_id
, e.lty_integrationid
, e.lty_description
, e.lty_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
    ), '::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
UNION ALL
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
    ), '::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,

```

```

(loc.loc_id)::text AS cfv_internalvalue
'
loc.loc_description AS cfv_externalvalue
FROM (
(
(u1329.localtype e
JOIN u1329.customfieldvalue cfv
ON (
(cf.v.cfv_registerid = e.lty_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
JOIN u1329.local loc
ON (
(
(loc.loc_id)::text =
(cf.v.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(cf.cfd_table)::text = 'localtype'::text
)
AND (
(cf.cfd_subtype)::text = '3'::text
)
)
AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.lty_id
'
e.lty_integrationid
'
e.lty_description
'
e.lty_active
'
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
'
(
('{ '::text || string_agg
(
(loc.loc_id)::text
, ', '::text
)
) || '}'::text
) AS cfv_internalvalue
'
(
('{ '::text || string_agg
(quote_ident
(
(loc.loc_description)::text
)
, ', '::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
(u1329.localtype e
JOIN u1329.customfieldvalue cfv
ON (
(cf.v.cfv_registerid = e.lty_id)

```

```

        )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (
        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'localtype'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.lty_id
, e.lty_integrationid
, e.lty_description
, e.lty_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
UNION ALL
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (u1329.localtype e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.lty_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)

```

```

)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (cf.cfd_table)::text = 'localtype'::text
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (ite.ite_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.localtype e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.lty_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (

```

```

        (
            (cf.cfd_table)::text = 'localtype'::text
        )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.lty_id
, e.lty_integrationid
, e.lty_description
, e.lty_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (u1329.localtype e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.lty_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.activity act
    ON (
        (
            (act.act_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'localtype'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 10)
)
)
UNION ALL

```

```

SELECT e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
(
    (act.act_id)::text
    , ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
(quote_ident
(
    (act.act_description)::text
)
, ','::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
    (u1329.localtype e
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.lty_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (
                (cf.cfd_description)::text !=
'^((complemento|numero|data|valor)registro')::text
            )
        )
    )
)
)
JOIN u1329.activity act
ON (
(
    (act.act_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
    (cf.cfd_table)::text = 'localtype'::text
)
)
AND (
    (cf.cfd_subtype)::text = '4'::text
)
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.lty_id
,
    e.lty_integrationid
,
    e.lty_description
,
    e.lty_active
,
    COALESCE
(
    NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||

```



```

) (cf.cfd_id)::text
)
) agents
GROUP BY agents.lty_id
, agents.lty_integrationid
, agents.lty_description
, agents.lty_active;

```

[Index](#) - [Schema u1329](#)

View: aggregated_by_entity_task

Aggregated_by_entity_task Structure

F-Key	Name	Type	Description
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	
	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	
	tsk_preendalert	bigint	
	tsk_posendalert	bigint	
	tsk_insertdatehour	timestamp without time zone	
	tsk_lastmodification	timestamp without time zone	
	tsk_mobilesenddate	timestamp without time zone	
	tsk_accesstoken	character varying(50)	
	age_id_insert	bigint	
	tsk_datetimeinsert	timestamp without time zone	
	tsk_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	tsk_datetimelastupdate	timestamp without time zone	
	tsk_modulelastupdate	character varying(100)	
	tty_id	bigint	
	tsk_executionerror	character(1)	
	fields	json	

```

SELECT agents.tsk_id
, agents.tsk_integrationid
, agents.age_id
, agents.loc_id
, agents.tsk_scheduleinitialdatehour
, agents.tsk_realinitialdatehour
, agents.tsk_schedulefinaldatehour
, agents.tsk_realfinaldatehour

```

```

agents.tsk_lastexecutiondatehour
agents.tsk_observation
agents.tsk_active
agents.tsk_situation
agents.tsk_automaticclosingapp
agents.tsk_expectedfinaldatehour
agents.tss_id
agents.tsk_waitingtime
agents.tsk_priority
agents.tsk_source
agents.med_id
agents.tea_id
agents.tsk_activityorigin
agents.tsk_prestartalert
agents.tsk_posstartalert
agents.tsk_prestartblock
agents.tsk_posstartblock
agents.tsk_preendalert
agents.tsk_posendalert
agents.tsk_insertdatehour
agents.tsk_lastmodification
agents.tsk_mobilesenddate
agents.tsk_accesstoken
agents.age_id_insert
agents.tsk_datetimeinsert
agents.tsk_moduleinsert
agents.age_id_lastupdate
agents.tsk_datetimelastupdate
agents.tsk_modulelastupdate
agents.tty_id
agents.tsk_executionerror
(
(
('{'::text || string_agg
(
(
(
(
(
(to_json
(agents.cfd_integrationid) || '{"internalvalue": ' '::text
) || to_json
(agents.cfv_internalvalue)
) ||
',' ' '::text
) || '"externalvalue": ' '::text
) || to_json
(agents.cfv_externalvalue)
) || '}'::text
) || ',' ' '::text
) || '}'::text
) || '}'::text
)::json AS fields
FROM (
SELECT e.tsk_id
,
e.tsk_integrationid
,
e.age_id
,
e.loc_id
,

```

```

        e.task_scheduleinitialdatehour
    ,
        e.task_realinitialdatehour
    ,
        e.task_schedulefinaldatehour
    ,
        e.task_realfinaldatehour
    ,
        e.task_lastexecutiondatehour
    ,
        e.task_observation
    ,
        e.task_active
    ,
        e.task_situation
    ,
        e.task_automaticclosingapp
    ,
        e.task_expectedfinaldatehour
    ,
        e.tss_id
    ,
        e.task_waitingtime
    ,
        e.task_priority
    ,
        e.task_source
    ,
        e.med_id
    ,
        e.tea_id
    ,
        e.task_activityorigin
    ,
        e.task_prestartalert
    ,
        e.task_posstartalert
    ,
        e.task_prestartblock
    ,
        e.task_posstartblock
    ,
        e.task_preendalert
    ,
        e.task_posendalert
    ,
        e.task_insertdatehour
    ,
        e.task_lastmodification
    ,
        e.task_mobilesenddate
    ,
        e.task_accesstoken
    ,
        e.age_id_insert
    ,
        e.task_datetimeinsert
    ,
        e.task_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.task_datetimelastupdate
    ,
        e.task_modulelastupdate
    ,
        e.tty_id
    ,
        e.task_executionerror
    ,
        COALESCE
    (NULLIF
        (sanitize_identifer
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfd_integrationid
    ,
        cfv.cfv_internalvalue
    ,
        cfv.cfv_externalvalue
FROM (
    (u1329.task e
        LEFT JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.task_id)
            )
        )
    )
LEFT JOIN u1329.customfield cf
    ON (
        (

```



```

        e.task_datetimelastupdate
    ,
        e.task_modulelastupdate
    ,
        e.tty_id
    ,
        e.task_executionerror
    ,
        COALESCE
(NULLIF
(sanitize_identifier
(
        (cf.cfd_integrationid)::text
    )
    , ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
    ,
(cev.cev_id)::text AS cfv_internalvalue
    ,
        cev.cev_description AS cfv_externalvalue
FROM (
    (
        (u1329.task e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.task_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.task_id
    ,
        e.task_integrationid
    ,
        e.age_id
    ,
        e.loc_id
    ,
        e.task_scheduleinitialdatehour
    ,
        e.task_realinitialdatehour
    ,
        e.task_schedulefinaldatehour
    ,
        e.task_realfinaldatehour
    ,
        e.task_lastexecutiondatehour
    ,
        e.task_observation
    ,
        e.task_active
    ,
        e.task_situation
    ,
        e.task_automaticclosingapp
    ,

```

```

        e.task_expectedfinaldatehour
    ,
        e.tss_id
    ,
        e.task_waitingtime
    ,
        e.task_priority
    ,
        e.task_source
    ,
        e.med_id
    ,
        e.tea_id
    ,
        e.task_activityorigin
    ,
        e.task_prestartalert
    ,
        e.task_posstartalert
    ,
        e.task_prestartblock
    ,
        e.task_posstartblock
    ,
        e.task_preendalert
    ,
        e.task_posendalert
    ,
        e.task_insertdatehour
    ,
        e.task_lastmodification
    ,
        e.task_mobilesenddate
    ,
        e.task_accesstoken
    ,
        e.age_id_insert
    ,
        e.task_datetimeinsert
    ,
        e.task_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.task_datetimelastupdate
    ,
        e.task_modulelastupdate
    ,
        e.tty_id
    ,
        e.task_executionerror
    ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
    ,
    (
        ('{'::text || string_agg
            (
                (cev.cev_id)::text
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_internalvalue
    ,
    (
        ('{'::text || string_agg
            (quote_ident
                (
                    (cev.cev_description)::text
                )
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (u1329.task e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.task_id)
            )
        )
        JOIN u1329.customfield cf
        ON (

```

```

        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.tsk_id
, e.tsk_integrationid
, e.age_id
, e.loc_id
, e.tsk_scheduleinitialdatehour
, e.tsk_realinitialdatehour
, e.tsk_schedulefinaldatehour
, e.tsk_realfinaldatehour
, e.tsk_lastexecutiondatehour
, e.tsk_observation
, e.tsk_active
, e.tsk_situation
, e.tsk_automaticclosingapp
, e.tsk_expectedfinaldatehour
, e.tss_id
, e.tsk_waitingtime
, e.tsk_priority
, e.tsk_source
, e.med_id
, e.tea_id
, e.tsk_activityorigin
, e.tsk_prestartalert
, e.tsk_posstartalert
, e.tsk_prestartblock
, e.tsk_posstartblock
, e.tsk_preendalert
, e.tsk_posendalert
, e.tsk_insertdatehour
, e.tsk_lastmodification
, e.tsk_mobilesenddate
, e.tsk_accessstoken
, e.age_id_insert
, e.tsk_datetimeinsert
, e.tsk_moduleinsert
, e.age_id_lastupdate
, e.tsk_datetimelastupdate
, e.tsk_modulelastupdate
, e.tty_id
, e.tsk_executionerror
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)
)
UNION ALL
SELECT e.tsk_id
,
    e.tsk_integrationid
,
    e.age_id
,
    e.loc_id
,
    e.tsk_scheduleinitialdatehour
,
    e.tsk_realinitialdatehour
,

```

```

        e.task_schedulefinaldatehour
    ,
        e.task_realfinaldatehour
    ,
        e.task_lastexecutiondatehour
    ,
        e.task_observation
    ,
        e.task_active
    ,
        e.task_situation
    ,
        e.task_automaticclosingapp
    ,
        e.task_expectedfinaldatehour
    ,
        e.tss_id
    ,
        e.task_waitingtime
    ,
        e.task_priority
    ,
        e.task_source
    ,
        e.med_id
    ,
        e.tea_id
    ,
        e.task_activityorigin
    ,
        e.task_prestartalert
    ,
        e.task_posstartalert
    ,
        e.task_prestartblock
    ,
        e.task_posstartblock
    ,
        e.task_preendalert
    ,
        e.task_posendalert
    ,
        e.task_insertdatehour
    ,
        e.task_lastmodification
    ,
        e.task_mobilesenddate
    ,
        e.task_accesstoken
    ,
        e.age_id_insert
    ,
        e.task_datetimeinsert
    ,
        e.task_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.task_datetimelastupdate
    ,
        e.task_modulelastupdate
    ,
        e.tty_id
    ,
        e.task_executionerror
    ,
        COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,
    (age.age_id)::text AS cfv_internalvalue
    ,
        age.age_name AS cfv_externalvalue
FROM (
    (
        (u1329.task e
            JOIN u1329.customfieldvalue cfv
                ON (
                    (cfv.cfv_registerid = e.task_id)
                )
        )
        JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length

```



```

        )
    )
)
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)

```

UNION ALL

```

SELECT e.task_id
,
    e.task_integrationid
,
    e.age_id
,
    e.loc_id
,
    e.task_scheduleinitialdatehour
,
    e.task_realinitialdatehour
,
    e.task_schedulefinaldatehour
,
    e.task_realfinaldatehour
,
    e.task_lastexecutiondatehour
,
    e.task_observation
,
    e.task_active
,
    e.task_situation
,
    e.task_automaticclosingapp
,
    e.task_expectedfinaldatehour
,
    e.tss_id
,
    e.task_waitingtime
,
    e.task_priority
,
    e.task_source
,
    e.med_id
,
    e.tea_id
,
    e.task_activityorigin
,
    e.task_prestartalert
,
    e.task_posstartalert
,
    e.task_prestartblock
,
    e.task_posstartblock
,
    e.task_preendalert
,
    e.task_posendalert
,
    e.task_insertdatehour
,
    e.task_lastmodification
,
    e.task_mobilesenddate
,
    e.task_accesstoken
,
    e.age_id_insert
,
    e.task_datetimeinsert
,
    e.task_moduleinsert
,
    e.age_id_lastupdate
,

```

```

        e.task_datetimelastupdate
    ,
        e.task_modulelastupdate
    ,
        e.tty_id
    ,
        e.task_executionerror
    ,
        COALESCE
(NULLIF
(sanitize_identifier
(
        (cf.cfd_integrationid)::text
    )
    , ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (age.age_id)::text
            , ','::text
        )
    || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ','::text
        )
    || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.task e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.task_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.task_id
, e.task_integrationid
, e.age_id
, e.loc_id
, e.task_scheduleinitialdatehour
, e.task_realinitialdatehour
, e.task_schedulefinaldatehour
, e.task_realfinaldatehour
, e.task_lastexecutiondatehour
, e.task_observation
, e.task_active
, e.task_situation
, e.task_automaticclosingapp
, e.task_expectedfinaldatehour

```

```

, e.tsk_id
, e.tsk_waitingtime
, e.tsk_priority
, e.tsk_source
, e.med_id
, e.tea_id
, e.tsk_activityorigin
, e.tsk_prestartalert
, e.tsk_posstartalert
, e.tsk_prestartblock
, e.tsk_posstartblock
, e.tsk_preendalert
, e.tsk_posendalert
, e.tsk_insertdatehour
, e.tsk_lastmodification
, e.tsk_mobilesenddate
, e.tsk_accesstoken
, e.age_id_insert
, e.tsk_datetimeinsert
, e.tsk_moduleinsert
, e.age_id_lastupdate
, e.tsk_datetimelastupdate
, e.tsk_modulelastupdate
, e.tty_id
, e.tsk_executionerror
, COALESCE
(NULLIF
  (sanitize_identifer
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
)
)

```

UNION ALL

```

SELECT e.tsk_id
,
  e.tsk_integrationid
,
  e.age_id
,
  e.loc_id
,
  e.tsk_scheduleinitialdatehour
,
  e.tsk_realinitialdatehour
,
  e.tsk_schedulefinaldatehour
,
  e.tsk_realfinaldatehour
,
  e.tsk_lastexecutiondatehour
,
  e.tsk_observation
,
  e.tsk_active
,
  e.tsk_situation
,
  e.tsk_automaticclosingapp
,
  e.tsk_expectedfinaldatehour
,
  e.tss_id
,
  e.tsk_waitingtime
,
  e.tsk_priority
,
  e.tsk_source
,
  e.med_id
,
  e.tea_id
,
  e.tsk_activityorigin
,
  e.tsk_prestartalert
,
  e.tsk_posstartalert
,
  e.tsk_prestartblock
,
  e.tsk_posstartblock
,
  e.tsk_preendalert
,
  e.tsk_posendalert
,
  e.tsk_insertdatehour
,
  e.tsk_lastmodification
,
  e.tsk_mobilesenddate

```

```

,
e.task_accesstoken
,
e.age_id_insert
,
e.task_datetimeinsert
,
e.task_moduleinsert
,
e.age_id_lastupdate
,
e.task_datetimelastupdate
,
e.task_modulelastupdate
,
e.tty_id
,
e.task_executionerror
,
COALESCE
(NULLIF
(sanitize_identifer
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(loc.loc_id)::text AS cfv_internalvalue
,
loc.loc_description AS cfv_externalvalue
FROM (
(
(u1329.task e
JOIN u1329.customfieldvalue cfv
ON (
(cf.cfv_registerid = e.task_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.local loc
ON (
(
(loc.loc_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(cf.cfd_table)::text = 'task'::text
)
AND (
(
(cf.cfd_subtype)::text = '3'::text
)
)
)
AND (cf.cfd_sourcetable = 2)
)
)
UNION ALL
SELECT e.task_id
,
e.task_integrationid
,
e.age_id
,
e.loc_id
,
e.task_scheduleinitialdatehour
,
e.task_realinitialdatehour
,
e.task_schedulefinaldatehour
,
e.task_realfinaldatehour
,
e.task_lastexecutiondatehour
,

```

```

        e.task_observation
    ,
        e.task_active
    ,
        e.task_situation
    ,
        e.task_automaticclosingapp
    ,
        e.task_expectedfinaldatehour
    ,
        e.tss_id
    ,
        e.task_waitingtime
    ,
        e.task_priority
    ,
        e.task_source
    ,
        e.med_id
    ,
        e.tea_id
    ,
        e.task_activityorigin
    ,
        e.task_prestartalert
    ,
        e.task_posstartalert
    ,
        e.task_prestartblock
    ,
        e.task_posstartblock
    ,
        e.task_preendalert
    ,
        e.task_posendalert
    ,
        e.task_insertdatehour
    ,
        e.task_lastmodification
    ,
        e.task_mobilesenddate
    ,
        e.task_accesstoken
    ,
        e.age_id_insert
    ,
        e.task_datetimeinsert
    ,
        e.task_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.task_datetimelastupdate
    ,
        e.task_modulelastupdate
    ,
        e.tty_id
    ,
        e.task_executionerror
    ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
    ,
    (
        ('{'::text || string_agg
            (
                (loc.loc_id)::text
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_internalvalue
    ,
    (
        ('{'::text || string_agg
            (quote_ident
                (
                    (loc.loc_description)::text
                )
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (u1329.task e

```

```

        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.tsk_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
    )
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
)
GROUP BY e.tsk_id
, e.tsk_integrationid
, e.age_id
, e.loc_id
, e.tsk_scheduleinitialdatehour
, e.tsk_realinitialdatehour
, e.tsk_schedulefinaldatehour
, e.tsk_realfinaldatehour
, e.tsk_lastexecutiondatehour
, e.tsk_observation
, e.tsk_active
, e.tsk_situation
, e.tsk_automaticclosingapp
, e.tsk_expectedfinaldatehour
, e.tss_id
, e.tsk_waitingtime
, e.tsk_priority
, e.tsk_source
, e.med_id
, e.tea_id
, e.tsk_activityorigin
, e.tsk_prestartalert
, e.tsk_posstartalert
, e.tsk_prestartblock
, e.tsk_posstartblock
, e.tsk_preendalert
, e.tsk_posendalert
, e.tsk_insertdatehour
, e.tsk_lastmodification
, e.tsk_mobilesenddate
, e.tsk_accesstoken
, e.age_id_insert
, e.tsk_datetimeinsert
, e.tsk_moduleinsert
, e.age_id_lastupdate
, e.tsk_datetimelastupdate
, e.tsk_modulelastupdate
, e.tty_id
, e.tsk_executionerror
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)
)
UNION ALL
SELECT e.tsk_id
,
    e.tsk_integrationid
,
    e.age_id
,
    e.loc_id

```

```

,
e.task_scheduleinitialdatehour
,
e.task_realinitialdatehour
,
e.task_schedulefinaldatehour
,
e.task_realfinaldatehour
,
e.task_lastexecutiondatehour
,
e.task_observation
,
e.task_active
,
e.task_situation
,
e.task_automaticclosingapp
,
e.task_expectedfinaldatehour
,
e.tss_id
,
e.task_waitingtime
,
e.task_priority
,
e.task_source
,
e.med_id
,
e.tea_id
,
e.task_activityorigin
,
e.task_prestartalert
,
e.task_posstartalert
,
e.task_prestartblock
,
e.task_posstartblock
,
e.task_preendalert
,
e.task_posendalert
,
e.task_insertdatehour
,
e.task_lastmodification
,
e.task_mobilesenddate
,
e.task_accesstoken
,
e.age_id_insert
,
e.task_datetimeinsert
,
e.task_moduleinsert
,
e.age_id_lastupdate
,
e.task_datetimelastupdate
,
e.task_modulelastupdate
,
e.tty_id
,
e.task_executionerror
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,
ite.ite_description AS cfv_externalvalue
FROM (
(
(u1329.task e
JOIN u1329.customfieldvalue cfv
ON (
(cf.cfv_registerid = e.task_id)
)
)
)

```

```

        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
)
AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.tsk_id
,
    e.tsk_integrationid
,
    e.age_id
,
    e.loc_id
,
    e.tsk_scheduleinitialdatehour
,
    e.tsk_realinitialdatehour
,
    e.tsk_schedulefinaldatehour
,
    e.tsk_realfinaldatehour
,
    e.tsk_lastexecutiondatehour
,
    e.tsk_observation
,
    e.tsk_active
,
    e.tsk_situation
,
    e.tsk_automaticclosingapp
,
    e.tsk_expectedfinaldatehour
,
    e.tss_id
,
    e.tsk_waitingtime
,
    e.tsk_priority
,
    e.tsk_source
,
    e.med_id
,
    e.tea_id
,
    e.tsk_activityorigin
,
    e.tsk_prestartalert
,
    e.tsk_posstartalert
,
    e.tsk_prestartblock
,
    e.tsk_posstartblock
,
    e.tsk_preendalert
,
    e.tsk_posendalert
,
    e.tsk_insertdatehour
,
    e.tsk_lastmodification
,
    e.tsk_mobilesenddate
,
    e.tsk_accesstoken
,
    e.age_id_insert
,

```



```

        e.task_datetimeinsert
    ,
        e.task_moduleinsert
    ,
        e.age_id_lastupdate
    ,
        e.task_datetimelastupdate
    ,
        e.task_modulelastupdate
    ,
        e.tty_id
    ,
        e.task_executionerror
    ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (ite.ite_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.task e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.task_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.task_id
, e.task_integrationid
, e.age_id
, e.loc_id
, e.task_scheduleinitialdatehour
, e.task_realinitialdatehour
, e.task_schedulefinaldatehour
, e.task_realfinaldatehour
, e.task_lastexecutiondatehour
, e.task_observation

```

```

, e.task_active
, e.task_situation
, e.task_automaticclosingapp
, e.task_expectedfinaldatehour
, e.tss_id
, e.task_waitingtime
, e.task_priority
, e.task_source
, e.med_id
, e.tea_id
, e.task_activityorigin
, e.task_prestartalert
, e.task_posstartalert
, e.task_prestartblock
, e.task_posstartblock
, e.task_preendalert
, e.task_posendalert
, e.task_insertdatehour
, e.task_lastmodification
, e.task_mobilesenddate
, e.task_access_token
, e.age_id_insert
, e.task_datetimeinsert
, e.task_moduleinsert
, e.age_id_lastupdate
, e.task_datetimelastupdate
, e.task_modulelastupdate
, e.tty_id
, e.task_executionerror
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
)
)

```

UNION ALL

```

SELECT e.task_id
,
  e.task_integrationid
,
  e.age_id
,
  e.loc_id
,
  e.task_scheduleinitialdatehour
,
  e.task_realinitialdatehour
,
  e.task_schedulefinaldatehour
,
  e.task_realfinaldatehour
,
  e.task_lastexecutiondatehour
,
  e.task_observation
,
  e.task_active
,
  e.task_situation
,
  e.task_automaticclosingapp
,
  e.task_expectedfinaldatehour
,
  e.tss_id
,
  e.task_waitingtime
,
  e.task_priority
,
  e.task_source
,
  e.med_id
,
  e.tea_id
,
  e.task_activityorigin
,
  e.task_prestartalert
,
  e.task_posstartalert
,
  e.task_prestartblock
,
  e.task_posstartblock
,
  e.task_preendalert
,
  e.task_posendalert
,
  e.task_insertdatehour

```

```

,
    e.task_lastmodification
,
    e.task_mobilesenddate
,
    e.task_accesstoken
,
    e.age_id_insert
,
    e.task_datetimeinsert
,
    e.task_moduleinsert
,
    e.age_id_lastupdate
,
    e.task_datetimelastupdate
,
    e.task_modulelastupdate
,
    e.tty_id
,
    e.task_executionerror
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (u1329.task e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.task_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'task'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.task_id
,
    e.task_integrationid
,
    e.age_id
,
    e.loc_id
,
    e.task_scheduleinitialdatehour
,
    e.task_realinitialdatehour
,
    e.task_schedulefinaldatehour
,

```

```

    e.task_realfinaldatehour
,
    e.task_lastexecutiondatehour
,
    e.task_observation
,
    e.task_active
,
    e.task_situation
,
    e.task_automaticclosingapp
,
    e.task_expectedfinaldatehour
,
    e.tss_id
,
    e.task_waitingtime
,
    e.task_priority
,
    e.task_source
,
    e.med_id
,
    e.tea_id
,
    e.task_activityorigin
,
    e.task_prestartalert
,
    e.task_posstartalert
,
    e.task_prestartblock
,
    e.task_posstartblock
,
    e.task_preendalert
,
    e.task_posendalert
,
    e.task_insertdatehour
,
    e.task_lastmodification
,
    e.task_mobilesenddate
,
    e.task_accesstoken
,
    e.age_id_insert
,
    e.task_datetimeinsert
,
    e.task_moduleinsert
,
    e.age_id_lastupdate
,
    e.task_datetimelastupdate
,
    e.task_modulelastupdate
,
    e.tty_id
,
    e.task_executionerror
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (act.act_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue

```

```

FROM (
  (
    (u1329.task e
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.tsk_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (
            (cf.cfd_description)::text !=
            '^((complemento|numero|data|valor)registro)::text'
          )
        )
      )
    )
  )
  JOIN u1329.activity act
    ON (
      (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
  )
  WHERE (
    (
      (cf.cfd_table)::text = 'task'::text
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 10)
  )
  GROUP BY e.tsk_id
  , e.tsk_integrationid
  , e.age_id
  , e.loc_id
  , e.tsk_scheduleinitialdatehour
  , e.tsk_realinitialdatehour
  , e.tsk_schedulefinaldatehour
  , e.tsk_realfinaldatehour
  , e.tsk_lastexecutiondatehour
  , e.tsk_observation
  , e.tsk_active
  , e.tsk_situation
  , e.tsk_automaticclosingapp
  , e.tsk_expectedfinaldatehour
  , e.tss_id
  , e.tsk_waitingtime
  , e.tsk_priority
  , e.tsk_source
  , e.med_id
  , e.tea_id
  , e.tsk_activityorigin
  , e.tsk_prestartalert
  , e.tsk_posstartalert
  , e.tsk_prestartblock
  , e.tsk_posstartblock
  , e.tsk_preendalert
  , e.tsk_posendalert
  , e.tsk_insertdatehour
  , e.tsk_lastmodification
  , e.tsk_mobilesenddate
  , e.tsk_accesstoken
  , e.age_id_insert
  , e.tsk_datetimeinsert
  , e.tsk_moduleinsert
  , e.age_id_lastupdate
  , e.tsk_datetimelastupdate
  , e.tsk_modulelastupdate
  , e.tty_id
  , e.tsk_executionerror
  , COALESCE
  (
    NULLIF
    (sanitize_identifier
      (
        (cf.cfd_integrationid)::text
      )
      , ''::text
    )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
  )
  )
  )
  agents
  )
  GROUP BY
  agents.tsk_id
  , agents.tsk_integrationid
  , agents.age_id

```

```

, agents.loc_id
, agents.task_scheduleinitialdatehour
, agents.task_realinitialdatehour
, agents.task_schedulefinaldatehour
, agents.task_realfinaldatehour
, agents.task_lastexecutiondatehour
, agents.task_observation
, agents.task_active
, agents.task_situation
, agents.task_automaticclosingapp
, agents.task_expectedfinaldatehour
, agents.tss_id
, agents.task_waitingtime
, agents.task_priority
, agents.task_source
, agents.med_id
, agents.tea_id
, agents.task_activityorigin
, agents.task_prestartalert
, agents.task_posstartalert
, agents.task_prestartblock
, agents.task_posstartblock
, agents.task_preendalert
, agents.task_posendalert
, agents.task_insertdatehour
, agents.task_lastmodification
, agents.task_mobilesenddate
, agents.task_accesstoken
, agents.age_id_insert
, agents.task_datetimeinsert
, agents.task_moduleinsert
, agents.age_id_lastupdate
, agents.task_datetimelastupdate
, agents.task_modulelastupdate
, agents.tty_id
, agents.task_executionerror;

```

[Index - Schema u1329](#)

View: aggregated_by_entity_taskitem

Aggregated_by_entity_taskitem Structure

F-Key	Name	Type	Description
	tsi_id	bigint	
	tsk_id	bigint	
	ite_id	bigint	
	fields	json	

```

SELECT agents.tsi_id
,
  agents.tsk_id
,
  agents.ite_id
,
(
  (
    ('{':text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (agents.cfd_integrationid) || ': {"internalvalue": ':text
                ) || to_json
                  (agents.cfv_internalvalue)
              ) ||
                ', ':text
            ) || '"externalvalue": ':text
          ) || to_json
            (agents.cfv_externalvalue)
        ) || '}'::text
      ) || ', ':text
    ) || '}'::text
  )
)::json AS fields
FROM (
SELECT e.tsi_id
,
  e.tsk_id
,
  e.ite_id
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text

```

```

        )
        , '::text
    )
    , ('f'::text ||
      (cf.cfd_id)::text
    )
) AS cfd_integrationid
,
    cfv.cfv_internalvalue
,
    cfv.cfv_externalvalue
FROM (
    (u1329.taskitem e
    LEFT JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.tsi_id)
        )
    )
LEFT JOIN u1329.customfield cf
    ON (
        (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
            AND (
                (cf.cfd_table)::text = 'taskitem'::text
            )
        )
        AND (
            (COALESCE
                (cf.cfd_subtype
                    , '999'::character varying
                )
            )::text <> ALL
            (
                (ARRAY['3'::character varying
                    , '4'::character varying]
                )::text[]
            )
        )
    )
    )
)
)
UNION ALL
SELECT e.tsi_id
,
    e.tsk_id
,
    e.ite_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , '::text
    )
    , ('f'::text ||
      (cf.cfd_id)::text
    )
) AS cfd_integrationid
,
    (cev.cev_id)::text AS cfd_internalvalue
,
    cev.cev_description AS cfd_externalvalue
FROM (
    (
        (u1329.taskitem e
        JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tsi_id)
            )
        )
        JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
    )
)
JOIN u1329.customentityvalue cev

```

```

ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'taskitem'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
UNION ALL
SELECT e.tsi_id
,
    e.tsk_id
,
    e.ite_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (cev.cev_id)::text
        )
        , ''::text
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (
                (cev.cev_description)::text
            )
        )
        , ''::text
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.taskitem e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tsi_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.customeentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
)

```



```

WHERE (
    (
        (cf.cfd_table)::text = 'taskitem'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 6)
)

```

```

GROUP BY e.tsi_id
, e.tsk_id
, e.ite_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)

```

UNION ALL

```

SELECT e.tsi_id
,
    e.tsk_id
,
    e.ite_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue

```

```

FROM (
    (
        (u1329.taskitem e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tsi_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)

```

```

WHERE (
    (
        (cf.cfd_table)::text = 'taskitem'::text
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 1)
)

```

UNION ALL

```

SELECT e.tsi_id

```

```

    ,
    e.tsk_id
    ,
    e.ite_id
    ,
    COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
('f'::text || string_agg
(
(age.age_id)::text
, ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
('f'::text || string_agg
(quote_ident
(
(age.age_name)::text
)
, ','::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
(u1329.taskitem e
JOIN u1329.customfieldvalue cfv
ON (
(cf.cfv_registerid = e.tsi_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.agent age
ON (
(
(age.age_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(cf.cfd_table)::text = 'taskitem'::text
)
AND (
(cf.cfd_subtype)::text = '4'::text
)
)
AND (cf.cfd_sourcetable = 1)
)
)
GROUP BY e.tsi_id
, e.tsk_id
, e.ite_id
, COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
UNION ALL

```

```

SELECT e.tsi_id
      , e.tsk_id
      , e.ite_id
      , COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
      ,
(loc.loc_id)::text AS cfv_internalvalue
      , loc.loc_description AS cfv_externalvalue

FROM (
  (
    (u1329.taskitem e
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.tsi_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
          (cf.cfd_id) < 32
        )
      )
    )
  )
  JOIN u1329.local loc
  ON (
    (
      (loc.loc_id)::text =
      (cfv.cfv_internalvalue)::text
    )
  )
)

WHERE (
  (
    (
      (cf.cfd_table)::text = 'taskitem'::text
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 2)
)

UNION ALL

SELECT e.tsi_id
      , e.tsk_id
      , e.ite_id
      , COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
      ,
(
  ('{'::text || string_agg
    (
      (loc.loc_id)::text
      , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
      ,

```

```

        ('f'::text || string_agg
          (quote_ident
            (
              (loc.loc_description)::text
            )
            ,','::text
          )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (u1329.taskitem e
          JOIN u1329.customfieldvalue cfv
            ON (
              (cfv.cfv_registerid = e.tsi_id)
            )
          )
        JOIN u1329.customfield cf
          ON (
            (
              (cf.cfd_id = cfv.cfd_id)
              AND (length
                (cf.cfd_id) < 32
              )
            )
          )
        )
        JOIN u1329.local loc
          ON (
            (
              (loc.loc_id)::text =
              (cfv.cfv_internalvalue)::text
            )
          )
        )
    )
WHERE (
    (
        (
          (cf.cfd_table)::text = 'taskitem'::text
        )
        AND (
          (cf.cfd_subtype)::text = '4'::text
        )
      )
    AND (cf.cfd_sourcetable = 2)
  )
)
GROUP BY e.tsi_id
, e.tsk_id
, e.ite_id
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    ,''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.tsi_id
,
  e.tsk_id
,
  e.ite_id
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    ,''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,
  ite.ite_description AS cfv_externalvalue
FROM (
    (
        (u1329.taskitem e

```

```

        JOIN u1329.customfieldvalue cfv
          ON (
              (cfv.cfv_registerid = e.tsi_id)
            )
    )
    JOIN u1329.customfield cf
      ON (
          (
              (cf.cfd_id = cfv.cfd_id)
              AND (
                  (cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
    JOIN u1329.item ite
      ON (
          (
              (ite.ite_id)::text =
              (cfv.cfv_internalvalue)::text
            )
        )
    )
WHERE (
    (
        (
            (cf.cfd_table)::text = 'taskitem'::text
          )
          AND (
              (cf.cfd_subtype)::text = '3'::text
            )
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.tsi_id
,
    e.tsk_id
,
    e.ite_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
          )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (ite.ite_id)::text
          , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (ite.ite_description)
          , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.taskitem e
            JOIN u1329.customfieldvalue cfv
              ON (
                  (cfv.cfv_registerid = e.tsi_id)
                )
            )
        JOIN u1329.customfield cf
          ON (
              (
                  (cf.cfd_id = cfv.cfd_id)
                  AND (length
                      (cf.cfd_id) < 32
                    )
                )
            )
        )
    )
)

```

```

)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (cf.cfd_table)::text = 'taskitem'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.tsi_id
, e.tsk_id
, e.ite_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.tsi_id
,
    e.tsk_id
,
    e.ite_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (u1329.taskitem e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tsi_id)
            )
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (cf.cfd_table)::text = 'taskitem'::text
    )
)

```

```

    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.tsi_id
,
    e.tsk_id
,
    e.ite_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (act.act_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.taskitem e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tsi_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (cf.cfd_id = cfv.cfd_id)
            AND (
                (cf.cfd_description)::text !~
                '^((complemento|numero|data|valor)registro')::text
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (cf.cfd_table)::text = 'taskitem'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.tsi_id
,
    e.tsk_id
,
    e.ite_id
,
    COALESCE
(NULLIF

```

```

(sanitize_identifer
  (
    (cf.cfd_integratationid)::text
  )
  , ''::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
agents
GROUP BY
  agents.tsi_id
,
  agents.tsk_id
,
  agents.ite_id;

```

[Index](#) - [Schema u1329](#)

View: aggregated_by_entity_team

Aggregated_by_entity_team Structure

F-Key	Name	Type	Description
	tea_id	bigint	
	tea_integratationid	character varying(100)	
	tea_description	character varying(100)	
	tea_active	character(1)	
	tea_teamsupervisor	bigint	
	tet_id	bigint	
	med_id	bigint	
	fields	json	

```

SELECT agents.tea_id
,
  agents.tea_integratationid
,
  agents.tea_description
,
  agents.tea_active
,
  agents.tea_teamsupervisor
,
  agents.tet_id
,
  agents.med_id
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (agents.cfd_integratationid) || ': {"internalvalue": ' '::text
                ) || to_json
                  (agents.cfv_internalvalue)
                ) ||
                  ', ' '::text
              ) || '"externalvalue": ' '::text
            ) || to_json
              (agents.cfv_externalvalue)
            ) || ' ' '::text
          )
        ), ' ' '::text
      )
    ) || '}' '::text
  )
)::json AS fields
FROM (
  SELECT e.tea_id
,
  e.tea_integratationid
,
  e.tea_description
,
  e.tea_active
,
  e.tea_teamsupervisor
,
  e.tet_id
,
  e.med_id
,
  COALESCE
  (NULLIF
    (sanitize_identifer
      (

```



```

        (cf.cfd_integrationid)::text
    , ''::text
)
, ('f'::text ||
   (cf.cfd_id)::text
)
) AS cfd_integrationid
,
   cfv.cfv_internalvalue
,
   cfv.cfv_externalvalue
FROM (
    (u1329.team e
     LEFT JOIN u1329.customfieldvalue cfv
              ON (
                  (cfv.cfv_registerid = e.tea_id)
                )
    )
LEFT JOIN u1329.customfield cf
        ON (
            (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
                AND (
                    (cf.cfd_table)::text = 'team'::text
                )
            )
            AND (
                (COALESCE
                    (cf.cfd_subtype
                     , '999'::character varying
                    )
                 )::text <> ALL
                (
                    (ARRAY['3'::character varying
                        , '4'::character varying]
                     )::text[]
                )
            )
        )
    )
)
)
UNION ALL
SELECT e.tea_id
,
   e.tea_integrationid
,
   e.tea_description
,
   e.tea_active
,
   e.tea_teamsupervisor
,
   e.tet_id
,
   e.med_id
,
   COALESCE
(NULLIF
 (sanitize_identifier
  (
    (cf.cfd_integrationid)::text
  )
  , ''::text
)
, ('f'::text ||
   (cf.cfd_id)::text
)
) AS cfv_integrationid
,
   (cev.cev_id)::text AS cfv_internalvalue
,
   cev.cev_description AS cfv_externalvalue
FROM (
    (
        (u1329.team e
         JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
    JOIN u1329.customfield cf
        ON (
            (

```

```

                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'team'::text
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (cev.cev_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (cev.cev_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.team e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)

```

```

        )
    )
)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'team'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.tea_id
, e.tea_integrationid
, e.tea_description
, e.tea_active
, e.tea_teamsupervisor
, e.tet_id
, e.med_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
    (age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (u1329.team e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)

```

```

    )
  )
)
JOIN u1329.agent age
ON (
  (
    (age.age_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (cf.cfd_table)::text = 'team'::text
  )
  AND (
    (cf.cfd_subtype)::text = '3'::text
  )
)
AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.tea_id
,
  e.tea_integrationid
,
  e.tea_description
,
  e.tea_active
,
  e.tea_teamsupervisor
,
  e.tet_id
,
  e.med_id
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
  ('f'::text || string_agg
(
  (age.age_id)::text
, ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
  ('f'::text || string_agg
(quote_ident
(
  (age.age_name)::text
)
, ','::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (u1329.team e
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.tea_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
          (cf.cfd_id) < 32
        )
      )
    )
  )
)
JOIN u1329.agent age

```

```

        ON (
            (
                (age.age_id)::text =
                (cfv.cfv_internalvalue)::text
            )
        )
    )
WHERE (
    (
        (
            (cf.cfd_table)::text = 'team'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.tea_id
, e.tea_integrationid
, e.tea_description
, e.tea_active
, e.tea_teamsupervisor
, e.tet_id
, e.med_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
UNION ALL
SELECT e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue
FROM (
    (
        (u1329.team e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (
        (loc.loc_id)::text =

```

```

        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (cf.cfd_table)::text = 'team'::text
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
    (
        (loc.loc_id)::text
        , ','::text
    )
    || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
    (quote_ident
    (
        (loc.loc_description)::text
    )
    , ','::text
)
    || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.team e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (

```

```

        (
            (
                (cf.cfd_table)::text = 'team'::text
            )
            AND (
                (cf.cfd_subtype)::text = '4'::text
            )
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.tea_id
, e.tea_integrationid
, e.tea_description
, e.tea_active
, e.tea_teamsupervisor
, e.tet_id
, e.med_id
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
)
UNION ALL
SELECT e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
)
) AS cfv_integrationid
,
    (ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (u1329.team e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro)'::text
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (

```

```

        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (ite.ite_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.team e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.item ite
    ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'team'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)

```



```

GROUP BY e.tea_id
, e.tea_integrationid
, e.tea_description
, e.tea_active
, e.tea_teamsupervisor
, e.tet_id
, e.med_id
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.tea_id
,
  e.tea_integrationid
,
  e.tea_description
,
  e.tea_active
,
  e.tea_teamsupervisor
,
  e.tet_id
,
  e.med_id
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
  (act.act_id)::text AS cfv_internalvalue
,
  act.act_description AS cfv_externalvalue
FROM (
  (
    (u1329.team e
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.tea_id)
        )
    )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  )
  JOIN u1329.activity act
    ON (
      (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
)
WHERE (
  (
    (
      (cf.cfd_table)::text = 'team'::text
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 10)
)
)
UNION ALL

```

```

SELECT e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (act.act_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.team e
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.tea_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !=
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (cf.cfd_table)::text = 'team'::text
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.tea_id
,
    e.tea_integrationid
,
    e.tea_description
,
    e.tea_active
,
    e.tea_teamsupervisor
,
    e.tet_id
,
    e.med_id

```

```

), COALESCE
(
  NULLIF
(sanitize_identifer
  (
    (cf.cfd_integratationid)::text
  )
  , ''::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
)
agents
GROUP BY
  agents.tea_id
,
  agents.tea_integratationid
,
  agents.tea_description
,
  agents.tea_active
,
  agents.tea_teamsupervisor
,
  agents.tet_id
,
  agents.med_id;

```

[Index](#) - [Schema u1329](#)

View: aggregated_customentity_117459

Aggregated_customentity_117459 Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integratationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	fields	json	

```

SELECT customentities.cev_id
,
  customentities.cet_id
,
  customentities.cev_integratationid
,
  customentities.cev_description
,
  customentities.cev_active
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (customentities.cfd_integratationid) || '{"internalvalue": ' '::text
                ) || to_json
                  (customentities.cfv_internalvalue)
                ) ||
              ', ' '::text
            ) || '"externalvalue": ' '::text
          ) || to_json
            (customentities.cfv_externalvalue)
          ) || '}' '::text
        )
      )
    ) || '}' '::text
  )
) AS fields
) AS fields
FROM (
  SELECT e.cev_id
  ,
    e.cet_id
  ,
    e.cev_integratationid
  ,
    e.cev_description
  ,
    e.cev_active
  ,
    COALESCE
  (NULLIF
  (sanitize_identifer
    (
      (cf.cfd_integratationid)::text
    )
    , ''::text
  )
  , ('f'::text ||

```

```

        ) AS cfd_integrationid
    ,
        COALESCE
        (cfv.cfv_internalvalue
        , ''::character varying
        ) AS cfv_internalvalue
    ,
        COALESCE
        (cfv.cfv_externalvalue
        , ''::character varying
        ) AS cfv_externalvalue
FROM (
    (
        (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
        )
    LEFT JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.cev_id)
    )
    )
LEFT JOIN u1329.customfield cf
ON (
    (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
            (cf.cfd_id) < 32
            )
        )
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
        )
    AND (
        (COALESCE
        (cf.cfd_subtype
        , '999'::character varying
        )
        )::text <> ALL
        (
            (ARRAY['3'::character varying
            , '4'::character varying]
            )::text[]
        )
        )
    )
)
)
)
WHERE (ce.cet_id = 117459)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
    (NULLIF
    (sanitize_identifier
    (
        (cf.cfd_integrationid)::text
    )
    , ''::text
    )
    , ('f'::text ||
    (cf.cfd_id)::text
    )
    ) AS cfv_integrationid
,
    (cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (

```

```

        )
        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 117459)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (
        ('{'::text || string_agg
            (
                (cev.cev_id)::text
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_internalvalue
,
    (
        ('{'::text || string_agg
            (quote_ident
                (
                    (cev.cev_description)::text
                )
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce

```

```

        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
    )
    JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.cev_id)
    )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
    )
WHERE (
    (
        (
            (ce.cet_id = 117459)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue

```

```

FROM (
    (
        (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (
                (e.cet_id = ce.cet_id)
            )
        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 117459)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
)
UNION ALL
SELECT e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (age.age_id)::text
            , ' '::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ' '::text
        )
    ) || '}'::text
) AS cfv_externalvalue

```

```

FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 117459)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue

```



```

FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 117459)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
    (
        (loc.loc_id)::text
        , ','::text
    )
    || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
    (quote_ident
    (
        (loc.loc_description)::text
    )
    , ','::text
)
    || '}'::text
) AS cfv_externalvalue

```

```

FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 117459)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,

```

ite.ite_description AS cfv_externalvalue

```
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (
            (cf.cfd_description)::text !=
'^((complemento|numero|data|valor)registro')::text
          )
        )
      )
    )
  )
  JOIN u1329.item ite
    ON (
      (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
)
WHERE (
  (
    (
      (ce.cet_id = 117459)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(
  ('f'::text || string_agg
    (
      (ite.ite_id)::text
      , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('f'::text || string_agg
    (quote_ident
      (ite.ite_description)
      , ','::text
    )
  ) || '}'::text
) AS cfv_externalvalue
```

```

FROM (
  (
    (u1329.customentity ce
      JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
    JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.cev_id)
      )
    )
  JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
          (cf.cfd_id) < 32
        )
      )
    )
  )
  JOIN u1329.item ite
    ON (
      (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
  )
WHERE (
  (
    (ce.cet_id = 117459)
    AND (
      (cf.cfd_table)::text = 'customentity'::text
    )
  )
  AND (
    (cf.cfd_subtype)::text = '4'::text
  )
  )
  AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
))
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
))
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,

```

act.act_description AS cfv_externalvalue

```
FROM (
  (
    (u1329.customentity ce
      JOIN u1329.customentityvalue e
      ON (
        (e.cet_id = ce.cet_id)
      )
    )
    JOIN u1329.customfieldvalue cfv
    ON (
      (cfv.cfv_registerid = e.cev_id)
    )
  )
  JOIN u1329.customfield cf
  ON (
    (
      (cf.cfd_id = cfv.cfd_id)
      AND (length
        (cf.cfd_id) < 32
      )
    )
  )
)
JOIN u1329.activity act
ON (
  (
    (act.act_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (
      (ce.cet_id = 117459)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
  (
    ('f'::text || string_agg
      (
        (act.act_id)::text
        , ''::text
      )
    ) || '}'::text
  ) AS cfv_internalvalue
,
  (
    ('f'::text || string_agg
      (quote_ident
        (
          (act.act_description)::text
        )
        , ''::text
      )
    ) || '}'::text
  )
```



```

SELECT customentities.cev_id
,
  customentities.cet_id
,
  customentities.cev_integrationid
,
  customentities.cev_description
,
  customentities.cev_active
,
(
  (
    ('{':text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (customentities.cfd_integrationid) || ': {"internalvalue": '::text
                ) || to_json
                  (customentities.cfv_internalvalue)
                ) ||
                ','::text
              ) || '"externalvalue": '::text
            ) || to_json
              (customentities.cfv_externalvalue)
            ) || '}'::text
          )
        ),'::text
      )
    ) || '}'::text
  )
)::json AS fields
FROM (
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
  (
    (cf.cfd_integrationid)::text
  )
),'::text
)
, ('f':text ||
  (cf.cfd_id)::text
)
) AS cfd_integrationid
,
  COALESCE
(cf.cfv_internalvalue
,'::character varying
) AS cfv_internalvalue
,
  COALESCE
(cf.cfv_externalvalue
,'::character varying
) AS cfv_externalvalue
FROM (
  (
    (u1329.customentity ce
      JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
    LEFT JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.cev_id)
      )
    )
  LEFT JOIN u1329.customfield cf
    ON (
      (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
  )

```



```

        (cf.cfd_subtype)::text = '3'::text
    )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
),
'')::text
), ('f'::text ||
(cf.cfd_id)::text
))
) AS cfv_integrationid
,
(
('{'::text || string_agg
(
    (cev.cev_id)::text
, ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
('{'::text || string_agg
(quote_ident
(
    (cev.cev_description)::text
),
','::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
(
(u1329.customentity ce
JOIN u1329.customentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.customentityvalue cev
ON (
(
(
(cev.cev_id)::text =
(cfv.cfv_internalvalue)::text
)
AND (cev.cet_id = cf.cfd_sourceid)
)
)
)
)
WHERE (
(
(
(ce.cet_id = 13484)
AND (
(cf.cfd_table)::text = 'customentity'::text

```

```

        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13484)
            AND (

```

```

        )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (age.age_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13484)
            AND (

```

```

        (cf.cfd_table)::text = 'customentity'::text
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
    (loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13484)
        )
    )
)

```

```

        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
(
    (loc.loc_id)::text
, ''::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
(quote_ident
(
    (loc.loc_description)::text
)
, ''::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
(
    (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
    )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
)
JOIN u1329.local loc
ON (
(
    (loc.loc_id)::text =
    (cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
    (ce.cet_id = 13484)
)
)
)

```

```

        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (

```

```

        (
            (ce.cet_id = 13484)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (ite.ite_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.item ite
    ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13484)

```

```

        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.activity act
    ON (
        (
            (act.act_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (

```



```

        (ce.cet_id = 13484)
    AND (
        (cf.cfd_table)::text = 'customentity'::text
    )
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
    )
    AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (act.act_id)::text
            , ''::text
        )
        ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ''::text
        )
        ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro)::text'
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (

```

```

(
  (ce.cet_id = 13484)
  AND (
    (cf.cfd_table)::text = 'customentity'::text
  )
)
AND (
  (cf.cfd_subtype)::text = '4'::text
)
)
AND (cf.cfd_sourcetable = 10)
)

GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(
  NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
)
)      customentities

GROUP BY      customentities.cev_id
, customentities.cet_id
, customentities.cev_integrationid
, customentities.cev_description
, customentities.cev_active;

```

[Index - Schema u1329](#)

View: aggregated_customentity_13756

Aggregated_customentity_13756 Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	fields	json	

```

SELECT customentities.cev_id
,
  customentities.cet_id
,
  customentities.cev_integrationid
,
  customentities.cev_description
,
  customentities.cev_active
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (
                  (to_json
                    (customentities.cfd_integrationid) || '{"internalvalue": ' '::text
                  ) || to_json
                    (customentities.cfv_internalvalue)
                ) ||
                ', ' '::text
              ) || '"externalvalue": ' '::text
            ) || to_json
              (customentities.cfv_externalvalue)
            ) || '}'::text
          )
        ), ','::text
      )
    ) || '}'::text
  )
)::json AS fields
)
FROM (
SELECT e.cev_id
,
  e.cet_id

```

```

        ,
        e.cev_integrationid
    ,
    e.cev_description
    ,
    e.cev_active
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfd_integrationid
    ,
    COALESCE
(cf.v.cfv_internalvalue
    , ''::character varying
) AS cvf_internalvalue
    ,
    COALESCE
(cf.v.cfv_externalvalue
    , ''::character varying
) AS cvf_externalvalue
FROM (
    (
        (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (
                (e.cet_id = ce.cet_id)
            )
        )
        LEFT JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    LEFT JOIN u1329.customfield cf
    ON (
        (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (COALESCE
                (cf.cfd_subtype
                    , '999'::character varying
            )
            )::text <> ALL
            (
                (ARRAY['3'::character varying
                    , '4'::character varying]
                )::text[]
            )
        )
    )
)
)
WHERE (ce.cet_id = 13756)
UNION ALL
SELECT e.cev_id
    ,
    e.cet_id
    ,
    e.cev_integrationid
    ,
    e.cev_description
    ,
    e.cev_active
    ,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||

```

```

        (cf.cfd_id)::text
    ) AS cfv_integrationid
    ,
    (cev.cev_id)::text AS cfv_internalvalue
    ,
        cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13756)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.cev_id
    ,
        e.cet_id
    ,
        e.cev_integrationid
    ,
        e.cev_description
    ,
        e.cev_active
    ,
        COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,
    (
        ('{'::text || string_agg
            (
                (cev.cev_id)::text
                , ','::text
            )
            || '}'::text
        ) AS cfv_internalvalue
    ,

```

```

(
    ('{::text || string_agg
      (quote_ident
        (
          (cev.cev_description)::text
        )
        ,','::text
      )
    ) || '}'::text
  ) AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
    JOIN u1329.customentityvalue cev
      ON (
        (
          (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
          )
          AND (cev.cet_id = cf.cfd_sourceid)
        )
      )
    )
  )
WHERE (
  (
    (
      (ce.cet_id = 13756)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    ,''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF

```

```

        (sanitize_identifier
          (
            (cf.cfd_integrationid)::text
          )
          , ''::text
        )
      , ('f'::text ||
        (cf.cfd_id)::text
      )
    ) AS cfv_integrationid
  ,
  (age.age_id)::text AS cfv_internalvalue
  ,
    age.age_name AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  )
  JOIN u1329.agent age
    ON (
      (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
  )
WHERE (
  (
    (
      (ce.cet_id = 13756)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
  ,
    e.cet_id
  ,
    e.cev_integrationid
  ,
    e.cev_description
  ,
    e.cev_active
  ,
    COALESCE
  (NULLIF
    (sanitize_identifier
      (
        (cf.cfd_integrationid)::text
      )
      , ''::text
    )
    , ('f'::text ||
      (cf.cfd_id)::text
    )
  ) AS cfv_integrationid
  ,
  (
    ('f'::text || string_agg
      (
        (age.age_id)::text
        , ''::text
      )
    )
  )

```

```

        ) || '}'::text
    ) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            ,','::text
        )
    ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13756)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        ,''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE

```

```

(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(loc.loc_id)::text AS cfv_internalvalue
,
  loc.loc_description AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  JOIN u1329.local loc
    ON (
      (
        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
  )
WHERE (
  (
    (
      (ce.cet_id = 13756)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(
  ('f'::text || string_agg
    (
      (loc.loc_id)::text
    )

```



```

        ), '::text
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
     (quote_ident
      (
          (loc.loc_description)::text
      )
      , ','::text
    )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
             JOIN u1329.customentityvalue e
             ON (
                 (e.cet_id = ce.cet_id)
             )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
            JOIN u1329.customfield cf
            ON (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
        JOIN u1329.local loc
        ON (
            (
                (loc.loc_id)::text =
                (cfv.cfv_internalvalue)::text
            )
        )
    )
WHERE (
    (
        (
            (ce.cet_id = 13756)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
 (sanitize_identifier
  (
      (cf.cfd_integrationid)::text
  )
  , ''::text
 )
, ('f'::text ||
 (cf.cfd_id)::text
 )
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,

```

```

        COALESCE
        (NULLIF
            (sanitize_identifier
                (
                    (cf.cfd_integrationid)::text
                ),
                ''::text
            )
            , ('f'::text ||
                (cf.cfd_id)::text
            )
        ) AS cfv_integrationid
    ,
    (ite.ite_id)::text AS cfv_internalvalue
    ,
        ite.ite_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13756)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            ),
            ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
,
    (
        ('f'::text || string_agg

```

```

        (
            (ite.ite_id)::text
            ,','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (ite.ite_description)
            ,','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.item ite
    ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13756)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        ,','::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,

```

```

        COALESCE
        (NULLIF
            (sanitize_identifier
                (
                    (cf.cfd_integrationid)::text
                )
                , ''::text
            )
            , ('f'::text ||
                (cf.cfd_id)::text
            )
        ) AS cfv_integrationid
    ,
    (act.act_id)::text AS cfv_internalvalue
    ,
        act.act_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.activity act
    ON (
        (
            (act.act_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13756)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
,
    (
        ('f'::text || string_agg
            (

```

```

        (act.act_id)::text
        ,','::text
    )
) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            ,','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (
                (e.cet_id = ce.cet_id)
            )
        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 13756)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(
    NULLIF
(sanitize_identifier
    (
        (cf.cfd_integrationid)::text
    )
    ,','::text
)
, ('{ '::text ||
    (cf.cfd_id)::text
)
)
)
    customentities

GROUP BY
    customentities.cev_id
,
    customentities.cet_id
,
    customentities.cev_integrationid
,
    customentities.cev_description
,
    customentities.cev_active;

```

View: aggregated_customentity_33228

Aggregated_customentity_33228 Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	fields	json	

```

SELECT customentities.cev_id
,
  customentities.cet_id
,
  customentities.cev_integrationid
,
  customentities.cev_description
,
  customentities.cev_active
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (customentities.cfd_integrationid) || '{"internalvalue": ' '::text
                ) || to_json
                  (customentities.cfv_internalvalue)
                ) ||
                ', ' '::text
              ) || '"externalvalue": ' '::text
            ) || to_json
              (customentities.cfv_externalvalue)
            ) || '}' '::text
          )
        ), ',' '::text
      )
    ) || '}' '::text
  )
)::json AS fields
FROM (
  SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
), ' '::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfd_integrationid
,
  COALESCE
(cfv.cfv_internalvalue
, ' '::character varying
) AS cfv_internalvalue
,
  COALESCE
(cfv.cfv_externalvalue
, ' '::character varying
) AS cfv_externalvalue
FROM (
  (
    (u1329.customentity ce
      JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
    )
  LEFT JOIN u1329.customfieldvalue cfv

```

```

        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
LEFT JOIN u1329.customfield cf
    ON (
        (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (COALESCE
                (cf.cfd_subtype
                    , '999'::character varying
                )
            )::text <> ALL
            (
                (ARRAY['3'::character varying
                    , '4'::character varying]
                )::text[]
            )
        )
    )
)
)
)
WHERE (ce.cet_id = 33228)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
)
JOIN u1329.customentityvalue cev
ON (
    (
        (

```

```

                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
        )
    )
    AND (cev.cet_id = cf.cfd_sourceid)
)
)
)
WHERE (
    (
        (
            (ce.cet_id = 33228)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (cev.cev_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (
                (cev.cev_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.customentityvalue cev

```



```

ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
)
WHERE (
    (
        (
            (ce.cet_id = 33228)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
    (age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
)

```

```

    )
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 33228)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (
        (cf.cfd_integrationid)::text
    )
    , ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
    (
        (
            (age.age_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
    (quote_ident
    (
        (
            (age.age_name)::text
        )
        , ''::text
    )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)

```

```

    )
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 33228)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)

```

```

    )
  )
JOIN u1329.local loc
ON (
  (
    (loc.loc_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (
      (ce.cet_id = 33228)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 2)
)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
  ('f'::text || string_agg
(
  (loc.loc_id)::text
  , ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
  ('f'::text || string_agg
(quote_ident
(
  (loc.loc_description)::text
)
, ','::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
      JOIN u1329.customentityvalue e
      ON (
        (e.cet_id = ce.cet_id)
      )
    )
    JOIN u1329.customfieldvalue cfv
    ON (
      (cfv.cfv_registerid = e.cev_id)
    )
  )
  JOIN u1329.customfield cf
  ON (
    (
      (cf.cfd_id = cfv.cfd_id)
      AND (length
        (cf.cfd_id) < 32
      )
    )
  )
)

```

```

    )
  )
JOIN u1329.local loc
ON (
  (
    (loc.loc_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (
      (ce.cet_id = 33228)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 2)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,
  ite.ite_description AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.cev_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (
          (cf.cfd_description)::text !~

```

```

'^^(complemento|numero|data|valor)registro'::text
)
)
)
JOIN u1329.item ite
ON (
(
(ite.ite_id)::text =
(cf.v.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(ce.cet_id = 33228)
AND (
(cf.cfd_table)::text = 'customentity'::text
)
)
AND (
(cf.cfd_subtype)::text = '3'::text
)
)
AND (cf.cfd_sourcetable = 3)
)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
('{ '::text || string_agg
(
(ite.ite_id)::text
, ''::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
('{ '::text || string_agg
(quote_ident
(ite.ite_description)
, ''::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
(
(u1329.customentity ce
JOIN u1329.customentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)

```

```

    )
  )
JOIN u1329.item ite
ON (
  (
    (ite.ite_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (ce.cet_id = 33228)
    AND (
      (cf.cfd_table)::text = 'customentity'::text
    )
  )
  AND (
    (cf.cfd_subtype)::text = '4'::text
  )
)
AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
  act.act_description AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.cev_id)
      )
    )
  )
  JOIN u1329.customfield cf
  ON (
    (
      (cf.cfd_id = cfv.cfd_id)
      AND (length
        (cf.cfd_id) < 32
      )
    )
  )
)

```

```

    )
  )
)
JOIN u1329.activity act
ON (
  (
    (act.act_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (ce.cet_id = 33228)
    AND (
      (cf.cfd_table)::text = 'customentity'::text
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(
  ('{ '::text || string_agg
    (
      (act.act_id)::text
    , ''::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('{ '::text || string_agg
    (quote_ident
      (
        (act.act_description)::text
      )
    , ''::text
    )
  ) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.cev_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (
          (cf.cfd_description)::text !~

```



```

        ) ||
        ', '::text
    ) || '"externalvalue": '::text
    ) || to_json
    (customentities.cfv_externalvalue)
    ) || '}'::text
    ), '::text
    ) || '}'::text
) ::json AS fields
FROM (
SELECT e.cev_id
    ,
    e.cet_id
    ,
    e.cev_integrationsid
    ,
    e.cev_description
    ,
    e.cev_active
    ,
    COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationsid)::text
)
, '::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfd_integrationsid
    ,
    COALESCE
(cf.cfv_internalvalue
, ''::character varying
) AS cfv_internalvalue
    ,
    COALESCE
(cf.cfv_externalvalue
, ''::character varying
) AS cfv_externalvalue
FROM (
(
(u1329.customentity ce
JOIN u1329.customentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
LEFT JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
LEFT JOIN u1329.customfield cf
ON (
(
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
AND (
(cf.cfd_table)::text = 'customentity'::text
)
)
AND (
(COALESCE
(cf.cfd_subtype
, '999'::character varying
)
)::text <> ALL
(
(ARRAY['3'::character varying
, '4'::character varying]
)::text[]
)
)
)
)
)
)
WHERE (ce.cet_id = 35616)
UNION ALL
SELECT e.cev_id
    ,

```

```

        e.cet_id
    ,
        e.cev_integrationid
    ,
        e.cev_description
    ,
        e.cev_active
    ,
        COALESCE
(NULLIF
(sanitize_identifier
(
        (cf.cfd_integrationid)::text
    )
    , ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
    ,
        (cev.cev_id)::text AS cfv_internalvalue
    ,
        cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 35616)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.cev_id
    ,
        e.cet_id
    ,
        e.cev_integrationid
    ,
        e.cev_description
    ,
        e.cev_active
    ,
        COALESCE
(NULLIF
(sanitize_identifier
(
        (cf.cfd_integrationid)::text
    )
)

```

```

        , '::text
    )
    , ('f'::text ||
      (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
      (
        (cev.cev_id)::text
        , ','::text
      )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
      (quote_ident
        (
          (cev.cev_description)::text
        )
        , ','::text
      )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
              JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
              ON (
                    (cfv.cfv_registerid = e.cev_id)
                )
            )
            JOIN u1329.customfield cf
              ON (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
            )
        )
        JOIN u1329.customentityvalue cev
          ON (
                (
                    (cev.cev_id)::text =
                    (cfv.cfv_internalvalue)::text
                )
                AND (cev.cet_id = cf.cfd_sourceid)
            )
        )
    )
WHERE (
    (
        (
            (ce.cet_id = 35616)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text

```

```

)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
age.age_name AS cfv_externalvalue
FROM (
(
(
(u1329.custumentity ce
JOIN u1329.custumentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.agent age
ON (
(
(age.age_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(ce.cet_id = 35616)
AND (
(cf.cfd_table)::text = 'custumentity'::text
)
)
)
AND (
(
(cf.cfd_subtype)::text = '3'::text
)
)
)
AND (cf.cfd_sourcetable = 1)
)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF

```

```

        (sanitize_identifier
          (
            (cf.cfd_integrationid)::text
          )
          , ''::text
        )
      , ('f'::text ||
        (cf.cfd_id)::text
      )
    ) AS cfv_integrationid
  ,
  (
    ('{'::text || string_agg
      (
        (age.age_id)::text
        , ','::text
      )
    ) || '}'::text
  ) AS cfv_internalvalue
  ,
  (
    ('{'::text || string_agg
      (quote_ident
        (
          (age.age_name)::text
        )
        , ','::text
      )
    ) || '}'::text
  ) AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
      JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.cev_id)
      )
    )
    JOIN u1329.customfield cf
    ON (
      (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
          (cf.cfd_id) < 32
        )
      )
    )
  )
  JOIN u1329.agent age
  ON (
    (
      (age.age_id)::text =
      (cfv.cfv_internalvalue)::text
    )
  )
)
WHERE (
  (
    (
      (ce.cet_id = 35616)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
  (
    (cf.cfd_integrationid)::text
  )
  , ''::text
)
, ('f'::text ||

```

```

        (cf.cfd_id)::text
    )
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifer
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue
FROM (
(
(
    (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
    )
    JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.cev_id)
    )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
    )
)
JOIN u1329.local loc
ON (
(
    (loc.loc_id)::text =
    (cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
    (ce.cet_id = 35616)
    AND (
        (cf.cfd_table)::text = 'customentity'::text
    )
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
    )
    AND (cf.cfd_sourcetable = 2)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE

```

```

(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
(
  ('{'::text || string_agg
    (
      (loc.loc_id)::text
      , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,
(
  ('{'::text || string_agg
    (quote_ident
      (
        (loc.loc_description)::text
      )
      , ','::text
    )
  ) || '}'::text
) AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  JOIN u1329.local loc
    ON (
      (
        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
  )
WHERE (
  (
    (
      (ce.cet_id = 35616)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
)

```



```

        , ('f'::text ||
          (cf.cfd_id)::text
        )
    )
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integracionid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integracionid)::text
)
, ''::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integracionid
,
(ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
              JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
              ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
          ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
    JOIN u1329.item ite
      ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 35616)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integracionid
,
    e.cev_description
,
    e.cev_active

```

```

,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (ite.ite_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 35616)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
)
)

```

```

        , ('f'::text ||
          (cf.cfd_id)::text
        )
    )
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
    (
        (cf.cfd_integrationid)::text
    )
    , ''::text
    )
, ('f'::text ||
  (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
    (act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
              JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
              ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
          ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.activity act
      ON (
        (
            (act.act_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 35616)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,

```

```

        COALESCE
        (NULLIF
            (sanitize_identifier
                (
                    (cf.cfd_integrationid)::text
                )
                , ''::text
            )
            , ('f'::text ||
                (cf.cfd_id)::text
            )
        ) AS cfv_integrationid
    ,
    (
        ('f'::text || string_agg
            (
                (act.act_id)::text
                , ''::text
            )
            || '}'::text
        ) AS cfv_internalvalue
    ,
    (
        ('f'::text || string_agg
            (quote_ident
                (
                    (act.act_description)::text
                )
                , ''::text
            )
            || '}'::text
        ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro)::text
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 35616)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
)
AND (cf.cfd_sourcetable = 10)
)
GROUP BY e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
    (
        NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
        )
    )

```



```

        COALESCE
        (cfv.cfv_externalvalue
        , ''::character varying
        ) AS cfv_externalvalue
FROM (
    (
        (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
        )
    LEFT JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.cev_id)
    )
    )
LEFT JOIN u1329.customfield cf
ON (
    (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
            (cf.cfd_id) < 32
            )
        )
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
        )
    AND (
        (COALESCE
        (cf.cfd_subtype
        , '999'::character varying
        )
        )::text <> ALL
        (
            (ARRAY['3'::character varying
            , '4'::character varying]
            )::text[]
        )
        )
    )
    )
)
WHERE (ce.cet_id = 35617)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (
                (e.cet_id = ce.cet_id)
            )
            )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
        )
    )
)

```

```

    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.customentityvalue cev
ON (
    (
        (cev.cev_id)::text =
        (cfv.cfv_internalvalue)::text
    )
    AND (cev.cet_id = cf.cfd_sourceid)
)
)
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (cev.cev_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (cev.cev_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv

```

```

        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
JOIN u1329.customfield cf
ON (
    (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
            (cf.cfd_id) < 32
        )
    )
)
)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
        )
    )
)

```



```

        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
    )
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (age.age_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
        )
    )
)

```

```

        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
    )
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(loc.loc_id)::text AS cfv_internalvalue
,
loc.loc_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (

```

```

        )
        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
    )
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (loc.loc_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (loc.loc_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (

```

```

        )
        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (
        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e

```

```

        ON (
            (e.cet_id = ce.cet_id)
        )
    )
    JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.cev_id)
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (
                (cf.cfd_description)::text !~
                '^(complemento|numero|data|valor)registro':::text
            )
        )
    )
    JOIN u1329.item ite
    ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
WHERE (
    (
        (ce.cet_id = 35617)
        AND (
            (cf.cfd_table)::text = 'customentity':::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '3':::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f':::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('f':::text || string_agg
(
    (ite.ite_id)::text
, ''::text
)
) || '':::text
) AS cfv_internalvalue
,
(
    ('f':::text || string_agg
(quote_ident
(ite.ite_description)
, ''::text
)
) || '':::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (

```

```

        (e.cet_id = ce.cet_id)
    )
    )
JOIN u1329.customfieldvalue cfv
ON (
    (cfv.cfv_registerid = e.cev_id)
)
)
JOIN u1329.customfield cf
ON (
    (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
            (cf.cfd_id) < 32
        )
    )
)
)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e

```

```

        ON (
            (e.cet_id = ce.cet_id)
        )
    )
    JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.cev_id)
    )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
    )
    JOIN u1329.activity act
    ON (
        (
            (act.act_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
    )
WHERE (
    (
        (
            (ce.cet_id = 35617)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (act.act_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.customentity ce
            JOIN u1329.customentityvalue e

```



```

SELECT e.cev_id
      , e.cet_id
      , e.cev_integrationsid
      , e.cev_description
      , e.cev_active
      , COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationsid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationsid
      ,
      (
        ('{'::text || string_agg
          (
            (cev.cev_id)::text
            , ','::text
          )
          || '}'::text
        ) AS cfv_internalvalue
      ,
      (
        ('{'::text || string_agg
          (quote_ident
            (
              (cev.cev_description)::text
            )
            , ','::text
          )
          || '}'::text
        ) AS cfv_externalvalue
FROM (
      (
        (
          (u1329.customentity ce
            JOIN u1329.customentityvalue e
              ON (
                (e.cet_id = ce.cet_id)
              )
            )
          JOIN u1329.customfieldvalue cfv
            ON (
              (cfv.cfv_registerid = e.cev_id)
            )
          )
        JOIN u1329.customfield cf
          ON (
            (
              (cf.cfd_id = cfv.cfd_id)
              AND (length
                (cf.cfd_id) < 32
              )
            )
          )
        )
      JOIN u1329.customentityvalue cev
        ON (
          (
            (
              (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
          )
        )
      )
WHERE (
      (
        (
          (ce.cet_id = 35618)
          AND (
            (cf.cfd_table)::text = 'customentity'::text
          )
        )
        AND (
          (cf.cfd_subtype)::text = '4'::text
        )
      )
      AND (cf.cfd_sourcetable = 6)

```

```

)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
, age.age_name AS cfv_externalvalue
FROM (
(
(
(u1329.customentity ce
JOIN u1329.customentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.agent age
ON (
(
(age.age_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(ce.cet_id = 35618)
AND (
(cf.cfd_table)::text = 'customentity'::text
)
)
AND (
(
(cf.cfd_subtype)::text = '3'::text
)
)
)
)

```

```

) AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (age.age_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 35618)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
)

```

```

) AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(loc.loc_id)::text AS cfv_internalvalue
,
loc.loc_description AS cfv_externalvalue
FROM (
(
(
(u1329.customentity ce
JOIN u1329.customentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
)
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.local loc
ON (
(
(loc.loc_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
)
WHERE (
(
(
(ce.cet_id = 35618)
AND (
(cf.cfd_table)::text = 'customentity'::text
)
)
)
AND (
(cf.cfd_subtype)::text = '3'::text
)
)
)

```

```

    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
(
    (loc.loc_id)::text
, ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
(quote_ident
(
    (loc.loc_description)::text
)
, ','::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
(
    (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
    )
    JOIN u1329.customfieldvalue cfv
    ON (
        (cfv.cfv_registerid = e.cev_id)
    )
)
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
)
JOIN u1329.local loc
ON (
(
    (loc.loc_id)::text =
    (cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
    (ce.cet_id = 35618)
    AND (
        (cf.cfd_table)::text = 'customentity'::text
    )
)
)
AND (
    (cf.cfd_subtype)::text = '4'::text
)
)
)

```

```

    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,
ite.ite_description AS cfv_externalvalue
FROM (
(
(
(u1329.customentity ce
JOIN u1329.customentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (
(cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
)
)
)
)
)
JOIN u1329.item ite
ON (
(
(ite.ite_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
(ce.cet_id = 35618)
AND (
(cf.cfd_table)::text = 'customentity'::text
)
)
)
AND (

```



```

        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (ite.ite_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 35618)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)

```

```

)
AND (cf.cfd_sourcetable = 3)
)

GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
)

UNION ALL

SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
act.act_description AS cfv_externalvalue

FROM (
(
(
(u1329.customentity ce
JOIN u1329.customentityvalue e
ON (
(e.cet_id = ce.cet_id)
)
)
JOIN u1329.customfieldvalue cfv
ON (
(cfv.cfv_registerid = e.cev_id)
)
)
JOIN u1329.customfield cf
ON (
(
(cf.cfd_id = cfv.cfd_id)
AND (length
(cf.cfd_id) < 32
)
)
)
)
)
JOIN u1329.activity act
ON (
(
(act.act_id)::text =
(cfv.cfv_internalvalue)::text
)
)
)

WHERE (
(
(
(ce.cet_id = 35618)
AND (
(cf.cfd_table)::text = 'customentity'::text
)
)
)
AND (
(cf.cfd_subtype)::text = '3'::text
)
)
)

```

```

    )
    AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationsid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationsid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationsid
,
(
    ('f'::text || string_agg
(
    (act.act_id)::text
    , ''::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
(quote_ident
(
    (act.act_description)::text
)
, ', '::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
(
(
    (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
    )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !=
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
)
JOIN u1329.activity act
ON (
(
    (act.act_id)::text =
    (cfv.cfv_internalvalue)::text
)
)
)
WHERE (
(
(
    (ce.cet_id = 35618)
    AND (
        (cf.cfd_table)::text = 'customentity'::text
    )
)
)
)
AND (

```



```

        COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfd_integrationid
,
  COALESCE
(cf.v.cfv_internalvalue
, ''::character varying
) AS cfv_internalvalue
,
  COALESCE
(cf.v.cfv_externalvalue
, ''::character varying
) AS cfv_externalvalue
FROM (
  (
    (u1329.customentity ce
      JOIN u1329.customentityvalue e
        ON (
          (e.cet_id = ce.cet_id)
        )
      )
    LEFT JOIN u1329.customfieldvalue cfv
      ON (
        (cfv.cfv_registerid = e.cev_id)
      )
    )
  LEFT JOIN u1329.customfield cf
    ON (
      (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
        AND (
          (cf.cfd_table)::text = 'customentity'::text
        )
      )
      AND (
        (COALESCE
          (cf.cfd_subtype
            , '999'::character varying
          )
        )::text <> ALL
        (
          (ARRAY['3'::character varying
            , '4'::character varying]
          )::text[]
        )
      )
    )
  )
)
WHERE (ce.cet_id = 420)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
  , ('f'::text ||
    (cf.cfd_id)::text
  )
) AS cfv_integrationid
,
  (cev.cev_id)::text AS cfv_internalvalue
,

```

```

        cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 420)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (cev.cev_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (cev.cev_description)::text
            )
        )
    )

```

```

        ), '::text
    ) || '}'::text
) AS cfv_externalvalue

FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 420)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , '::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , '::text
    )
, ('f'::text ||

```

```

        (cf.cfd_id)::text
    ) AS cfv_integrationid
    ,
    (age.age_id)::text AS cfv_internalvalue
    ,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 420)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
    ,
    e.cet_id
    ,
    e.cev_integrationid
    ,
    e.cev_description
    ,
    e.cev_active
    ,
    COALESCE
    (NULLIF
        (sanitize_identifier
            (
                (cf.cfd_integrationid)::text
            )
            , ''::text
        )
        , ('f'::text ||
            (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,
    (
        ('{'::text || string_agg
            (
                (age.age_id)::text
                , ','::text
            )
            || '}'::text
        ) AS cfv_internalvalue
    ,
    (
        ('{'::text || string_agg

```



```

        (quote_ident
          (
            (age.age_name)::text
          ),
          ', '::text
        )
      ) || '}'::text
    ) AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  JOIN u1329.agent age
    ON (
      (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
  )
WHERE (
  (
    (
      (ce.cet_id = 420)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 1)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
)
)

```

```

        , ('f'::text ||
          (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,
    (loc.loc_id)::text AS cfv_internalvalue
    ,
    loc.loc_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
              JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
              ON (
                    (cfv.cfv_registerid = e.cev_id)
                )
            )
            JOIN u1329.customfield cf
              ON (
                    (
                        (cf.cfd_id = cfv.cfd_id)
                        AND (length
                            (cf.cfd_id) < 32
                        )
                    )
                )
            )
        )
        JOIN u1329.local loc
          ON (
                (
                    (loc.loc_id)::text =
                    (cfv.cfv_internalvalue)::text
                )
            )
        )
    )
WHERE (
    (
        (
            (ce.cet_id = 420)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
    ,
    e.cet_id
    ,
    e.cev_integrationid
    ,
    e.cev_description
    ,
    e.cev_active
    ,
    COALESCE
    (NULLIF
     (sanitize_identifier
      (
          (cf.cfd_integrationid)::text
      )
      , ''::text
     )
    , ('f'::text ||
      (cf.cfd_id)::text
    )
    ) AS cfv_integrationid
    ,
    (
        ('f'::text || string_agg
         (
             (loc.loc_id)::text
             , ''::text
         )
        ) || '}'::text
    ) AS cfv_internalvalue
    ,
    (

```

```

        ('{::text || string_agg
         (quote_ident
           (
             (loc.loc_description)::text
           )
         ,','::text
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
              JOIN u1329.customentityvalue e
                ON (
                  (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
              ON (
                (cfv.cfv_registerid = e.cev_id)
              )
            )
            JOIN u1329.customfield cf
              ON (
                (
                  (cf.cfd_id = cfv.cfd_id)
                  AND (length
                      (cf.cfd_id) < 32
                    )
                )
              )
            )
        )
        JOIN u1329.local loc
          ON (
            (
              (loc.loc_id)::text =
              (cfv.cfv_internalvalue)::text
            )
          )
        )
    )
WHERE (
    (
        (
            (ce.cet_id = 420)
            AND (
              (cf.cfd_table)::text = 'customentity'::text
            )
          )
        AND (
            (cf.cfd_subtype)::text = '4'::text
          )
        )
    AND (cf.cfd_sourcetable = 2)
  )
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
  ,''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
  )
)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
  ,''::text
  )

```

```

    )
    , ('f'::text ||
      (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(ite.ite_id)::text AS cfv_internalvalue
,
ite.ite_description AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (
            (cf.cfd_description)::text !~
'^((complemento|numero|data|valor)registro')::text
          )
        )
      )
    )
  )
)
JOIN u1329.item ite
ON (
  (
    (ite.ite_id)::text =
    (cfv.cfv_internalvalue)::text
  )
)
)
WHERE (
  (
    (
      (ce.cet_id = 420)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 3)
)
)
UNION ALL
SELECT e.cev_id
,
e.cet_id
,
e.cev_integrationid
,
e.cev_description
,
e.cev_active
,
COALESCE
(NULLIF
(sanitize_identifier
(
(cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
({'::text || string_agg
(
(ite.ite_id)::text
, ','::text
)
) || '}'::text
) AS cfv_internalvalue
,

```

```

(
    ('{::text || string_agg
        (quote_ident
            (ite.ite_description)
            ,', '::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (
                (e.cet_id = ce.cet_id)
            )
        )
        JOIN u1329.customfieldvalue cfv
        ON (
            (cfv.cfv_registerid = e.cev_id)
        )
    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (ce.cet_id = 420)
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )

```

```

)
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
  act.act_description AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  )
  JOIN u1329.activity act
    ON (
      (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
      )
    )
  )
WHERE (
  (
    (
      (ce.cet_id = 420)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '3'::text
    )
  )
  AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
  ('{'::text || string_agg
    (
      (act.act_id)::text
      , ','::text
    )
  ) || '}'::text
) AS cfv_internalvalue
,

```


cev_id	bigint
cet_id	bigint
cev_integrationid	character varying(100)
cev_description	character varying(200)
cev_active	character(1)
fields	json

```

SELECT customentities.cev_id
,
  customentities.cet_id
,
  customentities.cev_integrationid
,
  customentities.cev_description
,
  customentities.cev_active
,
(
  (
    ('{':text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (customentities.cfd_integrationid) || ': {"internalvalue": ':text
                ) || to_json
                  (customentities.cfv_internalvalue)
                ) ||
                ', ':text
              ) || "externalvalue": ':text
            ) || to_json
              (customentities.cfv_externalvalue)
            ) || '}'::text
          )
        ), ', ':text
      ) || '}'::text
    )
  )::json AS fields
)
FROM (
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
), ''::text
), ('f':text ||
(cf.cfd_id)::text
)
) AS cfd_integrationid
,
  COALESCE
(cf.cfv_internalvalue
, ''::character varying
) AS cfv_internalvalue
,
  COALESCE
(cf.cfv_externalvalue
, ''::character varying
) AS cfv_externalvalue
)
FROM (
(
  (u1329.customentity ce
    JOIN u1329.customentityvalue e
      ON (
        (e.cet_id = ce.cet_id)
      )
    )
  )
LEFT JOIN u1329.customfieldvalue cfv
  ON (
    (cfv.cfv_registerid = e.cev_id)
  )
)
LEFT JOIN u1329.customfield cf
  ON (

```



```

        (
            (
                (
                    (cf.cfd_id = cfv.cfd_id)
                    AND (length
                        (cf.cfd_id) < 32
                    )
                )
                AND (
                    (cf.cfd_table)::text = 'customentity'::text
                )
            )
            AND (
                (COALESCE
                    (cf.cfd_subtype
                        , '999'::character varying
                    )
                )::text <> ALL
                (
                    (ARRAY['3'::character varying
                        , '4'::character varying]
                    )::text[]
                )
            )
        )
    )
)
WHERE (ce.cet_id = 50553)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
)

```

```

WHERE (
    (
        (ce.cet_id = 50553)
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 6)
)

```

UNION ALL

```

SELECT e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
(
    (cev.cev_id)::text
, ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
(quote_ident
(
    (cev.cev_description)::text
)
, ','::text
)
) || '}'::text
) AS cfv_externalvalue

```

```

FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)

```

```

    )
  )
WHERE (
  (
    (
      (ce.cet_id = 50553)
      AND (
        (cf.cfd_table)::text = 'customentity'::text
      )
    )
    AND (
      (cf.cfd_subtype)::text = '4'::text
    )
  )
  AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
) AS cfv_integrationid
,
  (age.age_id)::text AS cfv_internalvalue
,
  age.age_name AS cfv_externalvalue
FROM (
  (
    (
      (u1329.customentity ce
        JOIN u1329.customentityvalue e
          ON (
            (e.cet_id = ce.cet_id)
          )
        )
      JOIN u1329.customfieldvalue cfv
        ON (
          (cfv.cfv_registerid = e.cev_id)
        )
      )
    JOIN u1329.customfield cf
      ON (
        (
          (cf.cfd_id = cfv.cfd_id)
          AND (length
            (cf.cfd_id) < 32
          )
        )
      )
    )
  )
  JOIN u1329.agent age
    ON (
      (
        (age.age_id)::text =

```

```

        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50553)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
(
    (age.age_id)::text
, ','::text
)
) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
(quote_ident
(
    (age.age_name)::text
)
, ','::text
)
) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =

```

```

        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50553)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
    (loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (

```

```

        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50553)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
    (
        (loc.loc_id)::text
        , ','::text
    )
    || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
    (quote_ident
    (
        (loc.loc_description)::text
    )
    , ','::text
    )
    || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (

```

```

        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50553)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
JOIN u1329.item ite

```

```

ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (ce.cet_id = 50553)
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (
        ('f'::text || string_agg
            (
                (ite.ite_id)::text
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_internalvalue
,
    (
        ('f'::text || string_agg
            (quote_ident
                (ite.ite_description)
                , ','::text
            )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (

```



```

        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (ce.cet_id = 50553)
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
JOIN u1329.activity act
ON (

```

```

        (
            (act.act_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
WHERE (
    (
        (ce.cet_id = 50553)
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '3'::text
    )
)
AND (cf.cfd_sourcetable = 10)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (act.act_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !=
                    '^((complemento|numero|data|valor)registro)'::text
                )
            )
        )
    )
)
JOIN u1329.activity act

```



```

        ), '::text
    ) || '}'::text
)
)::json AS fields
FROM (
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationsid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationsid)::text
),
), '::text
), ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfd_integrationsid
,
    COALESCE
(cf.cfv_internalvalue
, ''::character varying
) AS cfv_internalvalue
,
    COALESCE
(cf.cfv_externalvalue
, ''::character varying
) AS cfv_externalvalue
FROM (
(
    (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
    )
LEFT JOIN u1329.customfieldvalue cfv
ON (
    (cfv.cfv_registerid = e.cev_id)
)
)
LEFT JOIN u1329.customfield cf
ON (
(
(
(
    (cf.cfd_id = cfv.cfd_id)
AND (length
    (cf.cfd_id) < 32
)
)
AND (
    (cf.cfd_table)::text = 'customentity'::text
)
)
AND (
    (COALESCE
    (cf.cfd_subtype
    , '999'::character varying
)
)::text <> ALL
(
    (ARRAY['3'::character varying
    , '4'::character varying]
)::text[])
)
)
)
)
)
)
WHERE (ce.cet_id = 50554)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationsid
,
    e.cev_description
,
    e.cev_active

```

```

        COALESCE
(NULLIF
    (sanitize_identifer
        (
            (cf.cfd_integrationid)::text
        ), ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifer
        (
            (cf.cfd_integrationid)::text
        ), ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,

```

```

(
    ('{ '::text || string_agg
        (
            (cev.cev_id)::text
            , ' '::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (
                (cev.cev_description)::text
            )
            , ' '::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, (' '::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,

```

```

        e.cet_id
    ,
        e.cev_integrationsid
    ,
        e.cev_description
    ,
        e.cev_active
    ,
        COALESCE
(NULLIF
(sanitize_identifier
(
        (cf.cfd_integrationsid)::text
    )
    , ''::text
)
, ('f'::text ||
(cf.cfd_id)::text
)
) AS cfv_integrationsid
    ,
(age.age_id)::text AS cfv_internalvalue
    ,
        age.age_name AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
    ,
        e.cet_id
    ,
        e.cev_integrationsid
    ,
        e.cev_description
    ,
        e.cev_active
    ,
        COALESCE
(NULLIF
(sanitize_identifier
(
        (cf.cfd_integrationsid)::text
    )
    , ''::text
)
, ('f'::text ||

```

```

        (cf.cfd_id)::text
    ) AS cfv_integrationid
,
(
    ('{':text || string_agg
        (
            (age.age_id)::text
            ,':':text
        ) || '}'::text
    ) AS cfv_internalvalue
,
(
    ('{':text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            ,':':text
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.agent age
    ON (
        (
            (age.age_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        ,':':text
    )
, ('f':text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id

```



```

        ,
        e.cet_id
        ,
        e.cev_integrationid
        ,
        e.cev_description
        ,
        e.cev_active
        ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
        ,
        (loc.loc_id)::text AS cfv_internalvalue
        ,
        loc.loc_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.custumentity ce
                JOIN u1329.custumentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
    ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'custumentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
        ,
        e.cet_id
        ,
        e.cev_integrationid
        ,
        e.cev_description
        ,
        e.cev_active
        ,
        COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
)

```

```

        , ('f'::text ||
          (cf.cfd_id)::text
        )
    ) AS cfv_integrationid
    ,
    (
        ('{'::text || string_agg
         (
             (loc.loc_id)::text
             ,','::text
         )
         || '}'::text
    ) AS cfv_internalvalue
    ,
    (
        ('{'::text || string_agg
         (quote_ident
          (
              (loc.loc_description)::text
          )
          ,','::text
        )
         || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
              JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
              ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
          ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.local loc
      ON (
        (
            (loc.loc_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cfv_integrationid
, e.cfv_description
, e.cfv_active
, COALESCE
(NULLIF
 (sanitize_identifier
  (
      (cf.cfd_integrationid)::text
  )
  ,''::text
)
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
UNION ALL

```

```

SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue

FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (
                    (cf.cfd_description)::text !~
                    '^((complemento|numero|data|valor)registro')::text
                )
            )
        )
    )
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
    )
)

```

```

        , '::text
    )
    , ('f'::text ||
      (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
      (
        (ite.ite_id)::text
        , ','::text
      )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
      (quote_ident
        (ite.ite_description)
        , ','::text
      )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
              JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
              ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
          ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.item ite
      ON (
        (
            (ite.ite_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
  (sanitize_identifier
    (
      (cf.cfd_integrationid)::text
    )
    , ''::text
  )
, ('f'::text ||
  (cf.cfd_id)::text
)
)
)
UNION ALL

```

```

SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue

FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
    JOIN u1329.activity act
    ON (
        (
            (act.act_id)::text =
            (cfv.cfv_internalvalue)::text
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 50554)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 10)
)

UNION ALL

SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )

```



```
GROUP BY
  , customentities.cev_id
  , customentities.cet_id
  , customentities.cev_integrationid
  , customentities.cev_description
  , customentities.cev_active;
```

[Index](#) - [Schema u1329](#)

View: aggregated_customentity_76038

Aggregated_customentity_76038 Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	fields	json	

```
SELECT customentities.cev_id
,
  customentities.cet_id
,
  customentities.cev_integrationid
,
  customentities.cev_description
,
  customentities.cev_active
,
(
  (
    ('{::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (customentities.cfd_integrationid) || ': {"internalvalue": '::text
                ) || to_json
                  (customentities.cfv_internalvalue)
                ) ||
                ', '::text
              ) || '"externalvalue": '::text
            ) || to_json
              (customentities.cfv_externalvalue)
            ) || '}'::text
          )
        ), '::text
      ), '::text
    ) || '}'::text
  )
)::json AS fields
FROM (
SELECT e.cev_id
,
  e.cet_id
,
  e.cev_integrationid
,
  e.cev_description
,
  e.cev_active
,
  COALESCE
(NULLIF
(sanitize_identifier
(
  (cf.cfd_integrationid)::text
), '::text
), ('f'::text ||
  (cf.cfd_id)::text
))
) AS cfd_integrationid
,
  COALESCE
(cfv.cfv_internalvalue
, ''::character varying
) AS cfv_internalvalue
,
  COALESCE
(cfv.cfv_externalvalue
, ''::character varying
) AS cfv_externalvalue
FROM (
```

```

(
    (u1329.customentity ce
        JOIN u1329.customentityvalue e
        ON (
            (e.cet_id = ce.cet_id)
        )
    )
LEFT JOIN u1329.customfieldvalue cfv
ON (
    (cfv.cfv_registerid = e.cev_id)
)
LEFT JOIN u1329.customfield cf
ON (
    (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
        AND (
            (COALESCE
                (cf.cfd_subtype
                    , '999'::character varying
                )
            )::text <> ALL
            (
                (ARRAY['3'::character varying
                    , '4'::character varying]
                )::text[]
            )
        )
    )
)
)
)
)
WHERE (ce.cet_id = 76038)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (cev.cev_id)::text AS cfv_internalvalue
,
    cev.cev_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (
            (
                (cf.cfd_id = cfv.cfd_id)
                AND (length
                    (cf.cfd_id) < 32
                )
            )
        )
    )
)
)

```



```

        )
        )
    )
    JOIN u1329.customentityvalue cev
    ON (
        (
            (
                (cev.cev_id)::text =
                (cfv.cfv_internalvalue)::text
            )
            AND (cev.cet_id = cf.cfd_sourceid)
        )
    )
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
), ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
    (
        (cev.cev_id)::text
        , ' '::text
    )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
    (quote_ident
    (
        (cev.cev_description)::text
    )
    , ' '::text
    )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
        JOIN u1329.customfield cf
        ON (

```

```

        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.customentityvalue cev
ON (
    (
        (
            (cev.cev_id)::text =
            (cfv.cfv_internalvalue)::text
        )
        AND (cev.cet_id = cf.cfd_sourceid)
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 6)
)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(age.age_id)::text AS cfv_internalvalue
,
    age.age_name AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
    )
)

```

```

    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
(sanitize_identifier
(
    (cf.cfd_integrationid)::text
)
, ''::text
)
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
(
    ('{'::text || string_agg
        (
            (age.age_id)::text
            , ','::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{'::text || string_agg
        (quote_ident
            (
                (age.age_name)::text
            )
            , ','::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
    )
)

```

```

    )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.agent age
ON (
    (
        (age.age_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 1)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (loc.loc_id)::text AS cfv_internalvalue
,
    loc.loc_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
    )
)

```

```

        )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (
        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
    (
        ('{'::text || string_agg
            (
                (loc.loc_id)::text
                , ''::text
            )
        ) || '}'::text
    ) AS cfv_internalvalue
,
    (
        ('{'::text || string_agg
            (quote_ident
                (
                    (loc.loc_description)::text
                )
                , ''::text
            )
        ) || '}'::text
    ) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
    )
)

```

```

        )
    JOIN u1329.customfield cf
    ON (
        (
            (cf.cfd_id = cfv.cfd_id)
            AND (length
                (cf.cfd_id) < 32
            )
        )
    )
)
JOIN u1329.local loc
ON (
    (
        (loc.loc_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '4'::text
        )
    )
    AND (cf.cfd_sourcetable = 2)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
) AS cfv_integrationid
,
    (ite.ite_id)::text AS cfv_internalvalue
,
    ite.ite_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (

```

```

        (cfv.cfv_registerid = e.cev_id)
    )
    )
JOIN u1329.customfield cf
ON (
    (
        (cf.cfd_id = cfv.cfd_id)
        AND (
            (cf.cfd_description)::text !~
'^^(complemento|numero|data|valor)registro'::text
        )
    )
)
)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 3)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('{ '::text || string_agg
        (
            (ite.ite_id)::text
            , ''::text
        )
    ) || '}'::text
) AS cfv_internalvalue
,
(
    ('{ '::text || string_agg
        (quote_ident
            (ite.ite_description)
            , ''::text
        )
    ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
            JOIN u1329.customfieldvalue cfv
            ON (
                (cfv.cfv_registerid = e.cev_id)
            )
        )
    )
)

```

```

    )
JOIN u1329.customfield cf
ON (
    (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
            (cf.cfd_id) < 32
        )
    )
)
)
)
JOIN u1329.item ite
ON (
    (
        (ite.ite_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (ce.cet_id = 76038)
        AND (
            (cf.cfd_table)::text = 'customentity'::text
        )
    )
    AND (
        (cf.cfd_subtype)::text = '4'::text
    )
)
    AND (cf.cfd_sourcetable = 3)
)
GROUP BY e.cev_id
, e.cet_id
, e.cev_integrationid
, e.cev_description
, e.cev_active
, COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
, ('f'::text ||
    (cf.cfd_id)::text
)
)
) AS cfv_integrationid
,
(act.act_id)::text AS cfv_internalvalue
,
    act.act_description AS cfv_externalvalue
FROM (
    (
        (
            (u1329.customentity ce
                JOIN u1329.customentityvalue e
                ON (
                    (e.cet_id = ce.cet_id)
                )
            )
        )
        JOIN u1329.customfieldvalue cfv
        ON (

```



```

        (cfv.cfv_registerid = e.cev_id)
    )
)
JOIN u1329.customfield cf
ON (
    (
        (cf.cfd_id = cfv.cfd_id)
        AND (length
            (cf.cfd_id) < 32
        )
    )
)
)
JOIN u1329.activity act
ON (
    (
        (act.act_id)::text =
        (cfv.cfv_internalvalue)::text
    )
)
)
WHERE (
    (
        (
            (ce.cet_id = 76038)
            AND (
                (cf.cfd_table)::text = 'customentity'::text
            )
        )
        AND (
            (cf.cfd_subtype)::text = '3'::text
        )
    )
    AND (cf.cfd_sourcetable = 10)
)
)
UNION ALL
SELECT e.cev_id
,
    e.cet_id
,
    e.cev_integrationid
,
    e.cev_description
,
    e.cev_active
,
    COALESCE
(NULLIF
    (sanitize_identifier
        (
            (cf.cfd_integrationid)::text
        )
        , ''::text
    )
    , ('f'::text ||
        (cf.cfd_id)::text
    )
) AS cfv_integrationid
,
(
    ('f'::text || string_agg
        (
            (act.act_id)::text
            , ''::text
        )
        ) || '}'::text
) AS cfv_internalvalue
,
(
    ('f'::text || string_agg
        (quote_ident
            (
                (act.act_description)::text
            )
            , ''::text
        )
        ) || '}'::text
) AS cfv_externalvalue
FROM (
    (
        (u1329.customentity ce
            JOIN u1329.customentityvalue e
            ON (
                (e.cet_id = ce.cet_id)
            )
        )
        JOIN u1329.customfieldvalue cfv
        ON (

```



```

    history.act_id
  ,
  history.hty_initialdatehour
  ,
  history.hty_finaldatehour
  ,
  history.hty_status
  ,
  history.hty_syncdatehour
  ,
  COALESCE
(history.hty_approvalstatus
 , '0'::bpchar
) AS hty_approvalstatus
  ,
  historyvalue.acs_id
  ,
  historyvalue.ite_id
  ,
  historyvalue.htv_executiongroup
  ,
  (
    (
      ('f'::text || string_agg
        (
          (
            (
              (
                (
                  (to_json
                    (COALESCE
                     (NULLIF
                      (sanitize_identifier
                       (
                         (activityfield.acf_integrationsid)::text
                       )
                     , 'f'::text
                    )
                  , ('f'::text ||
                    (historyvalue.acf_id)::text
                  )
                ) || '': {"internalvalue": ' '::text
              ) || to_json
                (historyvalue.htv_internalvalue)
              ) || '': {"externalvalue": ' '::text
            ) || to_json
              (historyvalue.htv_externalvalue)
            ) || '}'::text
          )
        , 'f'::text
        ) || '}'::text
      )
    ) || '}'::text
  )::json AS fields
FROM (
  (
    (u1329.history
      JOIN u1329.task
      ON (
        (task.tsk_id = history.tsk_id)
      )
    )
    JOIN u1329.historyvalue
    ON (
      (historyvalue.hty_id = history.hty_id)
    )
  )
  JOIN u1329.activityfield
  ON (
    (activityfield.acf_id = historyvalue.acf_id)
  )
)
WHERE (
  (history.act_id = 101751::bigint)
  AND (history.hty_status = '1'::bpchar)
)
GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;

```

View: aggregated_history_114088

Aggregated_history_114088 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	fields	json	

```

SELECT history.hty_id
,
  history.tsk_id
,
  history.act_id
,
  history.hty_initialdatehour
,
  history.hty_finaldatehour
,
  history.hty_status
,
  history.hty_syncdatehour
,
  COALESCE
(history.hty_approvalstatus
, '0'::bpchar
) AS hty_approvalstatus
,
  historyvalue.acs_id
,
  historyvalue.ite_id
,
  historyvalue.htv_executiongroup
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (COALESCE
                    (NULLIF
                      (sanitize_identifier
                        (
                          (activityfield.acf_integrationid)::text
                        )
                      , ''::text
                    )
                  , ('f'::text ||
                    (historyvalue.acf_id)::text
                  )
                )
              ) || ' {"internalvalue": ' '::text
            ) || to_json
              (historyvalue.htv_internalvalue)
            )
          ) || ' ' '::text
        ) || ' "externalvalue": ' '::text
      ) || to_json
        (historyvalue.htv_externalvalue)
      ) || '}'::text
    )
  ) || ' ' '::text
) || '}'::text
)::json AS fields
FROM (
  (
    (u1329.history
      JOIN u1329.task

```



```

        (to_json
          (COALESCE
            (NULLIF
              (sanitize_identifier
                (
                  (activityfield.acf_integrationsid)::text
                )
              ), '::text
            ), ('f'::text ||
              (historyvalue.acf_id)::text
            )
          ) || '': {"internalvalue": '::text
        ) || to_json
        (historyvalue.htv_internalvalue)
      ), '::text
    ) || '"externalvalue": '::text
  ) || to_json
  (historyvalue.htv_externalvalue)
) || '}'::text
), '::text
) || '}'::text
)::json AS fields
FROM (
  (
    (u1329.history
      JOIN u1329.task
      ON (
        (task.tsk_id = history.tsk_id)
      )
    )
    JOIN u1329.historyvalue
    ON (
      (historyvalue.hty_id = history.hty_id)
    )
  )
  JOIN u1329.activityfield
  ON (
    (activityfield.acf_id = historyvalue.acf_id)
  )
)
WHERE (
  (history.act_id = 157603::bigint)
  AND (history.hty_status = '1'::bpchar)
)
GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;

```

[Index - Schema u1329](#)

View: aggregated_history_170303

Aggregated_history_170303 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	fields	json	

SELECT history.hty_id

```

,
  history.tsk_id
,
  history.act_id
,
  history.hty_initialdatehour
,
  history.hty_finaldatehour
,
  history.hty_status
,
  history.hty_syncdatehour
,
  COALESCE
(history.hty_approvalstatus
, '0'::bpchar
) AS hty_approvalstatus
,
  historyvalue.acs_id
,
  historyvalue.ite_id
,
  historyvalue.htv_executiongroup
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (COALESCE
                    (NULLIF
                      (sanitize_identifier
                        (
                          (activityfield.acf_integrationsid)::text
                        ), 'f'::text
                      ), ('f'::text ||
                        (historyvalue.acf_id)::text
                      )
                ) || '': {"internalvalue": '':text
              ) || to_json
                (historyvalue.htv_internalvalue)
            ) ||
              ', '':text
          ) || '"externalvalue": '':text
        ) || to_json
          (historyvalue.htv_externalvalue)
        ) || '}'::text
      ), ', '':text
    ) || '}'::text
  )
)::json AS fields
FROM (
  (
    (u1329.history
      JOIN u1329.task
      ON (
        (task.tsk_id = history.tsk_id)
      )
    )
    JOIN u1329.historyvalue
    ON (
      (historyvalue.hty_id = history.hty_id)
    )
  )
  JOIN u1329.activityfield
  ON (
    (activityfield.acf_id = historyvalue.acf_id)
  )
)
WHERE (
  (history.act_id = 170303::bigint)
  AND (history.hty_status = '1'::bpchar)
)
GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id

```

```
, historyvalue.ite_id
, historyvalue.htv_executiongroup;
```

[Index - Schema u1329](#)

View: aggregated_history_314038

Aggregated_history_314038 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	fields	json	

```
SELECT history.hty_id
,
  history.tsk_id
,
  history.act_id
,
  history.hty_initialdatehour
,
  history.hty_finaldatehour
,
  history.hty_status
,
  history.hty_syncdatehour
,
  COALESCE
(history.hty_approvalstatus
, '0'::bpchar
) AS hty_approvalstatus
,
  historyvalue.acs_id
,
  historyvalue.ite_id
,
  historyvalue.htv_executiongroup
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (COALESCE
                    (NULLIF
                      (sanitize_identifier
                        (
                          (activityfield.acf_integrationsid)::text
                        )
                      , ''::text
                    )
                  , ('f'::text ||
                    (historyvalue.acf_id)::text
                  )
                )
              ) || '': {"internalvalue": '':text
            ) || to_json
              (historyvalue.htv_internalvalue)
            ) ||
              , '':text
            ) || '"externalvalue": '':text
          ) || to_json
            (historyvalue.htv_externalvalue)
          ) || '}'::text
        )
      , '':text
    )
  ) || '}'::text
)
)::json AS fields
FROM (
  (
```



```

(u1329.history
  JOIN u1329.task
    ON (
      (task.tsk_id = history.tsk_id)
    )
  )
JOIN u1329.historyvalue
  ON (
    (historyvalue.hty_id = history.hty_id)
  )
)
JOIN u1329.activityfield
  ON (
    (activityfield.acf_id = historyvalue.acf_id)
  )
)
WHERE (
  (history.act_id = 314038::bigint)
  AND (history.hty_status = '1'::bpchar)
)
)
GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;

```

[Index - Schema u1329](#)

View: aggregated_history_3146

Aggregated_history_3146 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	fields	json	

```

SELECT history.hty_id
,
  history.tsk_id
,
  history.act_id
,
  history.hty_initialdatehour
,
  history.hty_finaldatehour
,
  history.hty_status
,
  history.hty_syncdatehour
,
  COALESCE
(history.hty_approvalstatus
, '0'::bpchar
) AS hty_approvalstatus
,
  historyvalue.acs_id
,
  historyvalue.ite_id
,
  historyvalue.htv_executiongroup
,
(
  (
    ('{':text || string_agg
      (
        (
          (

```

```

        (
            (
                (
                    (to_json
                     (COALESCE
                      (NULLIF
                       (sanitize_identifier
                        (
                            (activityfield.acf_integrationsid)::text
                        )
                        , ''::text
                    )
                    , ('f'::text ||
                     (historyvalue.acf_id)::text
                    )
                ) || '': {"internalvalue": ' '::text
                ) || to_json
                (historyvalue.htv_internalvalue)
            ) || '': {"externalvalue": ' '::text
            ) || to_json
            (historyvalue.htv_externalvalue)
        ) || '}'::text
    ) || '}'::text
) || '}'::text
)::json AS fields
FROM (
    (
        (u1329.history
         JOIN u1329.task
         ON (
             (task.tsk_id = history.tsk_id)
         )
        )
        JOIN u1329.historyvalue
        ON (
            (historyvalue.hty_id = history.hty_id)
        )
        JOIN u1329.activityfield
        ON (
            (activityfield.acf_id = historyvalue.acf_id)
        )
    )
    WHERE (
        (history.act_id = 3146::bigint)
        AND (history.hty_status = '1'::bpchar)
    )
    GROUP BY history.hty_id
    , history.tsk_id
    , history.act_id
    , history.hty_initialdatehour
    , history.hty_finaldatehour
    , history.hty_status
    , history.hty_syncdatehour
    , history.hty_approvalstatus
    , historyvalue.acs_id
    , historyvalue.ite_id
    , historyvalue.htv_executiongroup;

```

[Index - Schema u1329](#)

View: aggregated_history_377678

Aggregated_history_377678 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	fields	json	


```

FROM (
  (
    (u1329.history
      JOIN u1329.task
      ON (
        (task.tsk_id = history.tsk_id)
      )
    )
    JOIN u1329.historyvalue
    ON (
      (historyvalue.hty_id = history.hty_id)
    )
  )
  JOIN u1329.activityfield
  ON (
    (activityfield.acf_id = historyvalue.acf_id)
  )
)
WHERE (
  (history.act_id = 40602::bigint)
  AND (history.hty_status = '1'::bpchar)
)

```

```

GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;

```

[Index - Schema u1329](#)

View: aggregated_history_418905

Aggregated_history_418905 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	fields	json	

```

SELECT history.hty_id
,
  history.tsk_id
,
  history.act_id
,
  history.hty_initialdatehour
,
  history.hty_finaldatehour
,
  history.hty_status
,
  history.hty_syncdatehour
,
  COALESCE
(history.hty_approvalstatus
, '0'::bpchar
) AS hty_approvalstatus
,
  historyvalue.acs_id
,
  historyvalue.ite_id
,
  historyvalue.htv_executiongroup
,
(
  (
    ('{':text || string_agg
    (

```

```

        (
            (
                (
                    (
                        (to_json
                            (COALESCE
                                (NULLIF
                                    (sanitize_identifier
                                        (
                                            (activityfield.acf_integrationid)::text
                                        )
                                        , '::text
                                    )
                                    , ('f'::text ||
                                        (historyvalue.acf_id)::text
                                    )
                                ) || '': {"internalvalue": '::text
                            ) || to_json
                                (historyvalue.htv_internalvalue)
                            ) || '': {"externalvalue": '::text
                        ) || to_json
                            (historyvalue.htv_externalvalue)
                        ) || '}'::text
                    ) || '}'::text
                ) || '}'::text
            ) || '}'::text
        ) || '}'::text
    )::json AS fields
FROM (
    (
        (u1329.history
            JOIN u1329.task
            ON (
                (task.tsk_id = history.tsk_id)
            )
        )
        JOIN u1329.historyvalue
        ON (
            (historyvalue.hty_id = history.hty_id)
        )
    )
    JOIN u1329.activityfield
    ON (
        (activityfield.acf_id = historyvalue.acf_id)
    )
)
WHERE (
    (history.act_id = 418905::bigint)
    AND (history.hty_status = '1'::bpchar)
)
GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;

```

[Index](#) - [Schema u1329](#)

View: aggregated_history_47206

Aggregated_history_47206 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	


```

)
)::json AS fields
FROM (
(
(u1329.history
JOIN u1329.task
ON (
(task.tsk_id = history.tsk_id)
)
)
JOIN u1329.historyvalue
ON (
(historyvalue.hty_id = history.hty_id)
)
)
JOIN u1329.activityfield
ON (
(activityfield.acf_id = historyvalue.acf_id)
)
)
WHERE (
(history.act_id = 516713::bigint)
AND (history.hty_status = '1'::bpchar)
)
GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;

```

[Index - Schema u1329](#)

View: aggregated_history_523537

Aggregated_history_523537 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	fields	json	

```

SELECT history.hty_id
,
history.tsk_id
,
history.act_id
,
history.hty_initialdatehour
,
history.hty_finaldatehour
,
history.hty_status
,
history.hty_syncdatehour
,
COALESCE
(history.hty_approvalstatus
, '0'::bpchar
) AS hty_approvalstatus
,
historyvalue.acs_id
,
historyvalue.ite_id
,
historyvalue.htv_executiongroup
,
(

```

```

        ('f'::text || string_agg
        (
            (
                (
                    (
                        (
                            (to_json
                            (COALESCE
                            (NULLIF
                            (sanitize_identifier
                            (
                                (activityfield.acf_integrationid)::text
                            )
                            , ' '::text
                            )
                            )
                            , ('f'::text ||
                            (historyvalue.acf_id)::text
                            )
                            )
                            ) || ' {"internalvalue": ' '::text
                            ) || to_json
                            (historyvalue.htv_internalvalue)
                            ) || ' '
                            ) || ' "externalvalue": ' '::text
                            ) || to_json
                            (historyvalue.htv_externalvalue)
                            ) || ' }'::text
                            )
                            , ' '::text
                            )
                            ) || '}'::text
        )
    )::json AS fields
FROM (
    (
        (u1329.history
        JOIN u1329.task
        ON (
            (task.tsk_id = history.tsk_id)
        )
        )
        JOIN u1329.historyvalue
        ON (
            (historyvalue.hty_id = history.hty_id)
        )
        )
        JOIN u1329.activityfield
        ON (
            (activityfield.acf_id = historyvalue.acf_id)
        )
        )
WHERE (
    (history.act_id = 523537::bigint)
    AND (history.hty_status = '1'::bpchar)
)
GROUP BY history.hty_id
, history.tsk_id
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;

```

[Index](#) - [Schema u1329](#)

View: aggregated_history_80034

Aggregated_history_80034 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	tsk_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	

ite_id	bigint
htv_executiongroup	bigint
fields	json

```

SELECT history.hty_id
,
  history.tsk_id
,
  history.act_id
,
  history.hty_initialdatehour
,
  history.hty_finaldatehour
,
  history.hty_status
,
  history.hty_syncdatehour
,
  COALESCE
(history.hty_approvalstatus
, '0'::bpchar
) AS hty_approvalstatus
,
  historyvalue.acs_id
,
  historyvalue.ite_id
,
  historyvalue.htv_executiongroup
,
(
  (
    ('f'::text || string_agg
      (
        (
          (
            (
              (
                (to_json
                  (COALESCE
                    (NULLIF
                      (sanitize_identifier
                        (
                          (activityfield.acf_integrationsid)::text
                        )
                      , 'f'::text
                    )
                  , ('f'::text ||
                    (historyvalue.acf_id)::text
                  )
                ) || '': {"internalvalue": ' '::text
              ) || to_json
                (historyvalue.htv_internalvalue)
              ) || '': {"externalvalue": ' '::text
            ) || to_json
              (historyvalue.htv_externalvalue)
            ) || '}'::text
          )
        , ' ' ::text
      ) || '}'::text
    ) || '}'::text
  )
)::json AS fields
FROM (
  (
    (u1329.history
      JOIN u1329.task
      ON (
        (task.tsk_id = history.tsk_id)
      )
    )
    JOIN u1329.historyvalue
    ON (
      (historyvalue.hty_id = history.hty_id)
    )
  )
  JOIN u1329.activityfield
  ON (
    (activityfield.acf_id = historyvalue.acf_id)
  )
)
WHERE (
  (history.act_id = 80034::bigint)
  AND (history.hty_status = '1'::bpchar)
)
GROUP BY history.hty_id
, history.tsk_id

```

```
, history.act_id
, history.hty_initialdatehour
, history.hty_finaldatehour
, history.hty_status
, history.hty_syncdatehour
, history.hty_approvalstatus
, historyvalue.acs_id
, historyvalue.ite_id
, historyvalue.htv_executiongroup;
```

[Index - Schema u1329](#)

Table: customentity

Identifies the customizable entities created. It can have custom fields associated to build a form with multiples fields.

Customentity Structure

F-Key	Name	Type	Description
	cet_id	bigint	<i>PRIMARY KEY</i>
	cet_integrationid	character varying(100)	Id used to integrate the client software
	cet_description	character varying(200)	
	cet_active	character(1)	1 = Active 0 = Inactive
	cet_structural	character(1)	Indicates if a Custom Entity has a structural function on uMov.me. (1=Yes 0=No)
	cet_structuralfunction	character varying(20)	Which structural function is used. I.e.: mix, tipomix, itensmix, politica_gps, menu_lateral, etc
	cet_myentities	character(1)	If custom entity is visible on My Entities center menu. (1=Yes 0=No)

Tables referencing this one via Foreign Key Constraints:

- [customentityvalue](#)
- [customfield](#)

customentity_cet_description_in cet_description varchar_pattern_ops customentity_cet_integrationid_in cet_integrationid varchar_pattern_ops

[Index - Schema u1329](#)

Table: customentityvalue

Identifies the entries of the customizable entity. Each entry can have others custom fields values.

Customentityvalue Structure

F-Key	Name	Type	Description
	cev_id	bigint	<i>PRIMARY KEY</i>
customentity.cet_id	cev_id	bigint	
	cev_integrationid	character varying(100)	Id used to integrate the client software. Used as entry reference in the form.
	cev_description	character varying(200)	Description of the entry in the form
	cev_active	character(1)	1 = Active 0 = Inactive

customentityvalue_cet_id_in cet_id customentityvalue_cev_description_in cev_description varchar_pattern_ops

customentityvalue_cev_integrationid_in cev_integrationid varchar_pattern_ops

[Index - Schema u1329](#)

Table: customfield

Identifies the customizable fields created for each entity. Multiple fields can be created for the main entities of the system.

Customfield Structure

F-Key	Name	Type	Description
-------	------	------	-------------

cfid_id	character(32)	<i>PRIMARY KEY</i>
cfid_integrationsid	character varying(100)	Id used to integrate the client software
cfid_description	character varying(200)	<i>NOT NULL</i>
cfid_type	character varying(3)	<i>NOT NULL</i> A=Alphanumeric N=Numeric L=List multivalued D=Date H=Hour M=Multimedia
cfid_subtype	character varying(3)	Informed when type = M (0=XML 1=Image 2=URL 3=Simple List 4=List multivalued)
cfid_size	bigint	<i>NOT NULL</i>
cfid_table	character varying(50)	<i>NOT NULL</i> Entity that the field is connected
cfid_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive
customentity.cet_id cet_id	bigint	
customentity.cet_id cfid_sourceid	bigint	When a field is a list type with origin being of a custom entity, which custom entity belongs
cfid_sourcetable	bigint	1=Agent 2=Local 3=Item 4=Task 5=Task Item 6=Custom Entity

Tables referencing this one via Foreign Key Constraints:

- [customfieldvalue](#)

customfield_cet_id_in cet_id customfield_cfd_description_in cfd_description varchar_pattern_ops customfield_cfd_table_in cfd_table
[Index](#) - [Schema u1329](#)

Table: customfieldvalue

Identifies the values of the customizable fields for each register of the entity.

Customfieldvalue Structure

F-Key	Name	Type	Description
	cfv_id	character(32)	<i>PRIMARY KEY</i>
customfield.cfd_id	cfid_id	character(32)	
	cfv_internalvalue	character varying	Internal value informed. It is always equal to the external value, except in the field list (type=L), which is the internal value of the field.
	cfv_externalvalue	character varying	Display value of the field.
	cfv_registerid	bigint	Identifies the id of the entity that custom field is connected.

customfieldvalue_cfd_id_in cfd_id customfieldvalue_cfv_registerid_in cfv_registerid

[Index](#) - [Schema u1329](#)

View: dbout_activitysection

Dbout_activitysection Structure

F-Key	Name	Type	Description
	acs_id	bigint	
	acs_integrationsid	character varying(100)	
	acs_description	character varying(100)	
	acs_active	character(1)	
	act_id	bigint	
	med_id	bigint	
	i_section_mix	text	
	e_section_mix	text	

SELECT aggregated_by_entity_activitysection.acs_id

```

, aggregated_by_entity_activitysection.acs_integrationid
, aggregated_by_entity_activitysection.acs_description
, aggregated_by_entity_activitysection.acs_active
, aggregated_by_entity_activitysection.act_id
, aggregated_by_entity_activitysection.med_id
, json_extract_path_text
(aggregated_by_entity_activitysection.fields
, VARIADIC ARRAY['section_mix'::text
, 'internalvalue'::text]
) AS i_section_mix
, json_extract_path_text
(aggregated_by_entity_activitysection.fields
, VARIADIC ARRAY['section_mix'::text
, 'externalvalue'::text]
) AS e_section_mix
FROM u1329.aggregated_by_entity_activitysection;

```

[Index - Schema u1329](#)

View: dbout_agent

Dbout_agent Structure

F-Key	Name	Type	Description
	age_id	bigint	
	age_integrationid	character varying(100)	
	age_name	character varying(100)	
	age_login	character varying(50)	
	age_observation	character varying(255)	
	age_country	character varying(50)	
	age_state	character varying(50)	
	age_city	character varying(50)	
	age_neighborhood	character varying(50)	
	age_street	character varying(101)	
	age_streetnumber	bigint	
	age_streetnumbercompl	character varying(50)	
	age_zipcode	bigint	
	age_phone	character varying(50)	
	age_mobilephone	character varying(50)	
	age_mail	character varying(50)	
	age_imeilastsync	character varying(100)	
	age_datehourlastsync	timestamp without time zone	
	agg_id	bigint	
	age_active	character(1)	
	age_mobileversion	character varying(7)	
	age_lastgeoposition	text	
	med_id	bigint	
	age_geoposition	text	
	age_batterylevel	integer	
	age_mobileplatformtype	character varying(50)	
	age_mobileplatformversion	character varying(50)	
	age_ignoreteamfilter	character(1)	
	age_id_insert	bigint	
	age_datetimeinsert	timestamp without time zone	
	age_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	age_datetimelastupdate	timestamp without time zone	
	age_modulelastupdate	character varying(100)	
	age_datetimelastgps	timestamp without time zone	
	age_customerportfoliofilter	character(1)	
	i_agenttotal	text	
	e_agenttotal	text	
	i_campogeliasnovo	text	
	e_campogeliasnovo	text	

i_dayoff	text
e_dayoff	text
i_f110	text
e_f110	text
i_numerico_primeiro	text
e_numerico_primeiro	text
i_status	text
e_status	text
i_turma_elias	text
e_turma_elias	text

```

SELECT aggregated_by_entity_agent.age_id
,
  aggregated_by_entity_agent.age_integrationid
,
  aggregated_by_entity_agent.age_name
,
  aggregated_by_entity_agent.age_login
,
  aggregated_by_entity_agent.age_observation
,
  aggregated_by_entity_agent.age_country
,
  aggregated_by_entity_agent.age_state
,
  aggregated_by_entity_agent.age_city
,
  aggregated_by_entity_agent.age_neighborhood
,
  aggregated_by_entity_agent.age_street
,
  aggregated_by_entity_agent.age_streetnumber
,
  aggregated_by_entity_agent.age_streetnumbercompl
,
  aggregated_by_entity_agent.age_zipcode
,
  aggregated_by_entity_agent.age_phone
,
  aggregated_by_entity_agent.age_mobilephone
,
  aggregated_by_entity_agent.age_mail
,
  aggregated_by_entity_agent.age_imeilastsync
,
  aggregated_by_entity_agent.age_datehourlastsync
,
  aggregated_by_entity_agent.agg_id
,
  aggregated_by_entity_agent.age_active
,
  aggregated_by_entity_agent.age_mobileversion
,
  aggregated_by_entity_agent.age_lastgeoposition
,
  aggregated_by_entity_agent.med_id
,
  aggregated_by_entity_agent.age_geoposition
,
  aggregated_by_entity_agent.age_batterylevel
,
  aggregated_by_entity_agent.age_mobileplatformtype
,
  aggregated_by_entity_agent.age_mobileplatformversion
,
  aggregated_by_entity_agent.age_ignoreteamfilter
,
  aggregated_by_entity_agent.age_id_insert
,
  aggregated_by_entity_agent.age_datetimeinsert
,
  aggregated_by_entity_agent.age_moduleinsert
,
  aggregated_by_entity_agent.age_id_lastupdate
,
  aggregated_by_entity_agent.age_datetimelastupdate
,
  aggregated_by_entity_agent.age_modulelastupdate
,
  aggregated_by_entity_agent.age_datetimelastgps
,
  aggregated_by_entity_agent.age_customerportfoliofilter
,
  json_extract_path_text
(aggregated_by_entity_agent.fields
, VARIADIC ARRAY['agenttotal'::text
, 'internalvalue'::text]
) AS i_agenttotal
,
  json_extract_path_text
(aggregated_by_entity_agent.fields
, VARIADIC ARRAY['agenttotal'::text
, 'externalvalue'::text]

```

```

) AS e_agenttotal
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['campogeliasnovo'::text
 , 'internalvalue'::text]
) AS i_campogeliasnovo
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['campogeliasnovo'::text
 , 'externalvalue'::text]
) AS e_campogeliasnovo
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['dayoff'::text
 , 'internalvalue'::text]
) AS i_dayoff
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['dayoff'::text
 , 'externalvalue'::text]
) AS e_dayoff
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['f110'::text
 , 'internalvalue'::text]
) AS i_f110
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['f110'::text
 , 'externalvalue'::text]
) AS e_f110
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['numerico_primeiro'::text
 , 'internalvalue'::text]
) AS i_numerico_primeiro
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['numerico_primeiro'::text
 , 'externalvalue'::text]
) AS e_numerico_primeiro
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['status'::text
 , 'internalvalue'::text]
) AS i_status
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['status'::text
 , 'externalvalue'::text]
) AS e_status
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['turma_elias'::text
 , 'internalvalue'::text]
) AS i_turma_elias
'
  json_extract_path_text
(aggregated by entity_agent.fields
 , VARIADIC ARRAY['turma_elias'::text
 , 'externalvalue'::text]
) AS e_turma_elias
FROM u1329.aggregated_by_entity_agent;

```

[Index](#) - [Schema u1329](#)

View: dbout_customentity_ciclo_atendimento

Dbout_customentity_ciclo_atendimento Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	

```

SELECT aggregated_customentity_117459.cev_id
'
  aggregated_customentity_117459.cet_id
'
  aggregated_customentity_117459.cev_integrationid

```



```

',
  aggregated_customentity_117459.cev_description
',
  aggregated_customentity_117459.cev_active
FROM u1329.aggregated_customentity_117459;

```

[Index](#) - [Schema u1329](#)

View: dbout_customentity_city

Dbout_customentity_city Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_filmes	text	
	e_filmes	text	
	i_volstatus	text	
	e_volstatus	text	

```

SELECT aggregated_customentity_420.cev_id
',
  aggregated_customentity_420.cet_id
',
  aggregated_customentity_420.cev_integrationid
',
  aggregated_customentity_420.cev_description
',
  aggregated_customentity_420.cev_active
',
  json_extract_path_text
(aggregated_customentity_420.fields
  , VARIADIC ARRAY['filmes']::text
  , 'internalvalue'::text)
) AS i_filmes
',
  json_extract_path_text
(aggregated_customentity_420.fields
  , VARIADIC ARRAY['filmes']::text
  , 'externalvalue'::text)
) AS e_filmes
',
  json_extract_path_text
(aggregated_customentity_420.fields
  , VARIADIC ARRAY['volstatus']::text
  , 'internalvalue'::text)
) AS i_volstatus
',
  json_extract_path_text
(aggregated_customentity_420.fields
  , VARIADIC ARRAY['volstatus']::text
  , 'externalvalue'::text)
) AS e_volstatus
FROM u1329.aggregated_customentity_420;

```

[Index](#) - [Schema u1329](#)

View: dbout_customentity_country

Dbout_customentity_country Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_federacao	text	
	e_federacao	text	

```

SELECT aggregated_customentity_13756.cev_id
',
  aggregated_customentity_13756.cet_id
',
  aggregated_customentity_13756.cev_integrationid
',
  aggregated_customentity_13756.cev_description
',
  aggregated_customentity_13756.cev_active

```

```

    json_extract_path_text
  (aggregated_customentity_13756.fields
    , VARIADIC ARRAY['federacao']::text
    , 'internalvalue']::text]
) AS i_federacao
'
    json_extract_path_text
  (aggregated_customentity_13756.fields
    , VARIADIC ARRAY['federacao']::text
    , 'externalvalue']::text]
) AS e_federacao

```

FROM u1329.aggregated_customentity_13756;

[Index - Schema u1329](#)

View: dbout_customentity_licencasporparceiro

Dbout_customentity_licencasporparceiro Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_licencasemuso	text	
	e_licencasemuso	text	

```
SELECT aggregated_customentity_50554.cev_id
```

```

'
  aggregated_customentity_50554.cet_id
'
  aggregated_customentity_50554.cev_integrationid
'
  aggregated_customentity_50554.cev_description
'
  aggregated_customentity_50554.cev_active
'
  json_extract_path_text
  (aggregated_customentity_50554.fields
    , VARIADIC ARRAY['licencasemuso']::text
    , 'internalvalue']::text]
) AS i_licencasemuso
'
  json_extract_path_text
  (aggregated_customentity_50554.fields
    , VARIADIC ARRAY['licencasemuso']::text
    , 'externalvalue']::text]
) AS e_licencasemuso

```

FROM u1329.aggregated_customentity_50554;

[Index - Schema u1329](#)

View: dbout_customentity_mix

Dbout_customentity_mix Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_mix_mixtype	text	
	e_mix_mixtype	text	

```
SELECT aggregated_customentity_35617.cev_id
```

```

'
  aggregated_customentity_35617.cet_id
'
  aggregated_customentity_35617.cev_integrationid
'
  aggregated_customentity_35617.cev_description
'
  aggregated_customentity_35617.cev_active
'
  json_extract_path_text
  (aggregated_customentity_35617.fields
    , VARIADIC ARRAY['mix_mixtype']::text
    , 'internalvalue']::text]
) AS i_mix_mixtype
'
  json_extract_path_text

```

```
(aggregated_customentity_35617.fields
, VARIADIC ARRAY['mix_mixtype'::text
, 'externalvalue'::text]
) AS e_mix_mixtype
```

FROM u1329.aggregated_customentity_35617;

[Index](#) - [Schema u1329](#)

View: about_customentity_mixitem

about_customentity_mixitem Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_mixitem_item	text	
	e_mixitem_item	text	
	i_mixitem_mix	text	
	e_mixitem_mix	text	
	i_mixitem_order	text	
	e_mixitem_order	text	

```
SELECT aggregated_customentity_35618.cev_id
, aggregated_customentity_35618.cet_id
, aggregated_customentity_35618.cev_integrationid
, aggregated_customentity_35618.cev_description
, aggregated_customentity_35618.cev_active
, json_extract_path_text
(aggregated_customentity_35618.fields
, VARIADIC ARRAY['mixitem_item'::text
, 'internalvalue'::text]
) AS i_mixitem_item
, json_extract_path_text
(aggregated_customentity_35618.fields
, VARIADIC ARRAY['mixitem_item'::text
, 'externalvalue'::text]
) AS e_mixitem_item
, json_extract_path_text
(aggregated_customentity_35618.fields
, VARIADIC ARRAY['mixitem_mix'::text
, 'internalvalue'::text]
) AS i_mixitem_mix
, json_extract_path_text
(aggregated_customentity_35618.fields
, VARIADIC ARRAY['mixitem_mix'::text
, 'externalvalue'::text]
) AS e_mixitem_mix
, json_extract_path_text
(aggregated_customentity_35618.fields
, VARIADIC ARRAY['mixitem_order'::text
, 'internalvalue'::text]
) AS i_mixitem_order
, json_extract_path_text
(aggregated_customentity_35618.fields
, VARIADIC ARRAY['mixitem_order'::text
, 'externalvalue'::text]
) AS e_mixitem_order
FROM u1329.aggregated_customentity_35618;
```

[Index](#) - [Schema u1329](#)

View: about_customentity_mixtype

about_customentity_mixtype Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	

cev_active

character(1)

```
SELECT aggregated_customentity_35616.cev_id
, aggregated_customentity_35616.cet_id
, aggregated_customentity_35616.cev_integrationid
, aggregated_customentity_35616.cev_description
, aggregated_customentity_35616.cev_active
FROM u1329.aggregated_customentity_35616;
```

[Index](#) - [Schema u1329](#)

View: dbout_customentity_parceiros

Dbout_customentity_parceiros Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_licencasemuso	text	
	e_licencasemuso	text	
	i_qtde_ambientes	text	
	e_qtde_ambientes	text	

```
SELECT aggregated_customentity_50553.cev_id
, aggregated_customentity_50553.cet_id
, aggregated_customentity_50553.cev_integrationid
, aggregated_customentity_50553.cev_description
, aggregated_customentity_50553.cev_active
, json_extract_path_text
(aggregated_customentity_50553.fields
, VARIADIC ARRAY['licencasemuso '::text
, 'internalvalue '::text]
) AS i_licencasemuso
, json_extract_path_text
(aggregated_customentity_50553.fields
, VARIADIC ARRAY['licencasemuso '::text
, 'externalvalue '::text]
) AS e_licencasemuso
, json_extract_path_text
(aggregated_customentity_50553.fields
, VARIADIC ARRAY['qtde_ambientes '::text
, 'internalvalue '::text]
) AS i_qtde_ambientes
, json_extract_path_text
(aggregated_customentity_50553.fields
, VARIADIC ARRAY['qtde_ambientes '::text
, 'externalvalue '::text]
) AS e_qtde_ambientes
FROM u1329.aggregated_customentity_50553;
```

[Index](#) - [Schema u1329](#)

View: dbout_customentity_politica_gps

Dbout_customentity_politica_gps Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_agente	text	
	e_agente	text	
	i_domingo	text	
	e_domingo	text	

i_hora_fim	text
e_hora_fim	text
i_hora_inicio	text
e_hora_inicio	text
i_quartafeira	text
e_quartafeira	text
i_quintafeira	text
e_quintafeira	text
i_sabado	text
e_sabado	text
i_segundafeira	text
e_segundafeira	text
i_sextafeira	text
e_sextafeira	text
i_tercafeira	text
e_tercafeira	text

```

SELECT aggregated_customentity_33228.cev_id
, aggregated_customentity_33228.cet_id
, aggregated_customentity_33228.cev_integrationid
, aggregated_customentity_33228.cev_description
, aggregated_customentity_33228.cev_active
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['agente'::text
, 'internalvalue'::text]
) AS i_agente
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['agente'::text
, 'externalvalue'::text]
) AS e_agente
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['domingo'::text
, 'internalvalue'::text]
) AS i_domingo
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['domingo'::text
, 'externalvalue'::text]
) AS e_domingo
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['hora_fim'::text
, 'internalvalue'::text]
) AS i_hora_fim
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['hora_fim'::text
, 'externalvalue'::text]
) AS e_hora_fim
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['hora_inicio'::text
, 'internalvalue'::text]
) AS i_hora_inicio
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['hora_inicio'::text
, 'externalvalue'::text]
) AS e_hora_inicio
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['quartafeira'::text
, 'internalvalue'::text]
) AS i_quartafeira
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['quartafeira'::text
, 'externalvalue'::text]
) AS e_quartafeira
, json_extract_path_text
(aggregated_customentity_33228.fields
, VARIADIC ARRAY['quintafeira'::text

```

```

        , 'internalvalue'::text]
    ) AS i_quintafeira
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['quintafeira'::text
    , 'externalvalue'::text]
    ) AS e_quintafeira
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['sabado'::text
    , 'internalvalue'::text]
    ) AS i_sabado
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['sabado'::text
    , 'externalvalue'::text]
    ) AS e_sabado
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['segundafeira'::text
    , 'internalvalue'::text]
    ) AS i_segundafeira
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['segundafeira'::text
    , 'externalvalue'::text]
    ) AS e_segundafeira
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['sextafeira'::text
    , 'internalvalue'::text]
    ) AS i_sextafeira
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['sextafeira'::text
    , 'externalvalue'::text]
    ) AS e_sextafeira
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['tercafeira'::text
    , 'internalvalue'::text]
    ) AS i_tercafeira
    ,
    json_extract_path_text
    (aggregated_customentity_33228.fields
    , VARIADIC ARRAY['tercafeira'::text
    , 'externalvalue'::text]
    ) AS e_tercafeira
FROM u1329.aggregated_customentity_33228;

```

[Index](#) - [Schema u1329](#)

View: dbout_customentity_state

Dbout_customentity_state Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_idcountry	text	
	e_idcountry	text	

```

SELECT aggregated_customentity_13484.cev_id
,
    aggregated_customentity_13484.cet_id
,
    aggregated_customentity_13484.cev_integrationid
,
    aggregated_customentity_13484.cev_description
,
    aggregated_customentity_13484.cev_active
,
    json_extract_path_text
    (aggregated_customentity_13484.fields
    , VARIADIC ARRAY['idcountry'::text
    , 'internalvalue'::text]
    ) AS i_idcountry
,
    json_extract_path_text
    (aggregated_customentity_13484.fields

```

```

        , VARIADIC ARRAY['idcountry'::text
        , 'externalvalue'::text]
    ) AS e_idcountry
FROM u1329.agggregated_customentity_13484;

```

[Index](#) - [Schema u1329](#)

View: dbout_customentity_volumeteste

Dbout_customentity_volumeteste Structure

F-Key	Name	Type	Description
	cev_id	bigint	
	cet_id	bigint	
	cev_integrationid	character varying(100)	
	cev_description	character varying(200)	
	cev_active	character(1)	
	i_coletador	text	
	e_coletador	text	
	i_status_coleta	text	
	e_status_coleta	text	

```

SELECT aggregated_customentity_76038.cev_id
,
    aggregated_customentity_76038.cet_id
,
    aggregated_customentity_76038.cev_integrationid
,
    aggregated_customentity_76038.cev_description
,
    aggregated_customentity_76038.cev_active
,
    json_extract_path_text
(aggregated_customentity_76038.fields
, VARIADIC ARRAY['coletador'::text
, 'internalvalue'::text]
) AS i_coletador
,
    json_extract_path_text
(aggregated_customentity_76038.fields
, VARIADIC ARRAY['coletador'::text
, 'externalvalue'::text]
) AS e_coletador
,
    json_extract_path_text
(aggregated_customentity_76038.fields
, VARIADIC ARRAY['status_coleta'::text
, 'internalvalue'::text]
) AS i_status_coleta
,
    json_extract_path_text
(aggregated_customentity_76038.fields
, VARIADIC ARRAY['status_coleta'::text
, 'externalvalue'::text]
) AS e_status_coleta
FROM u1329.agggregated_customentity_76038;

```

[Index](#) - [Schema u1329](#)

View: dbout_history_1

Dbout_history_1 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	

tsk_scheduleinitialdatehour	timestamp without time zone
tsk_realinitialdatehour	timestamp without time zone
tsk_schedulefinaldatehour	timestamp without time zone
tsk_realfinaldatehour	timestamp without time zone
tsk_lastexecutiondatehour	timestamp without time zone
tsk_observation	character varying(500)
tsk_active	character(1)
tsk_situation	character varying(100)
tsk_automaticclosingapp	bigint
tsk_expectedfinaldatehour	timestamp without time zone
tss_id	bigint
tsk_waitingtime	bigint
tsk_priority	bigint
tsk_source	character(1)
med_id	bigint
tea_id	bigint
tsk_activityorigin	character(1)
tsk_prestartalert	bigint
tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_10	text
e_10	text
i_20	text
e_20	text
i_30	text
e_30	text
i_40	text
e_40	text
i_50	text
e_50	text
i_60	text
e_60	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,

```



```

task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin
,
task.tsk_prestartalert
,
task.tsk_posstartalert
,
task.tsk_prestartblock
,
task.tsk_posstartblock
,
task.tsk_preendalert
,
task.tsk_posendalert
,
task.tsk_insertdatehour
,
task.tsk_lastmodification
,
task.tsk_mobilesenddate
,
task.tsk_accesstoken
,
task.age_id_insert
,
task.tsk_datetimeinsert
,
task.tsk_moduleinsert
,
task.age_id_lastupdate
,
task.tsk_datetimelastupdate
,
task.tsk_modulelastupdate
,
task.tty_id
,
task.tsk_executionerror
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['10'::text
, 'internalvalue'::text]
) AS i_10
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['10'::text
, 'externalvalue'::text]
) AS e_10
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['20'::text
, 'internalvalue'::text]
) AS i_20
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['20'::text

```

```

        , 'externalvalue'::text]
    ) AS e_20
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['30'::text
        , 'internalvalue'::text]
    ) AS i_30
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['30'::text
        , 'externalvalue'::text]
    ) AS e_30
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['40'::text
        , 'internalvalue'::text]
    ) AS i_40
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['40'::text
        , 'externalvalue'::text]
    ) AS e_40
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['50'::text
        , 'internalvalue'::text]
    ) AS i_50
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['50'::text
        , 'externalvalue'::text]
    ) AS e_50
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['60'::text
        , 'internalvalue'::text]
    ) AS i_60
    ,
        json_extract_path_text
    (aggact.fields
        , VARIADIC ARRAY['60'::text
        , 'externalvalue'::text]
    ) AS e_60
FROM (u1329.agggregated_history_170303 aggact
    JOIN u1329.task
    ON (
        (task.tsk_id = aggact.tsk_id)
    )
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_a

Dbout_history_a Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	

tsk_schedulefinaldatehour	timestamp without time zone
tsk_realfinaldatehour	timestamp without time zone
tsk_lastexecutiondatehour	timestamp without time zone
tsk_observation	character varying(500)
tsk_active	character(1)
tsk_situation	character varying(100)
tsk_automaticclosingapp	bigint
tsk_expectedfinaldatehour	timestamp without time zone
tss_id	bigint
tsk_waitingtime	bigint
tsk_priority	bigint
tsk_source	character(1)
med_id	bigint
tea_id	bigint
tsk_activityorigin	character(1)
tsk_prestartalert	bigint
tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_c1	text
e_c1	text
i_c2	text
e_c2	text
i_f2863621	text
e_f2863621	text
i_f2863622	text
e_f2863622	text
i_f2863623	text
e_f2863623	text
i_f2863628	text
e_f2863628	text
i_f2863629	text
e_f2863629	text
i_f3332107	text
e_f3332107	text
i_total_pedido_liquido	text
e_total_pedido_liquido	text
i_transactionid	text
e_transactionid	text

```

SELECT aggact.hty_id
,   aggact.act_id
,   aggact.hty_initialdatehour
,   aggact.hty_finaldatehour
,   aggact.hty_status
,   aggact.hty_syncdatehour
,   aggact.hty_approvalstatus

```

```

,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin
,
task.tsk_prestartalert
,
task.tsk_posstartalert
,
task.tsk_prestartblock
,
task.tsk_posstartblock
,
task.tsk_preendalert
,
task.tsk_posendalert
,
task.tsk_insertdatehour
,
task.tsk_lastmodification
,
task.tsk_mobilesenddate
,
task.tsk_accesstoken
,
task.age_id_insert
,
task.tsk_datetimeinsert
,
task.tsk_moduleinsert
,
task.age_id_lastupdate
,
task.tsk_datetimelastupdate
,
task.tsk_modulelastupdate
,
task.tty_id
,
task.tsk_executionerror
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['c1'::text
, 'internalvalue'::text]
) AS i_c1
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['c1'::text
, 'externalvalue'::text]
) AS e_c1

```

```
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['c2']::text
  , 'internalvalue'::text]
) AS i_c2
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['c2']::text
  , 'externalvalue'::text]
) AS e_c2
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863621']::text
  , 'internalvalue'::text]
) AS i_f2863621
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863621']::text
  , 'externalvalue'::text]
) AS e_f2863621
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863622']::text
  , 'internalvalue'::text]
) AS i_f2863622
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863622']::text
  , 'externalvalue'::text]
) AS e_f2863622
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863623']::text
  , 'internalvalue'::text]
) AS i_f2863623
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863623']::text
  , 'externalvalue'::text]
) AS e_f2863623
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863628']::text
  , 'internalvalue'::text]
) AS i_f2863628
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863628']::text
  , 'externalvalue'::text]
) AS e_f2863628
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863629']::text
  , 'internalvalue'::text]
) AS i_f2863629
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f2863629']::text
  , 'externalvalue'::text]
) AS e_f2863629
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f3332107']::text
  , 'internalvalue'::text]
) AS i_f3332107
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['f3332107']::text
  , 'externalvalue'::text]
) AS e_f3332107
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['total_pedido_liquido']::text
  , 'internalvalue'::text]
) AS i_total_pedido_liquido
,
  json_extract_path_text
(aggact.fields
  , VARIADIC ARRAY['total_pedido_liquido']::text
  , 'externalvalue'::text]
) AS e_total_pedido_liquido
,
  json_extract_path_text
(aggact.fields
```

```

        , VARIADIC ARRAY['transactionid'::text
        , 'internalvalue'::text]
) AS i_transactionid
'
    json_extract_path_text
(aggact.fields
    , VARIADIC ARRAY['transactionid'::text
    , 'externalvalue'::text]
) AS e_transactionid
FROM (u1329.agggregated_history_418905 aggact
JOIN u1329.task
ON (
    (task.tsk_id = aggact.tsk_id)
)
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_atividade

Dbout_history_atividade Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	
	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	
	tsk_preendalert	bigint	
	tsk_posendalert	bigint	
	tsk_insertdatehour	timestamp without time zone	
	tsk_lastmodification	timestamp without time zone	
	tsk_mobilesenddate	timestamp without time zone	
	tsk_accesstoken	character varying(50)	
	age_id_insert	bigint	

tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_f136019	text
e_f136019	text
i_f137846	text
e_f137846	text
i_f154248	text
e_f154248	text
i_f1654475	text
e_f1654475	text
i_f530484	text
e_f530484	text
i_f56150	text
e_f56150	text
i_f89707	text
e_f89707	text
i_nota	text
e_nota	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,

```

```
task.tea_id
',
task.tsk_activityorigin
',
task.tsk_prestartalert
',
task.tsk_posstartalert
',
task.tsk_prestartblock
',
task.tsk_posstartblock
',
task.tsk_preendalert
',
task.tsk_posendalert
',
task.tsk_insertdatehour
',
task.tsk_lastmodification
',
task.tsk_mobilesenddate
',
task.tsk_accesstoken
',
task.age_id_insert
',
task.tsk_datetimeinsert
',
task.tsk_moduleinsert
',
task.age_id_lastupdate
',
task.tsk_datetimelastupdate
',
task.tsk_modulelastupdate
',
task.tty_id
',
task.tsk_executionerror
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f136019']::text
, 'internalvalue'::text]
) AS i_f136019
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f136019']::text
, 'externalvalue'::text]
) AS e_f136019
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f137846']::text
, 'internalvalue'::text]
) AS i_f137846
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f137846']::text
, 'externalvalue'::text]
) AS e_f137846
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f154248']::text
, 'internalvalue'::text]
) AS i_f154248
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f154248']::text
, 'externalvalue'::text]
) AS e_f154248
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f1654475']::text
, 'internalvalue'::text]
) AS i_f1654475
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f1654475']::text
, 'externalvalue'::text]
) AS e_f1654475
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f530484']::text
, 'internalvalue'::text]
) AS i_f530484
',
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f530484']::text
, 'externalvalue'::text]
) AS e_f530484
```



```

    ,
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['f56150 '::text
    , 'internalvalue '::text]
  ) AS i_f56150
  ,
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['f56150 '::text
    , 'externalvalue '::text]
  ) AS e_f56150
  ,
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['f89707 '::text
    , 'internalvalue '::text]
  ) AS i_f89707
  ,
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['f89707 '::text
    , 'externalvalue '::text]
  ) AS e_f89707
  ,
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['nota '::text
    , 'internalvalue '::text]
  ) AS i_nota
  ,
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['nota '::text
    , 'externalvalue '::text]
  ) AS e_nota
FROM (u1329.aggregated_history_3146 aggact
  JOIN u1329.task
  ON (
    (task.tsk_id = aggact.tsk_id)
  )
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_atividade1

Dbout_history_atividade1 Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	

tsk_waitingtime	bigint
tsk_priority	bigint
tsk_source	character(1)
med_id	bigint
tea_id	bigint
tsk_activityorigin	character(1)
tsk_prestartalert	bigint
tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_f311476	text
e_f311476	text
i_f311477	text
e_f311477	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime

```

```

    task.tsk_priority
    task.tsk_source
    task.med_id
    task.tea_id
    task.tsk_activityorigin
    task.tsk_prestartalert
    task.tsk_posstartalert
    task.tsk_prestartblock
    task.tsk_posstartblock
    task.tsk_preendalert
    task.tsk_posendalert
    task.tsk_insertdatehour
    task.tsk_lastmodification
    task.tsk_mobileenddate
    task.tsk_accesstoken
    task.age_id_insert
    task.tsk_datetimeinsert
    task.tsk_moduleinsert
    task.age_id_lastupdate
    task.tsk_datetimelastupdate
    task.tsk_modulelastupdate
    task.tty_id
    task.tsk_executionerror
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f311476']::text
     , 'internalvalue'::text]
    ) AS i_f311476
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f311476']::text
     , 'externalvalue'::text]
    ) AS e_f311476
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f311477']::text
     , 'internalvalue'::text]
    ) AS i_f311477
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f311477']::text
     , 'externalvalue'::text]
    ) AS e_f311477
FROM (u1329.aggregated_history_80034 aggact
     JOIN u1329.task
     ON (
         (task.tsk_id = aggact.tsk_id)
     )
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index](#) - [Schema u1329](#)

View: dbout_history_atividade_do_borges

Dbout_history_atividade_do_borges Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	

hty_status	character(1)
hty_syncdatehour	timestamp without time zone
hty_approvalstatus	bpchar
acs_id	bigint
ite_id	bigint
htv_executiongroup	bigint
tsk_id	bigint
tsk_integrationid	character varying(100)
age_id	bigint
loc_id	bigint
tsk_scheduleinitialdatehour	timestamp without time zone
tsk_realinitialdatehour	timestamp without time zone
tsk_schedulefinaldatehour	timestamp without time zone
tsk_realfinaldatehour	timestamp without time zone
tsk_lastexecutiondatehour	timestamp without time zone
tsk_observation	character varying(500)
tsk_active	character(1)
tsk_situation	character varying(100)
tsk_automaticclosingapp	bigint
tsk_expectedfinaldatehour	timestamp without time zone
tss_id	bigint
tsk_waitingtime	bigint
tsk_priority	bigint
tsk_source	character(1)
med_id	bigint
tea_id	bigint
tsk_activityorigin	character(1)
tsk_prestartalert	bigint
tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_f2899529	text
e_f2899529	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup

```

```

, task.tsk_id
, task.tsk_integrationid
, task.age_id
, task.loc_id
, task.tsk_scheduleinitialdatehour
, task.tsk_realinitialdatehour
, task.tsk_schedulefinaldatehour
, task.tsk_realfinaldatehour
, task.tsk_lastexecutiondatehour
, task.tsk_observation
, task.tsk_active
, task.tsk_situation
, task.tsk_automaticclosingapp
, task.tsk_expectedfinaldatehour
, task.tss_id
, task.tsk_waitingtime
, task.tsk_priority
, task.tsk_source
, task.med_id
, task.tea_id
, task.tsk_activityorigin
, task.tsk_prestartalert
, task.tsk_posstartalert
, task.tsk_prestartblock
, task.tsk_posstartblock
, task.tsk_preendalert
, task.tsk_posendalert
, task.tsk_insertdatehour
, task.tsk_lastmodification
, task.tsk_mobilesenddate
, task.tsk_accesstoken
, task.age_id_insert
, task.tsk_datetimeinsert
, task.tsk_moduleinsert
, task.age_id_lastupdate
, task.tsk_datetimelastupdate
, task.tsk_modulelastupdate
, task.tty_id
, task.tsk_executionerror
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2899529']::text
, 'internalvalue'::text]
) AS i_f2899529
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2899529']::text
, 'externalvalue'::text]
) AS e_f2899529
FROM (u1329.agggregated_history_523537 aggact
JOIN u1329.task
ON (
(task.tsk_id = aggact.tsk_id)
)
)

```

ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

[Index - Schema u1329](#)

View: dbout_history_atividade_para_exportar

Dbout_history_atividade_para_exportar Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	
	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	
	tsk_preendalert	bigint	
	tsk_posendalert	bigint	
	tsk_insertdatehour	timestamp without time zone	
	tsk_lastmodification	timestamp without time zone	
	tsk_mobilesenddate	timestamp without time zone	
	tsk_accesstoken	character varying(50)	
	age_id_insert	bigint	
	tsk_datetimeinsert	timestamp without time zone	
	tsk_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	tsk_datetimelastupdate	timestamp without time zone	
	tsk_modulelastupdate	character varying(100)	
	tty_id	bigint	
	tsk_executionerror	character(1)	
	i_f157216	text	
	e_f157216	text	
	i_f185535	text	
	e_f185535	text	

```
SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin
,
task.tsk_prestartalert
,
task.tsk_posstartalert
,
task.tsk_prestartblock
,
task.tsk_posstartblock
,
task.tsk_preendalert
,
task.tsk_posendalert
,
task.tsk_insertdatehour
,
task.tsk_lastmodification
,
task.tsk_mobileenddate
,
task.tsk_accesstoken
,
task.age_id_insert
,
task.tsk_datetimeinsert
,
task.tsk_moduleinsert
,
task.age_id_lastupdate
,
task.tsk_datetimelastupdate
,
task.tsk_modulelastupdate
,
task.tty_id
,
```

```

task.tsk_executionerror
'
  json_extract_path_text
(aggact.fields
 , VARIADIC ARRAY['f157216'::text
 , 'internalvalue'::text]
) AS i_f157216
'
  json_extract_path_text
(aggact.fields
 , VARIADIC ARRAY['f157216'::text
 , 'externalvalue'::text]
) AS e_f157216
'
  json_extract_path_text
(aggact.fields
 , VARIADIC ARRAY['f185535'::text
 , 'internalvalue'::text]
) AS i_f185535
'
  json_extract_path_text
(aggact.fields
 , VARIADIC ARRAY['f185535'::text
 , 'externalvalue'::text]
) AS e_f185535
FROM (u1329.aggregated_history_40602 aggact
 JOIN u1329.task
 ON (
 (task.tsk_id = aggact.tsk_id)
 )
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_book

Dbout_history_book Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	

tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_f195659	text
e_f195659	text
i_f312679	text
e_f312679	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin

```

```

    task.tsk_prestartalert
    task.tsk_posstartalert
    task.tsk_prestartblock
    task.tsk_posstartblock
    task.tsk_preendalert
    task.tsk_posendalert
    task.tsk_insertdatehour
    task.tsk_lastmodification
    task.tsk_mobilesenddate
    task.tsk_accesstoken
    task.age_id_insert
    task.tsk_datetimeinsert
    task.tsk_moduleinsert
    task.age_id_lastupdate
    task.tsk_datetimelastupdate
    task.tsk_modulelastupdate
    task.tty_id
    task.tsk_executionerror
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f195659']::text
     , 'internalvalue'::text]
    ) AS i_f195659
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f195659']::text
     , 'externalvalue'::text]
    ) AS e_f195659
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f312679']::text
     , 'internalvalue'::text]
    ) AS i_f312679
    json_extract_path_text
    (aggact.fields
     , VARIADIC ARRAY['f312679']::text
     , 'externalvalue'::text]
    ) AS e_f312679
FROM (u1329.aggregated_history_47206 aggact
      JOIN u1329.task
      ON (
           (task.tsk_id = aggact.tsk_id)
        )
     )
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_captura_de_audio

Dbout_history_captura_de_audio Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	

tsk_id	bigint
tsk_integrationid	character varying(100)
age_id	bigint
loc_id	bigint
tsk_scheduleinitialdatehour	timestamp without time zone
tsk_realinitialdatehour	timestamp without time zone
tsk_schedulefinaldatehour	timestamp without time zone
tsk_realfinaldatehour	timestamp without time zone
tsk_lastexecutiondatehour	timestamp without time zone
tsk_observation	character varying(500)
tsk_active	character(1)
tsk_situation	character varying(100)
tsk_automaticclosingapp	bigint
tsk_expectedfinaldatehour	timestamp without time zone
tss_id	bigint
tsk_waitingtime	bigint
tsk_priority	bigint
tsk_source	character(1)
med_id	bigint
tea_id	bigint
tsk_activityorigin	character(1)
tsk_prestartalert	bigint
tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_f1997397	text
e_f1997397	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,

```

```

task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin
,
task.tsk_prestartalert
,
task.tsk_posstartalert
,
task.tsk_prestartblock
,
task.tsk_posstartblock
,
task.tsk_preendalert
,
task.tsk_posendalert
,
task.tsk_insertdatehour
,
task.tsk_lastmodification
,
task.tsk_mobilesenddate
,
task.tsk_accesstoken
,
task.age_id_insert
,
task.tsk_datetimeinsert
,
task.tsk_moduleinsert
,
task.age_id_lastupdate
,
task.tsk_datetimelastupdate
,
task.tsk_modulelastupdate
,
task.tty_id
,
task.tsk_executionerror
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f1997397'::text
, 'internalvalue'::text]
) AS i_f1997397
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f1997397'::text
, 'externalvalue'::text]
) AS e_f1997397
FROM (u1329.aggregated_history_377678 aggact
JOIN u1329.task
ON (
(task.tsk_id = aggact.tsk_id)
)
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_event

About_history_event Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	
	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	
	tsk_preendalert	bigint	
	tsk_posendalert	bigint	
	tsk_insertdatehour	timestamp without time zone	
	tsk_lastmodification	timestamp without time zone	
	tsk_mobilesenddate	timestamp without time zone	
	tsk_accesstoken	character varying(50)	
	age_id_insert	bigint	
	tsk_datetimeinsert	timestamp without time zone	
	tsk_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	tsk_datetimelastupdate	timestamp without time zone	
	tsk_modulelastupdate	character varying(100)	
	tty_id	bigint	
	tsk_executionerror	character(1)	
	i_f474034	text	
	e_f474034	text	

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,

```

```

aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin
,
task.tsk_prestartalert
,
task.tsk_posstartalert
,
task.tsk_prestartblock
,
task.tsk_posstartblock
,
task.tsk_preendalert
,
task.tsk_posendalert
,
task.tsk_insertdatehour
,
task.tsk_lastmodification
,
task.tsk_mobilesenddate
,
task.tsk_accesstoken
,
task.age_id_insert
,
task.tsk_datetimeinsert
,
task.tsk_moduleinsert
,
task.age_id_lastupdate
,
task.tsk_datetimelastupdate
,
task.tsk_modulelastupdate
,
task.tty_id
,
task.tsk_executionerror
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f474034'::text
, 'internalvalue'::text]
) AS i_f474034
,
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f474034'::text
, 'externalvalue'::text]
) AS e_f474034

```

FROM (u1329.aggregated_history_157603 aggact

```
JOIN u1329.task
ON (
    (task.tsk_id = aggact.tsk_id)
)
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;
```

[Index - Schema u1329](#)

View: dbout_history_nova_atividade

Dbout_history_nova_atividade Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	
	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	
	tsk_preendalert	bigint	
	tsk_posendalert	bigint	
	tsk_insertdatehour	timestamp without time zone	
	tsk_lastmodification	timestamp without time zone	
	tsk_mobilesenddate	timestamp without time zone	
	tsk_accesstoken	character varying(50)	
	age_id_insert	bigint	
	tsk_datetimeinsert	timestamp without time zone	
	tsk_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	tsk_datetimelastupdate	timestamp without time zone	
	tsk_modulelastupdate	character varying(100)	
	tty_id	bigint	

tsk_executionerror	character(1)
i_f1627993	text
e_f1627993	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin
,
task.tsk_prestartalert
,
task.tsk_posstartalert
,
task.tsk_prestartblock
,
task.tsk_posstartblock
,
task.tsk_preendalert
,
task.tsk_posendalert
,
task.tsk_insertdatehour
,
task.tsk_lastmodification
,
task.tsk_mobilesenddate
,
task.tsk_accesstoken
,
task.age_id_insert
,
task.tsk_datetimeinsert
,
task.tsk_moduleinsert
,
task.age_id_lastupdate
,

```



```

task.tsk_datetimelastupdate
'
task.tsk_modulelastupdate
'
task.tty_id
'
task.tsk_executionerror
'
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f1627993']::text
, 'internalvalue'::text]
) AS i_f1627993
'
json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f1627993']::text
, 'externalvalue'::text]
) AS e_f1627993
FROM (u1329.aggregated_history_314038 aggact
JOIN u1329.task
ON (
(task.tsk_id = aggact.tsk_id)
)
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_pagament

Dbout_history_pagament Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	
	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	

tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_assinatura	text
e_assinatura	text
i_desconto_adicional_pedido	text
e_desconto_adicional_pedido	text
i_f2863547	text
e_f2863547	text
i_f2863548	text
e_f2863548	text
i_f2863550	text
e_f2863550	text
i_f2863551	text
e_f2863551	text
i_f2863552	text
e_f2863552	text
i_f2863557	text
e_f2863557	text
i_f2863558	text
e_f2863558	text
i_forma_pagamento	text
e_forma_pagamento	text
i_observacaonf	text
e_observacaonf	text
i_prazo_pagamento	text
e_prazo_pagamento	text
i_total_pedido_bruto	text
e_total_pedido_bruto	text
i_total_pedido_liquido	text
e_total_pedido_liquido	text
i_transactionid	text
e_transactionid	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id

```

```

, task.loc_id
, task.tsk_scheduleinitialdatehour
, task.tsk_realinitialdatehour
, task.tsk_schedulefinaldatehour
, task.tsk_realfinaldatehour
, task.tsk_lastexecutiondatehour
, task.tsk_observation
, task.tsk_active
, task.tsk_situation
, task.tsk_automaticclosingapp
, task.tsk_expectedfinaldatehour
, task.tss_id
, task.tsk_waitingtime
, task.tsk_priority
, task.tsk_source
, task.med_id
, task.tea_id
, task.tsk_activityorigin
, task.tsk_prestartalert
, task.tsk_posstartalert
, task.tsk_prestartblock
, task.tsk_posstartblock
, task.tsk_preendalert
, task.tsk_posendalert
, task.tsk_insertdatehour
, task.tsk_lastmodification
, task.tsk_mobilesenddate
, task.tsk_accesstoken
, task.age_id_insert
, task.tsk_datetimeinsert
, task.tsk_moduleinsert
, task.age_id_lastupdate
, task.tsk_datetimelastupdate
, task.tsk_modulelastupdate
, task.tty_id
, task.tsk_executionerror
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['assinatura']::text
, 'internalvalue'::text]
) AS i_assinatura
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['assinatura']::text
, 'externalvalue'::text]
) AS e_assinatura
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['desconto_adicional_pedido']::text
, 'internalvalue'::text]
) AS i_desconto_adicional_pedido
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['desconto_adicional_pedido']::text
, 'externalvalue'::text]
) AS e_desconto_adicional_pedido
, json_extract_path_text
(aggact.fields

```

```
, VARIADIC ARRAY['f2863547']::text
, 'internalvalue'::text]
) AS i_f2863547
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863547']::text
, 'externalvalue'::text]
) AS e_f2863547
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863548']::text
, 'internalvalue'::text]
) AS i_f2863548
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863548']::text
, 'externalvalue'::text]
) AS e_f2863548
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863550']::text
, 'internalvalue'::text]
) AS i_f2863550
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863550']::text
, 'externalvalue'::text]
) AS e_f2863550
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863551']::text
, 'internalvalue'::text]
) AS i_f2863551
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863551']::text
, 'externalvalue'::text]
) AS e_f2863551
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863552']::text
, 'internalvalue'::text]
) AS i_f2863552
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863552']::text
, 'externalvalue'::text]
) AS e_f2863552
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863557']::text
, 'internalvalue'::text]
) AS i_f2863557
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863557']::text
, 'externalvalue'::text]
) AS e_f2863557
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863558']::text
, 'internalvalue'::text]
) AS i_f2863558
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f2863558']::text
, 'externalvalue'::text]
) AS e_f2863558
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['forma_pagamento']::text
, 'internalvalue'::text]
) AS i_forma_pagamento
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['forma_pagamento']::text
, 'externalvalue'::text]
) AS e_forma_pagamento
'
  json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['observacaonf']::text
, 'internalvalue'::text]
) AS i_observacaonf
```

```

    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['observacaonf '::text
    , 'externalvalue '::text]
  ) AS e_observacaonf
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['prazo_pagamento '::text
    , 'internalvalue '::text]
  ) AS i_prazo_pagamento
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['prazo_pagamento '::text
    , 'externalvalue '::text]
  ) AS e_prazo_pagamento
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['total_pedido_bruto '::text
    , 'internalvalue '::text]
  ) AS i_total_pedido_bruto
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['total_pedido_bruto '::text
    , 'externalvalue '::text]
  ) AS e_total_pedido_bruto
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['total_pedido_liquido '::text
    , 'internalvalue '::text]
  ) AS i_total_pedido_liquido
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['total_pedido_liquido '::text
    , 'externalvalue '::text]
  ) AS e_total_pedido_liquido
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['transactionid '::text
    , 'internalvalue '::text]
  ) AS i_transactionid
'
    json_extract_path_text
  (aggact.fields
    , VARIADIC ARRAY['transactionid '::text
    , 'externalvalue '::text]
  ) AS e_transactionid
FROM (u1329.aggregated_history_516713 aggact
JOIN u1329.task
ON (
(task.tsk_id = aggact.tsk_id)
)
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_totvs

Dbout_history_totvs Structure

F-Key	Name	Type	Description
	hty_id	bigint	
	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	
	hty_finaldatehour	timestamp without time zone	
	hty_status	character(1)	
	hty_syncdatehour	timestamp without time zone	
	hty_approvalstatus	bpchar	
	acs_id	bigint	
	ite_id	bigint	
	htv_executiongroup	bigint	
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	

loc_id	bigint
tsk_scheduleinitialdatehour	timestamp without time zone
tsk_realinitialdatehour	timestamp without time zone
tsk_schedulefinaldatehour	timestamp without time zone
tsk_realfinaldatehour	timestamp without time zone
tsk_lastexecutiondatehour	timestamp without time zone
tsk_observation	character varying(500)
tsk_active	character(1)
tsk_situation	character varying(100)
tsk_automaticclosingapp	bigint
tsk_expectedfinaldatehour	timestamp without time zone
tss_id	bigint
tsk_waitingtime	bigint
tsk_priority	bigint
tsk_source	character(1)
med_id	bigint
tea_id	bigint
tsk_activityorigin	character(1)
tsk_prestartalert	bigint
tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_campo01	text
e_campo01	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour

```

```

, task.tsk_lastexecutiondatehour
, task.tsk_observation
, task.tsk_active
, task.tsk_situation
, task.tsk_automaticclosingapp
, task.tsk_expectedfinaldatehour
, task.tss_id
, task.tsk_waitingtime
, task.tsk_priority
, task.tsk_source
, task.med_id
, task.tea_id
, task.tsk_activityorigin
, task.tsk_prestartalert
, task.tsk_posstartalert
, task.tsk_prestartblock
, task.tsk_posstartblock
, task.tsk_preendalert
, task.tsk_posendalert
, task.tsk_insertdatehour
, task.tsk_lastmodification
, task.tsk_mobilesenddate
, task.tsk_accesstoken
, task.age_id_insert
, task.tsk_datetimeinsert
, task.tsk_moduleinsert
, task.age_id_lastupdate
, task.tsk_datetimelastupdate
, task.tsk_modulelastupdate
, task.tty_id
, task.tsk_executionerror
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['campo01']::text
, 'internalvalue'::text]
) AS i_campo01
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['campo01']::text
, 'externalvalue'::text]
) AS e_campo01
FROM (u1329.agggregated_history_101751 aggact
JOIN u1329.task
ON (
(task.tsk_id = aggact.tsk_id)
)
)
ORDER BY aggact.hty_id
, aggact.tsk_id
, aggact.acs_id
, aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_history_validacao

Dbout_history_validacao Structure

F-Key	Name	Type	Description
	hty_id	bigint	

act_id	bigint
hty_initialdatehour	timestamp without time zone
hty_finaldatehour	timestamp without time zone
hty_status	character(1)
hty_syncdatehour	timestamp without time zone
hty_approvalstatus	bpchar
acs_id	bigint
ite_id	bigint
htv_executiongroup	bigint
tsk_id	bigint
tsk_integrationid	character varying(100)
age_id	bigint
loc_id	bigint
tsk_scheduleinitialdatehour	timestamp without time zone
tsk_realinitialdatehour	timestamp without time zone
tsk_schedulefinaldatehour	timestamp without time zone
tsk_realfinaldatehour	timestamp without time zone
tsk_lastexecutiondatehour	timestamp without time zone
tsk_observation	character varying(500)
tsk_active	character(1)
tsk_situation	character varying(100)
tsk_automaticclosingapp	bigint
tsk_expectedfinaldatehour	timestamp without time zone
tss_id	bigint
tsk_waitingtime	bigint
tsk_priority	bigint
tsk_source	character(1)
med_id	bigint
tea_id	bigint
tsk_activityorigin	character(1)
tsk_prestartalert	bigint
tsk_posstartalert	bigint
tsk_prestartblock	bigint
tsk_posstartblock	bigint
tsk_preendalert	bigint
tsk_posendalert	bigint
tsk_insertdatehour	timestamp without time zone
tsk_lastmodification	timestamp without time zone
tsk_mobilesenddate	timestamp without time zone
tsk_accesstoken	character varying(50)
age_id_insert	bigint
tsk_datetimeinsert	timestamp without time zone
tsk_moduleinsert	character varying(100)
age_id_lastupdate	bigint
tsk_datetimelastupdate	timestamp without time zone
tsk_modulelastupdate	character varying(100)
tty_id	bigint
tsk_executionerror	character(1)
i_f364339	text
e_f364339	text
i_f364340	text
e_f364340	text
i_f364341	text
e_f364341	text
i_f364342	text
e_f364342	text
i_f364343	text
e_f364343	text
i_f364344	text
e_f364344	text
i_f364345	text
e_f364345	text

i_f364346	text
e_f364346	text
i_f3746583	text
e_f3746583	text

```

SELECT aggact.hty_id
,
aggact.act_id
,
aggact.hty_initialdatehour
,
aggact.hty_finaldatehour
,
aggact.hty_status
,
aggact.hty_syncdatehour
,
aggact.hty_approvalstatus
,
aggact.acs_id
,
aggact.ite_id
,
COALESCE
(aggact.htv_executiongroup
, (0)::bigint
) AS htv_executiongroup
,
task.tsk_id
,
task.tsk_integrationid
,
task.age_id
,
task.loc_id
,
task.tsk_scheduleinitialdatehour
,
task.tsk_realinitialdatehour
,
task.tsk_schedulefinaldatehour
,
task.tsk_realfinaldatehour
,
task.tsk_lastexecutiondatehour
,
task.tsk_observation
,
task.tsk_active
,
task.tsk_situation
,
task.tsk_automaticclosingapp
,
task.tsk_expectedfinaldatehour
,
task.tss_id
,
task.tsk_waitingtime
,
task.tsk_priority
,
task.tsk_source
,
task.med_id
,
task.tea_id
,
task.tsk_activityorigin
,
task.tsk_prestartalert
,
task.tsk_posstartalert
,
task.tsk_prestartblock
,
task.tsk_posstartblock
,
task.tsk_preendalert
,
task.tsk_posendalert
,
task.tsk_insertdatehour
,
task.tsk_lastmodification
,
task.tsk_mobileenddate
,
task.tsk_accesstoken
,
task.age_id_insert
,
task.tsk_datetimeinsert
,
task.tsk_moduleinsert
,
task.age_id_lastupdate

```

```
, task.tsk_datetimelastupdate
, task.tsk_modulelastupdate
, task.tty_id
, task.tsk_executionerror
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364339']::text
, 'internalvalue'::text]
) AS i_f364339
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364339']::text
, 'externalvalue'::text]
) AS e_f364339
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364340']::text
, 'internalvalue'::text]
) AS i_f364340
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364340']::text
, 'externalvalue'::text]
) AS e_f364340
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364341']::text
, 'internalvalue'::text]
) AS i_f364341
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364341']::text
, 'externalvalue'::text]
) AS e_f364341
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364342']::text
, 'internalvalue'::text]
) AS i_f364342
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364342']::text
, 'externalvalue'::text]
) AS e_f364342
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364343']::text
, 'internalvalue'::text]
) AS i_f364343
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364343']::text
, 'externalvalue'::text]
) AS e_f364343
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364344']::text
, 'internalvalue'::text]
) AS i_f364344
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364344']::text
, 'externalvalue'::text]
) AS e_f364344
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364345']::text
, 'internalvalue'::text]
) AS i_f364345
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364345']::text
, 'externalvalue'::text]
) AS e_f364345
, json_extract_path_text
(aggact.fields
, VARIADIC ARRAY['f364346']::text
, 'internalvalue'::text]
) AS i_f364346
,
```

```

        json_extract_path_text
    (aggact.fields
      , VARIADIC ARRAY['f364346']::text
      , 'externalvalue'::text]
    ) AS e_f364346
  ,
        json_extract_path_text
    (aggact.fields
      , VARIADIC ARRAY['f3746583']::text
      , 'internalvalue'::text]
    ) AS i_f3746583
  ,
        json_extract_path_text
    (aggact.fields
      , VARIADIC ARRAY['f3746583']::text
      , 'externalvalue'::text]
    ) AS e_f3746583
FROM (u1329.aggregated_history_114088 aggact
      JOIN u1329.task
      ON (
            (task.tsk_id = aggact.tsk_id)
          )
     )
ORDER BY aggact.hty_id
       , aggact.tsk_id
       , aggact.acs_id
       , aggact.ite_id;

```

[Index - Schema u1329](#)

View: dbout_item

Dbout_item Structure

F-Key	Name	Type	Description
	ite_id	bigint	
	ite_integrationid	character varying(100)	
	ite_description	text	
	ite_active	character(1)	
	isg_id	bigint	
	icy_id	bigint	
	med_id	bigint	
	age_id_insert	bigint	
	ite_datetimeinsert	timestamp without time zone	
	ite_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	ite_datetimelastupdate	timestamp without time zone	
	ite_modulelastupdate	character varying(100)	
	i_pv	text	
	e_pv	text	

```

SELECT aggregated_by_entity_item.ite_id
  , aggregated_by_entity_item.ite_integrationid
  , aggregated_by_entity_item.ite_description
  , aggregated_by_entity_item.ite_active
  , aggregated_by_entity_item.isg_id
  , aggregated_by_entity_item.icy_id
  , aggregated_by_entity_item.med_id
  , aggregated_by_entity_item.age_id_insert
  , aggregated_by_entity_item.ite_datetimeinsert
  , aggregated_by_entity_item.ite_moduleinsert
  , aggregated_by_entity_item.age_id_lastupdate
  , aggregated_by_entity_item.ite_datetimelastupdate
  , aggregated_by_entity_item.ite_modulelastupdate
  , json_extract_path_text
    (aggregated_by_entity_item.fields
      , VARIADIC ARRAY['pv']::text
      , 'internalvalue'::text]
    ) AS i_pv
  , json_extract_path_text
    (aggregated_by_entity_item.fields

```

```

, VARIADIC ARRAY['pv'::text
,'externalvalue'::text]
) AS e_pv

```

FROM u1329.aggregated_by_entity_item;

[Index - Schema u1329](#)

View: dbout_local

About_local Structure

F-Key	Name	Type	Description
	loc_id	bigint	
	loc_integrationid	character varying(100)	
	loc_description	character varying(1000)	
	loc_corporatename	character varying(500)	
	loc_observation	character varying(1000)	
	loc_country	character varying(50)	
	loc_state	character varying(50)	
	loc_city	character varying(50)	
	loc_neighborhood	character varying(50)	
	loc_street	character varying(150)	
	loc_streetnumber	bigint	
	loc_streetnumbercompl	character varying(50)	
	loc_zipcode	character varying(10)	
	loc_phone	character varying(50)	
	loc_mobilephone	character varying(50)	
	loc_mail	character varying(50)	
	loc_geoposition	character varying(60)	
	loc_active	character(1)	
	lty_id	bigint	
	lgp_id	bigint	
	lcl_id	bigint	
	med_id	bigint	
	age_id	bigint	
	age_id_insert	bigint	
	loc_datetimeinsert	timestamp without time zone	
	loc_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	loc_datetimelastupdate	timestamp without time zone	
	loc_modulelastupdate	character varying(100)	
	tea_id	bigint	
	i_ciclo_atendimento	text	
	e_ciclo_atendimento	text	
	i_f35224	text	
	e_f35224	text	
	i_habilita	text	
	e_habilita	text	
	i_local	text	
	e_local	text	
	i_localcity1	bigint[]	
	e_localcity1	text[]	
	i_local_mix	text	
	e_local_mix	text	
	i_naohabilita	text	
	e_naohabilita	text	
	i_obrigatorio	text	
	e_obrigatorio	text	

```

SELECT aggregated_by_entity_local.loc_id
,
  aggregated_by_entity_local.loc_integrationid
,
  aggregated_by_entity_local.loc_description
,
  aggregated_by_entity_local.loc_corporatename
,
  aggregated_by_entity_local.loc_observation

```

```

, aggregated_by_entity_local.loc_country
, aggregated_by_entity_local.loc_state
, aggregated_by_entity_local.loc_city
, aggregated_by_entity_local.loc_neighborhood
, aggregated_by_entity_local.loc_street
, aggregated_by_entity_local.loc_streetnumber
, aggregated_by_entity_local.loc_streetnumbercompl
, aggregated_by_entity_local.loc_zipcode
, aggregated_by_entity_local.loc_phone
, aggregated_by_entity_local.loc_mobilephone
, aggregated_by_entity_local.loc_mail
, aggregated_by_entity_local.loc_geoposition
, aggregated_by_entity_local.loc_active
, aggregated_by_entity_local.lty_id
, aggregated_by_entity_local.lgp_id
, aggregated_by_entity_local.lcl_id
, aggregated_by_entity_local.med_id
, aggregated_by_entity_local.age_id
, aggregated_by_entity_local.age_id_insert
, aggregated_by_entity_local.loc_datetimeinsert
, aggregated_by_entity_local.loc_moduleinsert
, aggregated_by_entity_local.age_id_lastupdate
, aggregated_by_entity_local.loc_datetimelastupdate
, aggregated_by_entity_local.loc_modulelastupdate
, aggregated_by_entity_local.tea_id
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['ciclo_atendimento'::text
, 'internalvalue'::text]
) AS i_ciclo_atendimento
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['ciclo_atendimento'::text
, 'externalvalue'::text]
) AS e_ciclo_atendimento
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['f35224'::text
, 'internalvalue'::text]
) AS i_f35224
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['f35224'::text
, 'externalvalue'::text]
) AS e_f35224
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['habilita'::text
, 'internalvalue'::text]
) AS i_habilita
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['habilita'::text
, 'externalvalue'::text]
) AS e_habilita
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['local'::text
, 'internalvalue'::text]
) AS i_local
,
  json_extract_path_text
(aggregated_by_entity_local.fields
, VARIADIC ARRAY['local'::text
, 'externalvalue'::text]
) AS e_local
,

```

```

(json_extract_path_text
  (aggregated_by_entity_local.fields
    , VARIADIC ARRAY['localcity1'::text
    , 'internalvalue'::text]
  )
)::bigint[] AS i_localcity1
,
(json_extract_path_text
  (aggregated_by_entity_local.fields
    , VARIADIC ARRAY['localcity1'::text
    , 'externalvalue'::text]
  )
)::text[] AS e_localcity1
,
  json_extract_path_text
(aggregated_by_entity_local.fields
  , VARIADIC ARRAY['local_mix'::text
  , 'internalvalue'::text]
) AS i_local_mix
,
  json_extract_path_text
(aggregated_by_entity_local.fields
  , VARIADIC ARRAY['local_mix'::text
  , 'externalvalue'::text]
) AS e_local_mix
,
  json_extract_path_text
(aggregated_by_entity_local.fields
  , VARIADIC ARRAY['naohabilita'::text
  , 'internalvalue'::text]
) AS i_naohabilita
,
  json_extract_path_text
(aggregated_by_entity_local.fields
  , VARIADIC ARRAY['naohabilita'::text
  , 'externalvalue'::text]
) AS e_naohabilita
,
  json_extract_path_text
(aggregated_by_entity_local.fields
  , VARIADIC ARRAY['obrigatorio'::text
  , 'internalvalue'::text]
) AS i_obrigatorio
,
  json_extract_path_text
(aggregated_by_entity_local.fields
  , VARIADIC ARRAY['obrigatorio'::text
  , 'externalvalue'::text]
) AS e_obrigatorio
FROM u1329.aggregated_by_entity_local;

```

[Index](#) - [Schema u1329](#)

View: dbout_localtype

Dbout_localtype Structure

F-Key	Name	Type	Description
	lty_id	bigint	
	lty_integrationid	character varying(100)	
	lty_description	character varying(100)	
	lty_active	character(1)	
	i_localtype_mix	text	
	e_localtype_mix	text	

```

SELECT aggregated_by_entity_localtype.lty_id
,
  aggregated_by_entity_localtype.lty_integrationid
,
  aggregated_by_entity_localtype.lty_description
,
  aggregated_by_entity_localtype.lty_active
,
  json_extract_path_text
(aggregated_by_entity_localtype.fields
  , VARIADIC ARRAY['localtype_mix'::text
  , 'internalvalue'::text]
) AS i_localtype_mix
,
  json_extract_path_text
(aggregated_by_entity_localtype.fields
  , VARIADIC ARRAY['localtype_mix'::text
  , 'externalvalue'::text]
) AS e_localtype_mix
FROM u1329.aggregated_by_entity_localtype;

```

[Index](#) - [Schema u1329](#)

View: dbout_task

Dbout_task Structure

F-Key	Name	Type	Description
	tsk_id	bigint	
	tsk_integrationid	character varying(100)	
	age_id	bigint	
	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	
	tsk_realinitialdatehour	timestamp without time zone	
	tsk_schedulefinaldatehour	timestamp without time zone	
	tsk_realfinaldatehour	timestamp without time zone	
	tsk_lastexecutiondatehour	timestamp without time zone	
	tsk_observation	character varying(500)	
	tsk_active	character(1)	
	tsk_situation	character varying(100)	
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	
	tsk_waitingtime	bigint	
	tsk_priority	bigint	
	tsk_source	character(1)	
	med_id	bigint	
	tea_id	bigint	
	tsk_activityorigin	character(1)	
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	
	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	
	tsk_preendalert	bigint	
	tsk_posendalert	bigint	
	tsk_insertdatehour	timestamp without time zone	
	tsk_lastmodification	timestamp without time zone	
	tsk_mobilesenddate	timestamp without time zone	
	tsk_accesstoken	character varying(50)	
	age_id_insert	bigint	
	tsk_datetimeinsert	timestamp without time zone	
	tsk_moduleinsert	character varying(100)	
	age_id_lastupdate	bigint	
	tsk_datetimelastupdate	timestamp without time zone	
	tsk_modulelastupdate	character varying(100)	
	tty_id	bigint	
	tsk_executionerror	character(1)	
	i_qualificacao	text	
	e_qualificacao	text	
	i_status	text	
	e_status	text	
	i_taskplanneroccurrenceid	text	
	e_taskplanneroccurrenceid	text	
	i_total	text	
	e_total	text	

```
SELECT aggregated_by_entity_task.tsk_id
, aggregated_by_entity_task.tsk_integrationid
, aggregated_by_entity_task.age_id
, aggregated_by_entity_task.loc_id
, aggregated_by_entity_task.tsk_scheduleinitialdatehour
, aggregated_by_entity_task.tsk_realinitialdatehour
, aggregated_by_entity_task.tsk_schedulefinaldatehour
, aggregated_by_entity_task.tsk_realfinaldatehour
, aggregated_by_entity_task.tsk_lastexecutiondatehour
```

```

, aggregated_by_entity_task.tsk_observation
, aggregated_by_entity_task.tsk_active
, aggregated_by_entity_task.tsk_situation
, aggregated_by_entity_task.tsk_automaticclosingapp
, aggregated_by_entity_task.tsk_expectedfinaldatehour
, aggregated_by_entity_task.tss_id
, aggregated_by_entity_task.tsk_waitingtime
, aggregated_by_entity_task.tsk_priority
, aggregated_by_entity_task.tsk_source
, aggregated_by_entity_task.med_id
, aggregated_by_entity_task.tea_id
, aggregated_by_entity_task.tsk_activityorigin
, aggregated_by_entity_task.tsk_prestartalert
, aggregated_by_entity_task.tsk_posstartalert
, aggregated_by_entity_task.tsk_prestartblock
, aggregated_by_entity_task.tsk_posstartblock
, aggregated_by_entity_task.tsk_preendalert
, aggregated_by_entity_task.tsk_posendalert
, aggregated_by_entity_task.tsk_insertdatehour
, aggregated_by_entity_task.tsk_lastmodification
, aggregated_by_entity_task.tsk_mobilesenddate
, aggregated_by_entity_task.tsk_accesstoken
, aggregated_by_entity_task.age_id_insert
, aggregated_by_entity_task.tsk_datetimeinsert
, aggregated_by_entity_task.tsk_moduleinsert
, aggregated_by_entity_task.age_id_lastupdate
, aggregated_by_entity_task.tsk_datetimelastupdate
, aggregated_by_entity_task.tsk_modulelastupdate
, aggregated_by_entity_task.tty_id
, aggregated_by_entity_task.tsk_executionerror
, json_extract_path_text
(aggregated_by_entity_task.fields
, VARIADIC ARRAY['qualificacao'::text
, 'internalvalue'::text]
) AS i_qualificacao
, json_extract_path_text
(aggregated_by_entity_task.fields
, VARIADIC ARRAY['qualificacao'::text
, 'externalvalue'::text]
) AS e_qualificacao
, json_extract_path_text
(aggregated_by_entity_task.fields
, VARIADIC ARRAY['status'::text
, 'internalvalue'::text]
) AS i_status
, json_extract_path_text
(aggregated_by_entity_task.fields
, VARIADIC ARRAY['status'::text
, 'externalvalue'::text]
) AS e_status
, json_extract_path_text
(aggregated_by_entity_task.fields
, VARIADIC ARRAY['taskplanneroccurrenceid'::text
, 'internalvalue'::text]
) AS i_taskplanneroccurrenceid
, json_extract_path_text
(aggregated_by_entity_task.fields
, VARIADIC ARRAY['taskplanneroccurrenceid'::text
, 'externalvalue'::text]
) AS e_taskplanneroccurrenceid
, json_extract_path_text
(aggregated_by_entity_task.fields

```



```

        , VARIADIC ARRAY['total'::text
        , 'internalvalue'::text]
) AS i_total
'
    json_extract_path_text
(aggregated_by_entity_task.fields
    , VARIADIC ARRAY['total'::text
    , 'externalvalue'::text]
) AS e_total
FROM u1329.aggregated_by_entity_task;

```

[Index - Schema u1329](#)

View: dbout_taskitem

Dbout_taskitem Structure

F-Key	Name	Type	Description
	tsi_id	bigint	
	tsk_id	bigint	
	ite_id	bigint	
	i_quantidade	text	
	e_quantidade	text	

```

SELECT aggregated_by_entity_taskitem.tsi_id
'
    aggregated_by_entity_taskitem.tsk_id
'
    aggregated_by_entity_taskitem.ite_id
'
    json_extract_path_text
(aggregated_by_entity_taskitem.fields
    , VARIADIC ARRAY['quantidade'::text
    , 'internalvalue'::text]
) AS i_quantidade
'
    json_extract_path_text
(aggregated_by_entity_taskitem.fields
    , VARIADIC ARRAY['quantidade'::text
    , 'externalvalue'::text]
) AS e_quantidade
FROM u1329.aggregated_by_entity_taskitem;

```

[Index - Schema u1329](#)

View: dbout_team

Dbout_team Structure

F-Key	Name	Type	Description
	tea_id	bigint	
	tea_integrationid	character varying(100)	
	tea_description	character varying(100)	
	tea_active	character(1)	
	tea_teamsupervisor	bigint	
	tet_id	bigint	
	med_id	bigint	

```

SELECT aggregated_by_entity_team.tea_id
'
    aggregated_by_entity_team.tea_integrationid
'
    aggregated_by_entity_team.tea_description
'
    aggregated_by_entity_team.tea_active
'
    aggregated_by_entity_team.tea_teamsupervisor
'
    aggregated_by_entity_team.tet_id
'
    aggregated_by_entity_team.med_id
FROM u1329.aggregated_by_entity_team;

```

[Index - Schema u1329](#)

View: dictionary

Dictionary view that encapsulate legacy, global and customized dictionaries

Dictionary Structure

F-Key	Name	Type	Description
-------	------	------	-------------

dic_language	character varying(10)
dic_key	text
dic_value	text

```

WITH first_level
(dic_id
, dic_language
, dic_keys
) AS
(
SELECT d1.dic_id
, d1.dic_language
, json_merge
(d1.dic_keys
, d2.dic_keys
) AS json_merge
FROM (u1329.dictionary_legacy_agg d1
LEFT JOIN u1329.dictionary_new d2
ON (
(
(d2.dic_language)::text =
(d1.dic_language)::text
)
)
)
)
SELECT d1.dic_language
, json.key AS dic_key
, json.value AS dic_value
FROM (
(first_level d1
LEFT JOIN u1329.dictionary_new_customer d2
ON (
(
(d2.dic_language)::text =
(d1.dic_language)::text
)
)
)
CROSS
JOIN LATERAL json_each_text
(json_merge
(d1.dic_keys
, d2.dic_keys
)
) json
(key
, value
)
)
UNION ALL
SELECT d1.dic_language
, json.key AS dic_key
, json.value AS dic_value
FROM (
(u1329.dictionary_new d1
LEFT JOIN u1329.dictionary_new_customer d2
ON (
(
(d2.dic_language)::text =
(d1.dic_language)::text
)
)
)
CROSS
JOIN LATERAL json_each_text
(json_merge
(d1.dic_keys
, d2.dic_keys
)
) json
(key
, value
)
)
)
WHERE (NOT
(EXISTS
(
SELECT 1
FROM (first_level fl

```

```

CROSS
  JOIN LATERAL json_each_text
    (fl.dic_keys) j
    (dic_key
     , dic_value
    )
)
WHERE (
  (
    (fl.dic_language)::text =
    (dl.dic_language)::text
  )
  AND (j.dic_key = json.key)
)
);

```

[Index - Schema u1329](#)

Table: dictionary_legacy

Dictionary (legacy)

Dictionary_legacy Structure

F-Key	Name	Type	Description
	dic_id	bigint	PRIMARY KEY
	dic_language	character varying(10)	NOT NULL Language of logged user
	dic_key	character varying(200)	NOT NULL Key that identifies a form
	dic_value	character varying(500)	Name used for the form

[Index - Schema u1329](#)

View: dictionary_legacy_agg

Aggregated view for legacy dictionary

Dictionary_legacy_agg Structure

F-Key	Name	Type	Description
	dic_id	bigint	
	dic_language	character varying(10)	
	dic_keys	json	

```

SELECT NULL::bigint AS dic_id
,
  dictionary_legacy.dic_language
,
  (
    (
      ('{'::text || string_agg
        (
          (
            (to_json
              (dictionary_legacy.dic_key)
            )::text || ':'::text
          ) ||
          (to_json
            (dictionary_legacy.dic_value)
          )::text
        )
        , ','::text
      ) || '}'::text
    )
  )::json AS dic_keys
FROM u1329.dictionary_legacy
GROUP BY dictionary_legacy.dic_language;

```

[Index - Schema u1329](#)

Table: dictionary_new

New global dictionary

Dictionary_new Structure

F-Key	Name	Type	Description
	dic_id	bigint	PRIMARY KEY
	dic_language	character varying(10)	PRIMARY KEY
			Language of the dictionary
	dic_keys	json	NOT NULL
			Key that identifies a form

[Index - Schema u1329](#)

Table: dictionary_new_customer

New customer dictionary

Dictionary_new_customer Structure

F-Key	Name	Type	Description
	dic_id	bigint	PRIMARY KEY
	dic_language	character varying(10)	PRIMARY KEY
			Language of the dictionary
	dic_keys	json	NOT NULL
			JSON with key/value structure that identifies a form

[Index - Schema u1329](#)

Table: geocoordinate

Identifies the coordinates GPS collected on mobile phone. Contains the coordinates collected at execution of a activity or collected periodically.

Geocoordinate Structure

F-Key	Name	Type	Description
	geo_id	bigint	PRIMARY KEY
agent.age_id	age_id	bigint	
history.hty_id	hty_id	bigint	
	geo_collecteddatehour	timestamp without time zone	Date and time of collection on mobile gps
	geo_latitude	double precision	Latitude collected on mobile gps
	geo_longitude	double precision	Longitude collected on mobile gps
	geo_observation	character varying(300)	Contains the number of retries to collect mobile gps
	geo_provider	character varying(100)	Identifies where the gps was collected: gps or network
	geo_hasgps	integer	Identifies if mobile contains gps: 0=No 1=Yes
	geo_gpsenabled	integer	Identifies if mobile gps was active when gps was collected: 0=No 1=Yes
	geo_networkenabled	integer	Identifies if mobile network was active to collect gps: 0=No 1=Yes
	geo_locallatitude	double precision	Latitude of the local of the task fetched from address
	geo_locallongitude	double precision	Longitude of the local of the task fetched from address
	geo_coordinatesdistance	numeric(13,2)	Difference between the distance of the coordinates collected on mobile phone and the coordinates of the local of the task.
	geo_collectprecision	bigint	GPS collect precision in meters

geo_distancelastcoordinate numeric(10,2)

Linear distance (KM) regarding last captured coordinate

geo_distancelastexecution numeric(10,2)

Sum of linear distance (KM) between captured coordinates an currently execution position

[geocoordinate_age_id_in age_id geocoordinate_geo_collecteddatehour_in geo_collecteddatehour geocoordinate_hty_id_in hty_id Index - Schema u1329](#)

Table: history

Identifies the activities that are executed. It is the result of the data collection in a activity. Contains the header of the form with the link between task and activity.

History Structure

F-Key	Name	Type	Description
	hty_id	bigint	<i>PRIMARY KEY</i>
task.tsk_id	tsk_id	bigint	<i>NOT NULL</i>
activity.act_id	act_id	bigint	
	hty_initialdatehour	timestamp without time zone	<i>NOT NULL</i> Initial date and hour of execution on mobile
	hty_finaldatehour	timestamp without time zone	<i>NOT NULL</i> Final date and hour of execution on mobile
	hty_status	character(1)	<i>NOT NULL DEFAULT '1'::bpchar</i> 1 = Active 0 = Inactive
	hty_syncdatehour	timestamp without time zone	Date and hour of mobile synchronism
	hty_approvalstatus	character(1)	<i>DEFAULT '0'::bpchar</i> 0 = No approval required 1 = Approval pending 2 = Approval processing 3 = Approved 4 = Disapproved
	hty_integrationstatus	character(1)	<i>DEFAULT '0'::bpchar</i> 0 = Not integrated 1 = Integrated
	hty_timeexecutionerror	character(1)	<i>DEFAULT '0'::bpchar</i> 0 = No time execution error 1 = Time execution error
	hty_locationexecutionerror	character(1)	<i>DEFAULT '0'::bpchar</i> 0 = No location execution error 1 = Location execution error
	hty_dataexecutionerror	character(1)	<i>DEFAULT '0'::bpchar</i> 0 = No data execution error 1 = Data execution error

Tables referencing this one via Foreign Key Constraints:

- [geocoordinate](#)
- [historymedia](#)
- [historyvalue](#)

[history_act_id hty_finaldatehour hty_id_in act_id, hty_finaldatehour, hty_id history_act_id_in act_id history_hty_finaldatehour_in hty_finaldatehour history_hty_initialdatehour_in hty_initialdatehour history_tsk_id_in tsk_id](#)

[Index - Schema u1329](#)

Table: historymedia

Identifies medias collected on mobile phone. Contains the media collected at the execution of the activity.

Historymedia Structure

F-Key	Name	Type	Description
	htm_id	bigint	<i>PRIMARY KEY</i>
history.hty_id	hty_id	bigint	
	htm_insertdatehour	timestamp without time zone	Date and time of insert of the media.
	htm_type	character varying(10)	
	htm_url	character varying	

Table: historyvalue

Identifies the data that are collected in a activity. Contains the body of the form with items, sections and fields with the data collected.

Historyvalue Structure

F-Key	Name	Type	Description
	htv_id	bigint	<i>PRIMARY KEY</i>
history.hty_id	hty_id	bigint	<i>NOT NULL</i>
item.ite_id	ite_id	bigint	
activitysection.acs_id	acs_id	bigint	
activityfield.acf_id	acf_id	bigint	
	htv_internalvalue	character varying	Internal value collected in the field of activity. It is always equal to the external value, except in the fields of the list, which is the internal value of the field.
	htv_externalvalue	character varying	Value collected in the field of activity.
	htv_executiongroup	bigint	Group of collected fields for one item. It just appears when the environment allow to collect the same item more then one time.

Tables referencing this one via Foreign Key Constraints:

- [mediatags](#)

historyvalue_acf_id_hty_id_in acf_id, hty_id historyvalue_acf_id_in acf_id historyvalue_acs_id_in acs_id historyvalue_hty_id_in hty_id historyvalue_ite_id_in ite_id

Table: item

Identifies what is collected in the execution of activities. It is not mandatory and allows the collection of multiple records in the same activity.

Item Structure

F-Key	Name	Type	Description
	ite_id	bigint	<i>PRIMARY KEY</i>
	ite_integrationid	character varying(100)	Id used to integrate the client software
	ite_description	text	<i>NOT NULL</i>
	ite_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive
itemsubgroup.isg_id	isg_id	bigint	
itemcategory.icy_id	icy_id	bigint	
media.med_id	med_id	bigint	
agent.age_id	age_id_insert	bigint	Agent who created the item
	ite_datetimeinsert	timestamp without time zone	Date and time of record has inserted
	ite_moduleinsert	character varying(100)	Module that inserted the item (Center API Importer Mobile Integration)
agent.age_id	age_id_lastupdate	bigint	Agent who last updated the item
	ite_datetimelastupdate	timestamp without time zone	Date and time of last item update
	ite_modulelastupdate	character varying(100)	Module that last update the item (Center API Importer Mobile Integration)

Tables referencing this one via Foreign Key Constraints:

- [historyvalue](#)
- [itemlocal](#)
- [taskitem](#)

item_age_id_insert_in age_id_insert item_age_id_lastupdate_in age_id_lastupdate item_icy_id_in icy_id item_isg_id_in isg_id
item_ite_description_in ite_description varchar_pattern_ops item_med_id_in med_id

[Index](#) - [Schema u1329](#)

Table: itemcategory

Is a way of grouping items. It is not mandatory and can be used to generate statistics about items.

Itemcategory Structure

F-Key	Name	Type	Description
	icy_id	bigint	<i>PRIMARY KEY</i>
	icy_integrationid	character varying(100)	
			Id used to integrate the client software
	icy_description	character varying(100)	<i>NOT NULL</i>
	icy_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive

Tables referencing this one via Foreign Key Constraints:

- [item](#)

itemcategory_icy_description_in icy_description varchar_pattern_ops

[Index](#) - [Schema u1329](#)

Table: itemgroup

Is a way of grouping items. It is not mandatory and can be used to generate statistics about items.

Itemgroup Structure

F-Key	Name	Type	Description
	igp_id	bigint	<i>PRIMARY KEY</i>
	igp_integrationid	character varying(100)	
			Id used to integrate the client software
	igp_description	character varying(100)	<i>NOT NULL</i>
	igp_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive
media.med_id	med_id	bigint	

Tables referencing this one via Foreign Key Constraints:

- [itemsubgroup](#)

itemgroup_igp_description_in igp_description varchar_pattern_ops itemgroup_med_id_in med_id

[Index](#) - [Schema u1329](#)

Table: itemlocal

Identifies the locals connected to the items. It is mandatory and make the union of item and local.

Itemlocal Structure

F-Key	Name	Type	Description
	itl_id	bigint	<i>PRIMARY KEY</i>
item.ite_id	ite_id	bigint	
			Item identifier
local.loc_id	loc_id	bigint	
			Local identifier

itemlocal_ite_id_in ite_id itemlocal_loc_id_in loc_id

[Index](#) - [Schema u1329](#)

Table: itemsubgroup

Is a way of grouping items. It is mandatory and can be used to generate statistics about items.

Itemsubgroup Structure

F-Key	Name	Type	Description
	isg_id	bigint	<i>PRIMARY KEY</i>
	isg_integrationid	character varying(100)	Id used to integrate the client software
	isg_description	character varying(100)	<i>NOT NULL</i>
	isg_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive
itemgroup.igp_id	igp_id	bigint	
media.med_id	med_id	bigint	

Tables referencing this one via Foreign Key Constraints:

- [item](#)

itemsubgroup_igp_id_in igp_id itemsubgroup_isg_description_in isg_description varchar_pattern_ops itemsubgroup_med_id_in med_id
[Index - Schema u1329](#)

Table: local

Identifies where the activities are executed. It is mandatory and identifies where the agents perform their tasks.

Local Structure

F-Key	Name	Type	Description
	loc_id	bigint	<i>PRIMARY KEY</i>
	loc_integrationid	character varying(100)	Id used to integrate the client software
	loc_description	character varying(1000)	<i>NOT NULL</i>
	loc_corporatename	character varying(500)	
	loc_observation	character varying(1000)	
	loc_country	character varying(50)	
	loc_state	character varying(50)	
	loc_city	character varying(50)	
	loc_neighborhood	character varying(50)	
	loc_street	character varying(150)	
	loc_streetnumber	bigint	
	loc_streetnumbercompl	character varying(50)	
	loc_zipcode	character varying(10)	
	loc_phone	character varying(50)	+Country Code (Area Code) Phone Number
	loc_mobilephone	character varying(50)	+Country Code (Area Code) Mobile Number
	loc_mail	character varying(50)	
	loc_geoposition	character varying(60)	GPS coordinate address
	loc_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive
localtype.lty_id	lty_id	bigint	
localgroup.lgp_id	lgp_id	bigint	
localclass.lcl_id	lcl_id	bigint	
media.med_id	med_id	bigint	
agent.age_id	age_id	bigint	

			Agent responsible for the local
agent.age_id	age_id_insert	bigint	
			Agent who created the local
	loc_datetimeinsert	timestamp without time zone	Date and time of record has inserted
	loc_moduleinsert	character varying(100)	Module that inserted the local (Center API Importer Mobile Integration)
agent.age_id	age_id_lastupdate	bigint	
			Agent who last updated the local
	loc_datetimelastupdate	timestamp without time zone	Date and time of last local update
	loc_modulelastupdate	character varying(100)	Module that last update the local (Center API Importer Mobile Integration)
team.tea_id	tea_id	bigint	
			Team responsible for the local
	loc_geopositionprecision	character varying(50)	Precision returned by Google based on local address (Accurate, High Accuracy, Low Accuracy, No Accuracy, Manually Inserted)

Tables referencing this one via Foreign Key Constraints:

- [itemlocal](#)
- [localactivity](#)
- [localroute](#)
- [task](#)

local_age_id_in age_id local_age_id_insert_in age_id_insert local_age_id_lastupdate_in age_id_lastupdate local_lcl_id_in lcl_id local_lgp_id_in lgp_id local_loc_description_in loc_description varchar_pattern_ops local_lty_id_in lty_id local_med_id_in med_id local_tea_id_in tea_id
[Index - Schema u1329](#)

Table: localactivity

Identifies the activities of locals

Localactivity Structure

F-Key	Name	Type	Description
	lac_id	bigint	PRIMARY KEY
activity.act_id	act_id	bigint	NOT NULL
local.loc_id	loc_id	bigint	NOT NULL

[Index - Schema u1329](#)

Table: localclass

Is a way of grouping locals. It is not mandatory and can be used to generate statistics about locals.

Localclass Structure

F-Key	Name	Type	Description
	lcl_id	bigint	PRIMARY KEY
	lcl_integrationid	character varying(100)	Id used to integrate the client software
	lcl_description	character varying(100)	NOT NULL
	lcl_active	character(1)	NOT NULL
			1 = Active 0 = Inactive

Tables referencing this one via Foreign Key Constraints:

- [local](#)

localclass_lcl_description_in lcl_description varchar_pattern_ops
[Index - Schema u1329](#)

Table: localgroup

Is a way of grouping locals. It is not mandatory and can be used to generate statistics about locals.

Localgroup Structure

F-Key	Name	Type	Description
	lgp_id	bigint	<i>PRIMARY KEY</i>
	lgp_integrationid	character varying(100)	Id used to integrate the client software
	lgp_description	character varying(100)	<i>NOT NULL</i>
	lgp_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive

Tables referencing this one via Foreign Key Constraints:

- [local](#)

localgroup_lgp_description_in lgp_description varchar_pattern_ops

[Index](#) - [Schema u1329](#)

Table: localroute

Locals of a route. It is mandatory to execute a route and it defines where any agent has to execute the tasks.

Localroute Structure

F-Key	Name	Type	Description
	lor_id	bigint	<i>PRIMARY KEY</i>
	lor_executionorder	bigint	<i>NOT NULL</i> Order to execute the route between the locals
route.rot_id	rot_id	bigint	<i>NOT NULL</i>
local.loc_id	loc_id	bigint	<i>NOT NULL</i>

[Index](#) - [Schema u1329](#)

Table: localtype

Is a way of grouping locals. It is not mandatory and can be used to generate statistics about locals.

Localtype Structure

F-Key	Name	Type	Description
	lty_id	bigint	<i>PRIMARY KEY</i>
	lty_integrationid	character varying(100)	Id used to integrate the client software
	lty_description	character varying(100)	<i>NOT NULL</i>
	lty_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive

Tables referencing this one via Foreign Key Constraints:

- [local](#)

localtype_lty_description_in lty_description varchar_pattern_ops

[Index](#) - [Schema u1329](#)

Table: media

Identifies the media created for each entity. Multiple medias can be created for the main entities of the system.

Media Structure

F-Key	Name	Type	Description
	med_id	bigint	<i>PRIMARY KEY</i>
	med_description	character varying(100)	
	med_publicurl	character varying(500)	Public URL
	med_status	character(1)	0=Pending 1=Scheduled 2=Sucessfully processed 3=Processed with error

Tables referencing this one via Foreign Key Constraints:

- [activity](#)
- [activitysection](#)
- [activitytype](#)
- [agent](#)
- [item](#)
- [itemgroup](#)
- [itemsubgroup](#)
- [local](#)
- [task](#)
- [team](#)

media_med_description_in med_description varchar_pattern_ops

[Index](#) - [Schema u1329](#)

Table: mediatags

Mediatags Structure

F-Key	Name	Type	Description
	med_id	bigint	<i>PRIMARY KEY</i> Id
	med_tags	json	JSON object with tags
historyvalue.htv_id	htv_id	bigint	History Value relationship

[Index](#) - [Schema u1329](#)

Table: route

Is a way to define the tasks of a team. It is not mandatory and can define the locals that any agent has to execute the data collection.

Route Structure

F- Key	Name	Type	Description
	rot_id	bigint	<i>PRIMARY KEY</i>
	rot_integrationid	character varying(100)	Id used to integrate the client software
	rot_description	character varying(100)	<i>NOT NULL</i>
	rot_displayorder	bigint	<i>NOT NULL</i> Order to display the route on the mobile phone
	rot_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive
	rot_activitysource	character(1)	<i>NOT NULL</i> Source of activities to the tasks created by the route: 0=Route 1=Agent 2=Local 3=System Configuration 7=Task Type
	rot_agentrelationship	character(1)	<i>NOT NULL</i> Relationship of agents of a route: 0=Only selected agents can execute the route 1=Any agent can execute the route
	rot_activityrelationship	character(1)	<i>NOT NULL</i> Relationship of activities of a route: 0=Only selected activities can be executed by the route 1=Any activity can be executed by the route
	tty_id	bigint	

Tables referencing this one via Foreign Key Constraints:

- [activityroute](#)

- [agentroute](#)
- [localroute](#)

route_rot_description_in rot_description varchar_pattern_ops
[Index](#) - [Schema u1329](#)

Table: task

Identifies when the activities are executed. It is mandatory and make the union of agent, local, activity and a date/hour to execution.

Task Structure

F-Key	Name	Type	Description
	tsk_id	bigint	<i>PRIMARY KEY</i>
	tsk_integrationid	character varying(100)	Id used to integrate the client software
agent.age_id	age_id	bigint	
local.loc_id	loc_id	bigint	
	tsk_scheduleinitialdatehour	timestamp without time zone	Initial date and hour scheduled
	tsk_realinitialdatehour	timestamp without time zone	Initial date and hour executed
	tsk_schedulefinaldatehour	timestamp without time zone	Final date and hour scheduled
	tsk_realfinaldatehour	timestamp without time zone	Final date and hour executed
	tsk_lastexecutiondatehour	timestamp without time zone	Date and hour of last execution
	tsk_observation	character varying(500)	
	tsk_active	character(1)	<i>NOT NULL</i> 1 = Active 0 = Inactive
	tsk_situation	character varying(100)	<i>NOT NULL</i> Em Preparação=task not available to sync for mobile phone Pendente de Envio para Campo=task available to sync for mobile phone, but not synchronized yet Em Campo=task in execution on mobile phone Retornada de Campo=task executed on mobile phone (with history) Cancelada=task cancelled
	tsk_automaticclosingapp	bigint	
	tsk_expectedfinaldatehour	timestamp without time zone	
	tss_id	bigint	<i>NOT NULL</i>
	tsk_waitingtime	bigint	Number of minutes of waiting in some local to calculate the total routing time
	tsk_priority	bigint	Task priority starting with 0 (zero) URGENT
	tsk_source	character(1)	0 - Integration by file 1 - Created into the Center Web 2 - Created by agent using mobile 3 - Created using API 4 - Created by agent using mobile through a route 5 - Created through a conector 6 - Created by reatrolimentacao process 7 - Task copied
media.med_id	med_id	bigint	
team.tea_id	tea_id	bigint	
	tsk_activityorigin	character(1)	Origin of the activities linked to the task (0 - Route 1 - Agent 2 - Local 3 - Activities default 4 - Manually selected 5 - Team and team type 6 - Team and local 7 - Task type)
	tsk_prestartalert	bigint	
	tsk_posstartalert	bigint	

	tsk_prestartblock	bigint	
	tsk_posstartblock	bigint	
	tsk_preendalert	bigint	
	tsk_posendalert	bigint	
	tsk_insertdatehour	timestamp without time zone	
	tsk_lastmodification	timestamp without time zone	
	tsk_mobilesenddate	timestamp without time zone	
	tsk_accesstoken	character varying(50)	Used to access the task history outside of uMov.me
agent.age_id	age_id_insert	bigint	Agent who created the task
	tsk_datetimeinsert	timestamp without time zone	Date and time of record has inserted
	tsk_moduleinsert	character varying(100)	Module that inserted the task (Center API Importer Mobile Integration)
agent.age_id	age_id_lastupdate	bigint	Agent who last updated the task
	tsk_datetimelastupdate	timestamp without time zone	Date and time of last task update
	tsk_modulelastupdate	character varying(100)	Module that last update the task (Center API Importer Mobile Integration)
tasktype.tty_id	tty_id	bigint	
	tsk_executionerror	character(1)	0 = No execution error 1 = Execution error
	tsk_group	character varying(50)	Task group to execution
	tsk_negativeexecution	character(1)	Task with negative execution (0 - No 1 - Yes)

Tables referencing this one via Foreign Key Constraints:

- [history](#)
- [taskactivity](#)
- [taskdailymetrics](#)
- [taskitem](#)

task_age_id_in age_id task_age_id_insert_in age_id_insert task_age_id_lastupdate_in age_id_lastupdate task_loc_id_in loc_id task_med_id_in med_id task_tea_id_in tea_id task_tsk_integrationid_in tsk_integrationid varchar_pattern_ops task_tsk_lastexecutiondatehour_in tsk_lastexecutiondatehour task_tsk_scheduleinitialdatehour_in tsk_scheduleinitialdatehour task_tsk_situation_in tsk_situation varchar_pattern_ops task_tss_id_in tss_id task_tty_id_in tty_id

[Index](#) - [Schema u1329](#)

Table: taskactivity

Identifies the activities connected to the task. It is mandatory and make the union of task and activity.

Taskactivity Structure

F-Key	Name	Type	Description
	tsa_id	bigint	<i>PRIMARY KEY</i>
activity.act_id	act_id	bigint	Activity identifier
task.tsk_id	tsk_id	bigint	

taskactivity_act_id_in act_id taskactivity_tsk_id_in tsk_id

[Index - Schema u1329](#)

Table: taskdailymetrics

Identifies task daily execution metrics

Taskdailymetrics Structure

F-Key	Name	Type	Description
	tdm_id	bigint	<i>PRIMARY KEY</i>
task.tsk_id	tsk_id	bigint	<i>NOT NULL</i>
			Task identifier
	tdm_date	date	<i>NOT NULL</i>
	tdm_initialexecutiondatehour	timestamp without time zone	
	tdm_finalexecutiondatehour	timestamp without time zone	
	tdm_totalexecutedtasktime	interval	
	tdm_totalunexecutedtasktime	interval	
	tdm_totalworkedtime	interval	
	tdm_totalunworkedtime	interval	
	tdm_totaltraveleddistance	numeric	
	tdm_negativetask	character(1)	<i>DEFAULT '0'::bpchar</i>
	tdm_totalexecutedactivities	bigint	

taskdailymetrics_tdm_date_in tdm_date taskdailymetrics_tsk_id_in tsk_id

[Index - Schema u1329](#)

Table: taskitem

Identifies the items connected to the task. It is mandatory and make the union of task and item.

Taskitem Structure

F-Key	Name	Type	Description
	tsi_id	bigint	<i>PRIMARY KEY</i>
task.tsk_id	tsk_id	bigint	
			Task identifier
item.ite_id	ite_id	bigint	
			Item identifier

[Index - Schema u1329](#)

Table: tasktype

Is a way of grouping tasks. It is used to generate statistics about tasks.

Tasktype Structure

F-Key	Name	Type	Description
	tty_id	bigint	<i>PRIMARY KEY</i>
	tty_integrationid	character varying(100)	
			Id used to integrate the client software
	tty_description	character varying(100)	<i>NOT NULL</i>
	tty_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive

Tables referencing this one via Foreign Key Constraints:

- [task](#)
- [tasktypeactivity](#)

[Index - Schema u1329](#)

Table: tasktypeactivity

Identifies the activities connected to the task type.

Tasktypeactivity Structure

F-Key	Name	Type	Description
-------	------	------	-------------

	tta_id	bigint	<i>PRIMARY KEY</i>
activity.act_id	act_id	bigint	
			Activity identifier
tasktype.tty_id	tty_id	bigint	
			Task type identifier

tasktypeactivity_act_id_in act_id tasktypeactivity_tty_id_in tty_id

[Index](#) - [Schema u1329](#)

Table: team

Is a group of agents with a common goal

Team Structure

F-Key	Name	Type	Description
	tea_id	bigint	<i>PRIMARY KEY</i>
	tea_integrationid	character varying(100)	
			Id used to integrate the client software
	tea_description	character varying(100)	<i>NOT NULL</i>
	tea_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive
team.tea_id	tea_teamsupervisor	bigint	
			Identifies the team supervisor
teamtype.tet_id	tet_id	bigint	
media.med_id	med_id	bigint	

Tables referencing this one via Foreign Key Constraints:

- [local](#)
- [task](#)
- [team](#)
- [teamagent](#)

[Index](#) - [Schema u1329](#)

Table: teamagent

Agents of a team

Teamagent Structure

F-Key	Name	Type	Description
	tag_id	bigint	<i>PRIMARY KEY</i>
team.tea_id	tea_id	bigint	<i>NOT NULL</i>
agent.age_id	age_id	bigint	<i>NOT NULL</i>
	tag_responsible	character(1)	<i>NOT NULL</i>
			1 = Yes 0 = No
	tag_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive

[Index](#) - [Schema u1329](#)

Table: teamtype

Is a way to categorize teams

Teamtype Structure

F-Key	Name	Type	Description
	tet_id	bigint	<i>PRIMARY KEY</i>
	tet_integrationid	character varying(100)	
			Id used to integrate the client software
	tet_description	character varying(100)	<i>NOT NULL</i>
	tet_active	character(1)	<i>NOT NULL</i>
			1 = Active 0 = Inactive

Tables referencing this one via Foreign Key Constraints:

- [team](#)

[Index - Schema u1329](#)

Table: total_sizes_transactionlog

Total_sizes_transactionlog Structure

F-Key	Name	Type	Description
	schemaname	name	
	relname	name	
	total_size	bigint	

[Index - Schema u1329](#)

Table: transactionlog

Is a way to register all transactions applied to a customer environment

Transactionlog Structure

F-Key	Name	Type	Description
	trl_id	bigserial	PRIMARY KEY
	trl_datehour	timestamp with time zone	DEFAULT now() Timestamp of when transaction was applied
	trl_statements	text	NOT NULL SQL statements of transaction
	trl_txid	bigint	NOT NULL Transaction ID of the source database

transactionlog_trl_datehour_in trl_datehour

[Index - Schema u1329](#)

View: valid_coordinate

Valid_coordinate Structure

F-Key	Name	Type	Description
	geo_id	bigint	
	age_id	bigint	
	hty_id	bigint	
	geo_collecteddatehour	timestamp without time zone	
	geo_latitude	double precision	
	geo_longitude	double precision	
	geo_observation	character varying(300)	
	geo_provider	character varying(100)	
	geo_hasgps	integer	
	geo_gpsenabled	integer	
	geo_networkenabled	integer	
	geo_locallatitude	double precision	
	geo_locallongitude	double precision	
	geo_coordinatesdistance	numeric(13,2)	
	point	geometry	

```
SELECT geo.geo_id
```

```
, geo.age_id
```

```
, geo.hty_id
```

```
, geo.geo_collecteddatehour
```

```
, geo.geo_latitude
```

```
, geo.geo_longitude
```

```
, geo.geo_observation
```

```
, geo.geo_provider
```

```
, geo.geo_hasgps
```

```
,
```



```

geo.geo_gpsenabled
'
geo.geo_networkenabled
'
geo.geo_locallatitude
'
geo.geo_locallongitude
'
geo.geo_coordinatesdistance
'
st_makepoint
(geo.geo_longitude
, geo.geo_latitude
) AS point
FROM u1329.geocoordinate geo
WHERE (
(
(
(
(geo.geo_latitude >=
(
(-90)
)::double precision
)
AND (geo.geo_latitude <=
(90)::double precision
)
)
)
AND (geo.geo_longitude >=
(
(-90)
)::double precision
)
)
)
AND (geo.geo_longitude <=
(90)::double precision
)
)
AND (geo.geo_latitude <>
(0)::double precision
)
)
AND (geo.geo_longitude <>
(0)::double precision
)
);

```

[Index - Schema u1329](#)

View: vw_responsible_team_recursive

Vw_responsible_team_recursive Structure

F-Key	Name	Type	Description
	agent	bigint	
	team	bigint	

```

SELECT eqa.age_id AS agent
'
eqa2.tea_id AS team
FROM (
(u1329.vw_team_recursive tma
JOIN u1329.teamagent eqa
ON (
(eqa.tea_id = tma.supervisor_team)
)
)
JOIN u1329.teamagent eqa2
ON (
(eqa2.tea_id = tma.team)
)
)
UNION
SELECT eqa.age_id AS agent
'
eqa2.tea_id AS team
FROM (u1329.teamagent eqa
JOIN u1329.teamagent eqa2
ON (
(eqa.tea_id = eqa2.tea_id)
)
)
UNION
SELECT age.age_id AS agent
'

```

```

tea.tea_id AS team
FROM u1329.agent age
'
    u1329.team tea
WHERE (
    (
        (tea.tea_active = '1'::bpchar)
        AND (age.age_active = '1'::bpchar)
    )
    AND (age.age_ignoreteamfilter = '1'::bpchar)
);

```

[Index - Schema u1329](#)

View: vw_team_recursive

Vw_team_recursive Structure

F-Key	Name	Type	Description
	supervisor_team	bigint	
	team	bigint	

```

WITH RECURSIVE recursiveteam
(supervisor_team
, team
) AS
(
SELECT team.tea_teamsupervisor
,
    team.tea_id
FROM u1329.team
WHERE (
    (team.tea_teamsupervisor IS NOT NULL)
    AND (team.tea_active = '1'::bpchar)
)
UNION ALL
SELECT tma.supervisor_team
,
    eqp.tea_id
FROM (recursiveteam tma
JOIN u1329.team eqp
ON (
    (eqp.tea_teamsupervisor = tma.team)
)
)
WHERE (eqp.tea_active = '1'::bpchar)
)
SELECT recursiveteam.supervisor_team
,
    recursiveteam.team
FROM recursiveteam;

```

[Index - Schema u1329](#)

View: vw_teamagent_recursive

Vw_teamagent_recursive Structure

F-Key	Name	Type	Description
	supervisor	bigint	
	subordinate	bigint	

```

SELECT eqa.age_id AS supervisor
'
    eqa2.age_id AS subordinate
FROM (
    (u1329.vw_team_recursive tma
JOIN u1329.teamagent eqa
ON (
    (eqa.tea_id = tma.supervisor_team)
)
)
JOIN u1329.teamagent eqa2
ON (
    (eqa2.tea_id = tma.team)
)
)

```

```

)
UNION
SELECT eqa.age_id AS supervisor
'
    eqa2.age_id AS subordinate
FROM (u1329.teamagent eqa
      JOIN u1329.teamagent eqa2
        ON (
            (eqa.tea_id = eqa2.tea_id)
          )
      )
)
WHERE (eqa.tag_responsible = '1'::bpchar)
UNION
SELECT eqa.age_id AS supervisor
'
    eqa.age_id AS subordinate
FROM u1329.teamagent eqa
WHERE (eqa.tag_responsible = '0'::bpchar)
UNION
SELECT age1.age_id AS supervisor
'
    age2.age_id AS subordinate
FROM u1329.agent age1
'
    u1329.agent age2
WHERE (age1.age_ignoreteamfilter = '1'::bpchar);

```

[Index - Schema u1329](#)

Function: `dbout_setup_views()`

Returns: void

Language: PLPGSQL

```

BEGIN
    PERFORM dbout_setup_views_by_history();
    PERFORM dbout_setup_views_by_entity();
    PERFORM dbout_setup_views_by_customentity();
    RETURN;
END;

```

Function: `dbout_setup_views_by_customentity()`

Returns: void

Language: PLPGSQL

```

BEGIN
    PERFORM dbout_setup_views_by_customentity(cet_id)
    FROM customentity
    WHERE cet_active = '1';
    RETURN;
END;

```

Function: `dbout_setup_views_by_customentity(customerentityid bigint)`

Returns: void

Language: PLPGSQL

```

DECLARE
    customerid BIGINT;
    structural CHAR(1);
BEGIN
    IF session_user !~ '^u[0-9]*$' THEN
        RAISE EXCEPTION 'User % is not allowed to setup dbout views', session_user;
    END IF;
    customerid := CAST(SUBSTR(session_user, 2) AS BIGINT);
    PERFORM dbview.drop_aggregated_view_by_customentity(customerid, customentityid);
    PERFORM dbview.create_aggregated_view_by_customentity(customerid, customentityid);
    PERFORM dbview.create_raw_view_by_customentity(customerid, customentityid);
    RETURN;
END;

```

Function: `dbout_setup_views_by_entity()`

Returns: void

Language: PLPGSQL

```
DECLARE
    entityname TEXT;
BEGIN
    FOR entityname IN VALUES ('agent'), ('local'), ('item'), ('task'), ('taskitem'), ('team'), ('localtype'), ('activitysection')
    LOOP
        PERFORM dbout_setup_views_by_entity(entityname);
    END LOOP;
    RETURN;
END;
```

Function: `dbout_setup_views_by_entity(entityname text)`

Returns: void

Language: PLPGSQL

```
DECLARE
    customerid BIGINT;
BEGIN
    IF session_user !~ '^u[0-9]*$' THEN
        RAISE EXCEPTION 'User % is not allowed to setup dbout views', session_user;
    END IF;
    customerid := CAST(SUBSTR(session_user, 2) AS BIGINT);
    PERFORM dbview.drop_aggregated_view_by_entity(customerid, entityname);
    PERFORM dbview.create_aggregated_view_by_entity(customerid, entityname);
    PERFORM dbview.create_raw_view_by_entity(customerid, entityname);
    RETURN;
END;
```

Function: `dbout_setup_views_by_history(returninactive bigint, activityid boolean)`

Returns: void

Language: PLPGSQL

```
DECLARE
    customerid BIGINT;
BEGIN
    IF session_user !~ '^u[0-9]*$' THEN
        RAISE EXCEPTION 'User % is not allowed to setup dbout views', session_user;
    END IF;
    customerid := CAST(SUBSTR(session_user, 2) AS BIGINT);
    PERFORM dbview.drop_aggregated_view_by_history(customerid, activityid);
    PERFORM dbview.create_aggregated_view_by_history(customerid, activityid, returninactive);
    PERFORM dbview.create_raw_view_by_history(customerid, activityid);
    RETURN;
END;
```

Function: `dbout_setup_views_by_history(returninactive boolean)`

Returns: void

Language: PLPGSQL

```
DECLARE
    activityid BIGINT;
BEGIN
    FOR activityid IN
        SELECT act_id
        FROM activity
        WHERE act_active = '1'
    LOOP
        PERFORM dbout_setup_views_by_history(activityid, returninactive);
    END LOOP;
    RETURN;
END;
```

Function: `dbout_setup_views_with_inactive()`

Returns: void

Language: PLPGSQL

```
BEGIN
    PERFORM dbout_setup_views_by_history(TRUE);
```

```
PERFORM dbout_setup_views_by_entity();  
PERFORM dbout_setup_views_by_customentity();  
RETURN;
```

```
END;
```